SUPPORTI
BEARING UNITS

SUPPORTI IN LAMIERA
PRESSED STEEL BEARING UNITS

UCP2 Serie normale - *Standard duty*



Tipo *Type*	**Dimensioni** - *Dimensions*												**Bull. fiss.** *Bolt Size*	**Coefficienti di carico (N)** *Load ratings (N)*		**Cuscinetto** *Bearing*	**Supporto** *Housing*	**Peso** *Weight*
	d	**h**	**a**	**e**	**b**	**S1**	**S2**	**g**	**w**	**t**	**B1**	**n**		**Dinamico C** *Dynamic C*	**Statico C0** *Static C0*			
	mm/inch												mm/inch					kg
UCP201	**12**	30,2	127	95	38	13	19	14	62	44,5	31	12,7	M10	12160	6318	**UC201**	**P203**	0,69
UCP201-8	3/4	1 3/16	5	3 3/4	1 1/2	1/2	3/4	9/16	2 7/16	1 3/4	1,2205	0,500	3/8			UC201-8		0,69
UCP202	**15**	30,2	127	95	38	13	19	14	62	44,5	31	12,7	M10	12160	6318	**UC202**	**P203**	0,69
UCP202-9	9/16	1 3/16	5	3 3/4	1 1/2	1/2	3/4	9/16	2 7/16	1 3/4	1,2205	0,500	3/8			UC202-9		0,69
UCP202-10	5/8															UC202-10		0,69
UCP203	**17**	30,2	127	95	38	13	19	14	62	44,5	31	12,7	M10	12160	6318	**UC203**	**P203**	0,68
UCP203-11	11/16	1 3/16	5	3 3/4	1 1/2	1/2	3/4	9/16	2 7/16	1 3/4	1,2205	0,500	3/8			UC203-11		0,67
UCP204	**20**	33,3	127	95	38	13	19	14	65	44,5	31	12,7	M10	12160	6318	**UC204**	**P204**	0,66
UCP204-12	3/4	1 5/16	5	3 3/4	1 1/2	1/2	3/4	9/16	2 9/16	1 3/4	1,2205	0,500	3/8			UC204-12		0,66
UCP205	**25**	36,5	140	105	38	13	19	15	71	48	34,1	14,3	M10	13300	7457	**UC205**	**P205**	0,81
UCP205-13	13/16															UC205-13		0,85
UCP205-14	7/8	1 7/16	5 1/2	4 1/8	1 1/2	1/2	3/4	19/32	2 25/32	1 57/64	1,3425	0,563	3/8			UC205-14		0,83
UCP205-15	15/16															UC205-15		0,82
UCP205-16	1															UC205-16		0,81
UCP206	**30**	42,9	165	121	48	17	20	17	84	53	38,1	15,9	M14	18525	10735	**UC206**	**P206**	1,24
UCP206-17	1 1/16															UC206-17		1,27
UCP206-18	1 1/8	1 11/16	6 1/2	4 3/4	1 7/8	43/64	25/32	21/32	3 5/16	2 5/64	1,5000	0,626	1/2			UC206-18		1,26
UCP206-19	1 3/16															UC206-19		1,24
UCP206-20	1 1/4															UC206-20		1,23
UCP207	**35**	47,6	167	127	48	17	20	18	93	59,5	42,9	17,5	M14	24415	14630	**UC207**	**P207**	1,58
UCP207-20	1 1/4															UC207-20		1,64
UCP207-21	1 5/16	1 7/8	6 9/16	5	1 7/8	43/64	25/32	45/64	3 21/32	2 11/32	1,6890	0,689	1/2			UC207-21		1,61
UCP207-22	1 3/8															UC207-22		1,58
UCP207-23	1 7/16															UC207-23		1,55
UCP208	**40**	49,2	184	137	54	17	20	18	100	69	49,2	19	M14	27645	16910	**UC208**	**P208**	1,89
UCP208-24	1 1/2	1 15/16	7 1/4	5 13/32	2 1/8	43/64	25/32	45/64	3 15/16	2 23/32	1,9370	0,748	1/2			UC208-24		1,93
UCP208-25	1 9/16															UC208-25		1,90
UCP209	**45**	54,0	190	146	54	17	20	20	106	69	49,2	19	M14	32395	20235	**UC209**	**P209**	2,14
UCP209-26	1 5/8															UC209-26		2,24
UCP209-27	1 11/16	2 1/8	7 15/32	5 3/4	2 1/8	43/64	25/32	25/32	4 11/64	2 23/32	1,9370	0,748	1/2			UC209-27		2,20
UCP209-28	1 3/4															UC209-28		2,14
UCP210	**50**	57,2	206	159	60	20	23	21	113	74,5	51,6	19	M16	33345	22135	**UC210**	**P210**	2,66
UCP210-29	1 13/16															UC210-29		2,78
UCP210-30	1 7/8	2 1/4	8 1/8	6 1/4	2 3/8	25/32	29/32	53/64	4 29/64	2 15/16	2,0315	0,748	5/8			UC210-30		2,73
UCP210-31	1 15/16															UC210-31		2,68
UCP210-32	2															UC210-32		2,64
UCP211	**55**	63,5	219	171	60	20	23	23	125	76	55,6	22,2	M16	41230	27930	**UC211**	**P211**	3,31
UCP211-32	2															UC211-32		3,46
UCP211-33	2 1/16	2 1/2	8 5/8	6 47/64	2 3/8	25/32	29/32	29/32	4 59/64	3	2,1890	0,874	5/8			UC211-33		3,40
UCP211-34	2 1/8															UC211-34		3,35
UCP211-35	2 3/16															UC211-35		3,29
UCP212	**60**	69,8	241	184	70	20	23	25	138	89	65,1	25,4	M16	49780	34390	**UC212**	**P212**	4,90
UCP212-36	2 1/4															UC212-36		5,03
UCP212-37	2 5/16	2 3/4	9 1/2	7 1/4	2^{34}	25/32	29/32	63/64	5 7/16	3 1/2	2,5630	1,000	5/8			UC212-37		4,95
UCP212-38	2 3/8															UC212-38		4,88
UCP212-39	2 7/16															UC212-39		4,81
UCP213	**65**	76,2	265	203	70	25	28	27	150	89	65,1	25,4	M20	54340	38095	**UC213**	**P213**	5,15
UCP213-40	2 1/2	3	10 7/16	8	2 3/4	63/64	1 3/32	1 1/16	5 29/32	3 1/2	2,5630	1,000	3/4			UC213-40		5,24
UCP213-41	2 9/16															UC213-41		5,15
UCP214	**70**	79,4	266	210	72	25	28	27	156	-	74,6	30,2	M20	59090	41895	**UC214**	**P214**	6,20
UCP214-42	2 5/8															UC214-42		6,41
UCP214-43	2 11/16	3 1/8	10 15/32	8 17/64	2 27/32	63/64	1 3/32	1 1/16	6 9/64	-	2,9370	1,189	3/4			UC214-43		6,31
UCP214-44	2 3/4															UC214-44		6,21
UCP215	**75**	82,6	275	217	74	25	28	28	162	-	77,8	33,3	M20	64030	45885	**UC215**	**P215**	7,16
UCP215-45	2 13/16															UC215-45		7,41
UCP215-46	2 7/8	3 1/4	10 53/64	8 35/64	2 29/32	63/64	1 3/32	1 3/32	6 3/8	-	3,0630	1,311	3/4			UC215-46		7,30
UCP215-47	2 15/16															UC215-47		7,19
UCP215-48	3															UC215-48		7,07
UCP216	**80**	88,9	292	232	78	25	28	30	174	-	82,6	33,3	M20	69065	50350	**UC216**	**P216**	8,10
UCP216-49	3 1/16															UC216-49		8,28
UCP216-50	3 1/8	3 1/2	11 1/2	9 1/8	3 1/16	63/64	1 3/32	1 3/16	6 27/32	-	3,2520	1,311	3/4			UC216-50		8,15
UCP216-51	3 3/16															UC216-51		8,02
UCP217	**85**	95,2	310	247	83	25	28	32	185	-	85,7	34,1	M20	79800	58805	**UC217**	**P217**	9,81
UCP217-52	3 1/4															UC217-52		10,03
UCP217-53	3 5/16	3 3/4	12 13/64	9 23/32	3 17/64	63/64	1 3/32	1 1/4	7 9/32	-	3,3740	1,343	3/4			UC217-53		9,89
UCP217-55	3 7/16															UC217-55		9,60
UCP218	**90**	101,6	327	262	88	27	30	33	198	-	96	39,7	M22	91295	67925	**UC218**	**P218**	11,96
UCP218-56	3 1/2	4	12 7/8	10 5/16	3 15/32	1 1/16	1 3/16	1 19/64	7 51/64	-	3,7795	1,5630	7/8			UC218-56		12,07

Disponibile in acciaio inox Supporto: AISI 304 - Cuscinetto: AISI 440C - *Available stainless steel Housing: AISI 304 - Bearing: AISI 440C*
Disponibile su richiesta con cuscinetto SA (SAP..) - *Available under request with SA bearing (SAP..)*

HCP2 Serie normale - *Standard duty*





Tipo *Type*	Dimensioni - *Dimensions* d	h	a	e	b	S_1	S_2	g	w	B_1	n	Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)* Dinamico C *Dynamic C*	Statico C_o *Static C_o*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch											mm/inch					kg
HCP204	**20**	33,3	127	95	38	13	19	14	65	43,7	17,1	M10	12160	6318	**HC204**	**P204**	0,73
HCP204-12	1 1/4	1 5/16	5	3 3/4	1 1/2	1/2	3/4	9/16	2 9/16	1,720	0,673	3/8			HC204-12		0,73
HCP205	**25**	36,5	140	105	38	13	19	15	71	44,4	17,5	M10			**HC205**		0,88
HCP205-13	13/16														HC205-13		0,93
HCP205-14	7/8	1 7/16	5 1/2	4 1/8	1 1/2	1/2	3/4	19/32	2 25/32	1,748	0,689	3/8	13300	7457	HC205-14	**P205**	0,92
HCP205-15	15/16														HC205-15		0,90
HCP205-16	1														HC205-16		0,88
HCP206	**30**	42,9	165	121	48	17	20	17	84	48,4	18,3	M14			**HC206**		1,37
HCP206-17	1 1/16														HC206-17		1,42
HCP206-18	1 1/8	1 11/16	6 1/2	4 3/4	1 7/8	43/64	25/32	21/32	3 5/16	1,906	0,720	1/2	18525	10735	HC206-18	**P206**	1,39
HCP206-19	1 3/16														HC206-19		1,37
HCP206-20	1 1/4														HC206-20		1,34
HCP207	**35**	47,6	167	127	48	17	20	18	93	51,1	18,8	M14			**HC207**		1,70
HCP207-20	1 1/4														HC207-20		1,77
HCP207-21	1 5/16	1 7/8	6 9/16	5	1 7/8	43/64	25/32	45/64	3 21/32	2,012	0,740	1/2	24415	14630	HC207-21	**P207**	1,73
HCP207-22	1 3/8														HC207-22		1,70
HCP207-23	1 7/16														HC207-23		1,67
HCP208	**40**	49,2	184	137	54	17	20	18	100	56,3	21,4	M14			**HC208**		2,04
HCP208-24	1 1/2	1 15/16	7 1/4	5 13/32	2 1/8	43/64	25/32	45/64	3 15/16	2,217	0,843	1/2	27645	16910	HC208-24	**P208**	2,09
HCP208-25	1 9/16														HC208-25		2,05
HCP209	**45**	54,0	190	146	54	17	20	20	106	56,3	21,4	M14			**HC209**		2,31
HCP209-26	1 5/8												32395	20235	HC209-26	**P209**	2,42
HCP209-27	1 11/16	2 1/8	7 15/32	5 3/4	2 1/8	43/64	25/32	25/32	4 11/64	2,217	0,843	1/2			HC209-27		2,37
HCP209-28	1 3/4														HC209-28		2,33
HCP210	**50**	57,2	206	159	60	20	23	21	113	62,7	24,6	M16			**HC210**		2,85
HCP210-29	1 13/16														HC210-29		3,00
HCP210-30	1 7/8	2 1/4	8 1/8	6 1/4	2 3/8	25/32	29/32	53/64	4 29/64	2,469	0,969	5/8	33345	22135	HC210-30	**P210**	2,94
HCP210-31	1 15/16														HC210-31		2,88
HCP210-32	2														HC210-32		2,82
HCP211	**55**	63,5	219	171	60	20	23	23	125	71,4	27,8	M16			**HC211**		3,52
HCP211-32	2														HC211-32		3,72
HCP211-33	2 1/16	2 1/2	8 5/8	6 47/64	2 3/8	25/32	29/32	29/32	4 59/64	2,811	1,094	5/8	41230	27930	HC211-33	**P211**	3,64
HCP211-34	2 1/8														HC211-34		3,57
HCP211-35	2 3/16														HC211-35		3,49
HCP212	**60**	69,8	241	184	70	20	23	25	138	77,8	31	M16			**HC212**		5,24
HCP212-36	2 1/4														HC212-36		5,40
HCP212-37	2 5/16	2 3/4	9 1/2	7 1/4	2 34	25/32	29/32	63/64	5 7/16	3,063	1,220	5/8	49780	34390	HC212-37	**P212**	5,31
HCP212-38	2 3/8														HC212-38		5,26
HCP212-39	2 7/16														HC212-39		5,13
HCP213	**65**	76,2	265	203	70	25	28	27	150	85,7	34,1	M20			**HC213**		5,71
HCP213-40	2 1/2	3	10 7/16	8	2 3/4	63/64	1 3/32	1 1/16	5 29/32	3,374	1,343	3/4	54340	38095	HC213-40	**P213**	5,81
HCP213-41	2 9/16														HC213-41		5,70
HCP214	**70**	79,4	266	210	72	25	28	27	156	85,7	34,1	M20			**HC214**		6,70
HCP214-42	2 5/8												59090	41895	HC214-42	**P214**	6,94
HCP214-43	2 11/16	3 1/8	10 15/32	8 17/64	2 27/32	63/64	1 3/32	1 1/16	6 9/64	3,374	1,343	3/4			HC214-43		6,83
HCP214-44	2 3/4														HC214-44		6,71
HCP215	**75**	82,6	275	217	74	25	28	28	162	92,1	37,3	M20			**HC215**		7,79
HCP215-45	2 13/16														HC215-45		8,09
HCP215-46	2 7/8	3 1/4	10 53/64	8 35/64	2 29/32	63/64	1 3/32	1 3/32	6 3/8	3,626	1,426	3/4	64030	45885	HC215-46	**P215**	7,96
HCP215-47	2 15/16														HC215-47		7,83
HCP215-48	3														HC215-48		7,69

UCLP2 Serie ribassata - *Height reduced duty*







Tipo *Type*	**Dimensioni** - *Dimensions* d	h	a	e	b	S_1	S_2	g	w	B_1	n	**Bull. fiss.** *Bolt Size*	**Coefficienti di carico (N)** *Load ratings (N)* **Dinamico C** *Dynamic C*	**Statico C_0** *Static C_0*	**Cuscinetto** *Bearing*	**Supporto** *Housing*	**Peso** *Weight*
	mm/inch											mm/inch					kg
UCLP201	**12**	31,75	127	95	38	13	16	14	64	31	12,7	M10	12160	6318	**UC201**	**LP204**	0,69
UCLP201-8	3/4	1 1/4	5	3 3/4	1 1/2	1/2	5/8	9/16	2 33/64	1,2205	0,500	3/8			UC201-8		0,69
UCLP202	**15**	31,75	127	95	38	13	16	14	64	31	12,7	M10	12160	6318	**UC202**	**LP204**	0,69
UCLP202-9	9/16	1 1/4	5	3 3/4	1 1/2	1/2	5/8	9/16	2 33/64	1,2205	0,500	3/8			UC202-9		0,69
UCLP202-10	5/8														UC202-10		0,69
UCLP203	**17**	31,75	127	95	38	13	16	14	64	31	12,7	M10	12160	6318	**UC203**	**LP204**	0,68
UCP203-11	11/16	1 1/4	5	3 3/4	1 1/2	1/2	5/8	9/16	2 33/64	1,2205	0,500	3/8			UC203-11		0,67
UCLP204	**20**	31,75	127	95	38	13	16	14	64	31	12,7	M10	12160	6318	**UC204**	**LP204**	0,66
UCP204-12	3/4	1 1/4	5	3 3/4	1 1/2	1/2	5/8	9/16	2 33/64	1,2205	0,500	3/8			UC204-12		0,66
UCLP205	**25**	33,34	140	105	38	13	16	15	68	34,1	14,3	M10	13300	7457	**UC205**	**LP205**	0,81
UCLP205-13	13/16	1 5/16	5 1/2	4 1/8	1 1/2	1/2	5/8	19/32	2 43/64	1,3425	0,563	3/8			UC205-13		0,85
UCLP205-14	7/8														UC205-14		0,83
UCLP205-15	15/16														UC205-15		0,82
UCLP205-16	1														UC205-16		0,81
UCLP206	**30**	39,69	165	121	48	17	20	17	80	38,1	15,9	M14	18525	10735	**UC206**	**LP206**	1,24
UCLP206-17	1 1/16	1 9/16	6 1/2	4 3/4	1 7/8	43/64	25/32	21/32	3 5/32	1,5000	0,626	1/2			UC206-17		1,27
UCLP206-18	1 1/8														UC206-18		1,26
UCLP206-19	1 3/16														UC206-19		1,24
UCLP206-20	1 1/4														UC206-20		1,23
UCLP207	**35**	46,04	167	127	48	17	20	18	91	42,9	17,5	M14	24415	14630	**UC207**	**LP207**	1,58
UCLP207-20	1 1/4	1 13/16	6 9/16	5	1 7/8	43/64	25/32	45/64	3 37/64	1,6890	0,689	1/2			UC207-20		1,64
UCLP207-21	1 5/16														UC207-21		1,61
UCLP207-22	1 3/8														UC207-22		1,58
UCLP207-23	1 7/16														UC207-23		1,55
UCLP208	**40**	49,2	184	137	54	17	20	18	100	49,2	19	M14	27645	16910	**UC208**	**LP208**	1,89
UCLP208-24	1 1/2	1 15/16	7 1/4	5 13/32	2 1/8	43/64	25/32	45/64	3 15/16	1,9370	0,748	1/2			UC208-24		1,93
UCLP208-25	1 9/16														UC208-25		1,90
UCLP209	**45**	52,39	190	146	54	17	20	20	104	49,2	19	M14	32395	20235	**UC209**	**LP209**	2,14
UCLP209-26	1 5/8	2 1/16	7 15/32	5 3/4	2 1/8	43/64	25/32	25/32	4 3/32	1,9370	0,748	1/2			UC209-26		2,24
UCLP209-27	1 11/16														UC209-27		2,20
UCLP209-28	1 3/4														UC209-28		2,14
UCLP210	**50**	55,56	206	159	60	20	23	21	112	51,6	19	M16	33345	22135	**UC210**	**LP210**	2,66
UCLP210-29	1 13/16	2 3/16	8 1/8	6 1/4	2 3/8	25/32	29/32	53/64	4 13/32	2,0315	0,748	5/8			UC210-29		2,78
UCLP210-30	1 7/8														UC210-30		2,73
UCLP210-31	1 15/16														UC210-31		2,68
UCLP210-32	2														UC210-32		2,64
UCLP211	**55**	61,91	219	171	60	20	23	23	124	55,6	22,2	M16	41230	27930	**UC211**	**LP211**	3,31
UCLP211-32	2	2 7/16	8 5/8	6 47/64	2 3/8	25/32	29/32	29/32	4 7/8	2,1890	0,874	5/8			UC211-32		3,46
UCLP211-33	2 1/16														UC211-33		3,40
UCLP211-34	2 1/8														UC211-34		3,35
UCLP211-35	2 3/16														UC211-35		3,29
UCLP212	**60**	68,26	241	184	70	20	23	25	136	65,1	25,4	M16	49780	34390	**UC212**	**LP212**	4,90
UCLP212-36	2 1/4	2 11/16	9 1/2	7 1/4	2^{34}	25/32	29/32	63/64	5 23/64	2,5630	1,000	5/8			UC212-36		5,03
UCLP212-37	2 5/16														UC212-37		4,95
UCLP212-38	2 3/8														UC212-38		4,88
UCLP212-39	2 7/16														UC212-39		4,81

UCP3 Serie pesante - *Heavy duty*





Tipo *Type*	Dimensioni - *Dimensions*											Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	d	h	a	e	b	S_1	S_2	g	w	B_1	n		Dinamico C *Dynamic C*	Statico C_0 *Static C_0*			
	mm/inch											mm/inch					kg
UCP305	**25**	45	175	132	45	17	20	15	85	38	15	M14	20140	10355	**UC305**	**P305**	1,4
UCP305-13	13/16														UC305-13		
UCP305-14	7/8	1 49/64	6 7/8	5 3/16	1 25/32	43/64	25/32	19/32	3 11/32	1,4961	0,591	1/2			UC305-14		
UCP305-15	15/16														UC305-15		
UCP305-16	1														UC305-16		
UCP306	**30**	50	180	140	50	17	20	18	95	43	17	M14	25365	14250	**UC306**	**P306**	1,8
UCP306-17	1 1/16														UC306-17		
UCP306-18	1 1/8	1 31/32	7 3/32	5 1/2	1 31/32	43/64	25/32	23/32	3 3/4	1,6929	0,669	1/2			UC306-18		
UCP306-19	1 3/16														UC306-19		
UCP307	**35**	56	210	160	56	17	25	20	106	48	19	M14	31730	18335	**UC307**	**P307**	2,8
UCP307-20	1 1/4														UC307-20		
UCP307-21	1 5/16	1 13/64	8 9/32	6 5/16	2 13/64	43/64	31/32	25/32	4 3/16	1,8898	1,748	1/2			UC307-21		
UCP307-22	1 3/8														UC307-22		
UCP307-23	1 7/16														UC307-23		
UCP308	**40**	60	220	170	60	17	27	22	116	52	19	M14	38665	22800	**UC308**	**P308**	3,0
UCP308-24	1 1/2	2 23/64	8 21/32	6 11/16	2 3/8	43/64	1 11/16	7/8	4 9/16	2,0472	0,748	1/2			UC308-24		
UCP308-25	1 9/16														UC308-25		
UCP309	**45**	67	245	190	67	20	30	24	129	57	22	M16	46455	28025	**UC309**	**P309**	4,1
UCP309-26	1 5/8														UC309-26		
UCP309-27	1 11/16	2 41/64	9 21/32	7 15/32	2 5/8	25/32	1 3/16	15/16	5 3/32	2,2441	0,866	5/8			UC309-27		
UCP309-28	1 3/4														UC309-28		
UCP310	**50**	75	275	212	75	20	35	27	143	61	22	M16	58900	36385	**UC310**	**P310**	5,8
UCP310-29	1 13/16														UC310-29		
UCP310-30	1 7/8	2 61/64	10 13/16	8 11/32	2 15/16	25/32	1 3/8	1 1/16	5 5/8	2,4016	0,866	5/8			UC310-30		
UCP310-31	1 15/16														UC310-31		
UCP311	**55**	80	310	236	80	20	38	30	154	66	25	M16	68020	42750	**UC311**	**P311**	7,4
UCP311-32	2														UC311-32		
UCP311-33	2 1/16	3 5/32	12 7/32	9 9/32	3 5/32	25/32	1 1/2	1 3/16	6 1/16	2,5984	0,984	5/8			UC311-33		
UCP311-34	2 1/8														UC311-34		
UCP311-35	2 3/16														UC311-35		
UCP312	**60**	85	330	250	85	25	38	32	165	71	26	M20	77805	49590	**UC312**	**P312**	9,4
UCP312-36	2 1/4														UC312-36		
UCP312-37	2 5/16	3 11/32	13	9 17/32	3 11/32	31/32	1 1/2	1 1/4	6 1/2	2,7953	1,024	3/4			UC312-37		
UCP312-38	2 3/8														UC312-38		
UCP312-39	2 7/16														UC312-39		
UCP313	**65**	90	340	260	90	25	38	33	176	75	30	M20	88065	56905	**UC313**	**P313**	10
UCP313-40	2 1/2	3 35/64	13 3/8	10 1/4	3 17/32	31/32	1 1/2	1 5/16	6 15/16	2,9528	1,181	3/4			UC313-40		
UCP313-41	2 9/16														UC313-41		
UCP314	**70**	95	360	280	90	27	40	35	187	78	33	M22	98800	64790	**UC314**	**P314**	12
UCP314-42	2 5/8														UC314-42		
UCP314-43	2 11/16	3 47/64	14 3/16	11 1/32	3 17/32	1 1/16	1 9/16	1 3/8	7 3/8	3,0708	1,299	7/8			UC314-43		
UCP314-44	2 3/4														UC314-44		
UCP315	**75**	100	380	290	100	27	40	35	198	82	32	M22	107350	73340	**UC315**	**P315**	14
UCP315-45	2 13/16														UC315-45		
UCP315-46	2 7/8	3 15/16	14 31/32	11 13/32	3 15/16	1 1/16	1 9/16	1 3/8	7 25/32	3,2283	1,260	7/8			UC315-46		
UCP315-47	2 15/16														UC315-47		
UCP315-48	3														UC315-48		
UCP316	**80**	106	400	300	110	27	40	40	210	86	34	M22	111850	82365	**UC316**	**P316**	18
UCP316-49	3 1/16														UC316-49		
UCP316-50	3 1/8	4 11/64	15 3/4	11 13/16	4 11/32	1 1/16	1 9/16	1 9/16	8 9/32	3,3858	1,339	7/8			UC316-50		
UCP316-51	3 3/16														UC316-51		
UCP317	**85**	112	420	320	110	33	45	40	220	96	40	M27	126350	91960	**UC317**	**P317**	20
UCP317-52	3 1/4														UC317-52		
UCP317-53	3 5/16	4 13/32	16 17/32	12 19/32	4 11/32	1 5/16	1 25/32	1 9/16	8 21/32	3,7795	1,575	1			UC317-53		
UCP317-55	3 7/16														UC317-55		
UCP318	**90**	118	430	330	110	33	45	45	235	96	40	M27	135850	101650	**UC318**	**P318**	24
UCP318-55	3 7/16	4 41/64	16 15/16	13	4 11/32	1 5/16	1 25/32	1 25/32	9 1/4	3,7795	1,575	1			UC318-55		
UCP318-56	3 1/2														UC318-56		
UCP319	**95**	125	470	360	120	36	50	45	250	103	41	M30	145350	113050	**UC319**	**P319**	29
UCP319-58	3 5/8														UC319-58		
UCP319-59	3 11/16	4 59/64	18 1/2	14 3/16	4 23/32	1 13/32	1 31/32	1 25/32	9 27/32	4,0551	1,614	1 1/8			UC319-59		
UCP319-60	3 3/4														UC319-60		
UCP320	**100**	140	490	380	120	36	50	50	275	108	42	M30	164350	133950	**UC320**	**P320**	35
UCP320-64	4	5 33/64	19 9/32	14 31/32	4 23/32	1 13/32	1 31/32	1 31/32	10 13/16	4,2520	1,654	1 1/8			UC320-64		
UCP321	**105**	140	490	380	120	36	50	56	283	112	44	M33	174800	145350	**UC321**	**P321**	35
UCP322	**110**	150	520	400	140	40	55	61	303	117	46	M33	194750	171000	**UC322**	**P322**	45
UCP324	**120**	160	570	450	140	40	55	71	323	126	51	M33	196650	175750	**UC324**	**P324**	55
UCP326	**130**	180	600	480	140	40	55	81	363	135	54	M33	217550	203300	**UC326**	**P326**	72
UCP328	**140**	200	620	500	140	40	55	81	403	145	59	M33	240350	233700	**UC328**	**P328**	89

UCPX Serie media - *Medium duty*





Tipo *Type*	**Dimensioni** - *Dimensions*											**Bull. fiss.** *Bolt Size*	**Coefficienti di carico (N)** *Load ratings (N)*		**Cuscinetto** *Bearing*	**Supporto** *Housing*	**Peso** *Weight*
	d	**h**	**a**	**e**	**b**	**S_1**	**S_2**	**g**	**w**	**B_1**	**n**		**Dinamico C** *Dynamic C*	**Statico C_o** *Static C_o*			
	mm/inch											mm/inch					kg
UCPX05	**25**	44,4	159	119	51	17	20	18	85	38,1	15,9	M14	18525	10735	**UCX05**	**PX05**	1,5
UCPX05-13	13/16														UCX05-13		
UCPX05-14	7/8	1 3/4	6 1/4	4 11/16	2	43/64	25/32	23/32	3 11/32	1,5000	0,626	1/2			UCX05-14		
UCPX05-15	15/16														UCX05-15		
UCPX05-16	1														UCX05-16		
UCPX06	**30**	47,6	175	127	57	17	20	20	93	42,9	17,5	M14	24415	14630	**UCX06**	**PX06**	2,0
UCPX06-17	1 1/16														UCX06-17		
UCPX06-18	1 1/8	1 7/8	6 7/8	5	2 1/4	43/64	25/32	25/32	3 31/32	1,6890	0,689	1/2			UCX06-18		
UCPX06-19	1 3/16														UCX06-19		
UCPX06-20	1 1/4														UCX06-20		
UCPX07	**35**	54,0	203	144	57	17	20	21	105	49,2	19	M14	27645	16910	**UCX07**	**PX07**	2,6
UCPX07-21	1 5/16														UCX07-21		
UCPX07-22	1 3/8	2 1/8	8	5 21/32	2 1/4	43/64	25/32	13/16	4 1/8	1,9370	0,748	1/2			UCX07-22		
UCPX07-23	1 7/16														UCX07-23		
UCPX08	**40**	58,7	222	156	67	20	23	26	111	49,2	19	M16	32395	20235	**UCX08**	**PX08**	3,3
UCPX08-24	1 1/2	2 5/16	8 3/4	6 5/32	2 5/8	25/32	29/32	1 1/32	4 3/8	1,9370	0,748	5/8			UCX08-24		
UCPX08-25	1 9/16														UCX08-25		
UCPX09	**45**	58,7	222	156	67	20	23	26	116	51,6	19	M16	33345	22135	**UCX09**	**PX09**	3,3
UCPX09-26	1 5/8														UCX09-26		
UCPX09-27	1 11/16	2 5/16	8 3/4	6 5/32	2 5/8	25/32	29/32	1 1/32	4 9/16	2,0315	0,748	5/8			UCX09-27		
UCPX09-28	1 3/4														UCX09-28		
UCPX09-29	1 13/16														UCX09-29		
UCPX10	**50**	63,5	241	171	73	20	23	27	126	55,6	22,2	M16	41230	27930	**UCX10**	**PX10**	4,3
UCPX10-30	1 7/8														UCX10-30		
UCPX10-31	1 15/16	2 1/2	9 1/2	6 47/64	2 7/8	25/32	29/32	1 1/16	4 31/32	2,1890	0,874	5/8			UCX10-31		
UCPX10-32	2														UCX10-32		
UCPX11	**55**	69,8	260	184	79	25	28	30	137	65,1	25,4	M20	49780	34390	**UCX11**	**PX11**	5,7
UCPX11-33	2 1/16														UCX11-33		
UCPX11-34	2 1/8														UCX11-34		
UCPX11-35	2 3/16	2 3/4	10 1/4	7 1/4	3 1/8	31/32	1 3/32	1 3/16	5 13/32	2,5630	1,000	3/4			UCX11-35		
UCPX11-36	2 1/4														UCX11-36		
UCPX11-37	2 5/16														UCX11-37		
UCPX12	**60**	76,2	286	203	83	25	28	33	151	65,1	25,4	M20	54340	38095	**UCX12**	**PX12**	7,3
UCPX12-38	2 3/8	3	11 1/4	8	3 9/32	31/32	1 3/32	1 5/16	5 15/16	2,5630	1,000	3/4			UCX12-38		
UCPX12-39	2 7/16														UCX12-39		
UCPX13	**65**	76,2	286	203	83	25	28	33	154	74,6	30,2	M20	59090	41895	**UCX13**	**PX13**	7,6
UCPX13-40	2 1/2	3	11 1/4	8	3 9/32	63/64	1 3/32	1 5/16	6 1/16	2,9370	1,189	3/4			UCX13-40		
UCPX13-41	2 9/16														UCX13-41		
UCPX14	**70**	88,9	330	229	89	27	30	35	170	77,8	33,3	M22	64030	45885	**UCX14**	**PX14**	9,9
UCPX14-42	2 5/8														UCX14-42		
UCPX14-43	2 11/16	3 1/2	13	9 1/32	3 1/2	1 1/16	1 3/16	1 3/8	6 11/16	3,0630	1,311	7/8			UCX14-43		
UCPX14-44	2 3/4														UCX14-44		
UCPX15	**75**	88,9	330	229	89	27	30	35	175	82,6	33,3	M22	69065	50350	**UCX15**	**PX15**	11
UCPX15-45	2 13/16														UCX15-45		
UCPX15-46	2 7/8	3 1/2	13	9 1/32	3 1/2	1 1/16	1 3/16	1 3/8	6 7/8	3,2520	1,311	7/8			UCX15-46		
UCPX15-47	2 15/16														UCX15-47		
UCPX15-48	3														UCX15-48		
UCPX16	**80**	101,6	381	283	102	27	30	40	194	85,7	34,1	M22	79800	58805	**UCX16**	**PX16**	15
UCPX16-49	3 1/16														UCX16-49		
UCPX16-50	3 1/8	4	15	11 5/32	4 1/32	1 1/16	1 3/16	1 9/16	7 5/8	3,3740	1,343	7/8			UCX16-50		
UCPX16-51	3 3/16														UCX16-51		
UCPX16-52	3 1/4														UCX16-52		
UCPX17	**85**	101,6	381	283	102	27	30	40	200	96	39,7	M22	91295	67925	**UCX17**	**PX17**	16
UCPX17-53	3 5/16	4	15	11 5/32	4 1/32	1 1/16	1 3/16	1 9/16	7 7/8	3,7795	1,563	7/8			UCX17-53		
UCPX17-55	3 7/16														UCX17-55		
UCPX18	**90**	101,6	381	283	111	27	30	40	206	104	42,9	M22	103550	77805	**UCX18**	**PX18**	17
UCPX18-56	3 7/16	4	15	11 5/32	4 3/8	1 1/16	1 3/16	1 9/16	8 1/8	4,0945	1,689	7/8			UCX18-56		
UCPX18-57	3 1/2														UCX18-57		
UCPX20	**100**	127	432	337	121	33	36	45	244	117,5	49,2	M27	126350	99750	**UCX20**	**PX20**	30
UCPX20-58	3 13/16														UCX20-58		
UCPX20-59	3 7/8	5	17	13 9/32	4 3/4	1 5/16	1 13/32	1 25/32	9 19/32	4,6260	1,937	1			UCX20-59		
UCPX20-60	3 15/16														UCX20-60		
UCPX20-61	4														UCX20-61		

UKP2 Serie normale - *Standard duty*



Tipo *Type*	Dimensioni - *Dimensions*											Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	d	h	a	e	b	S_1	S_2	g	w	t	B_1		Dinamico C *Dynamic C*	Statico C_o *Static C_o*			
	mm/inch											mm/inch					kg
UKP205+H2305	**20**	36,5	140	105	38	13	19	15	71	48	35	M10	13300	7457	**UK205+H2305**	**P205**	0,86
UKP205+HE2305	3/4	1 7/16	5 1/2	4 1/8	1 1/2	1/2	3/4	19/32	2 25/32	1 57/64	1,378	3/8			UK205+HE2305		
UKP206+H2306	**25**	42,9	165	121	48	17	20	17	84	53	38	M14			**UK206+H2306**		
UKP206+HS2306	7/8	1 11/16	6 1/2	4 3/4	1 7/8	43/64	25/32	43/64	3 5/16	2 5/64	1,496	1/2	18525	10735	UK206+HS2306	**P206**	1,28
UKP206+HE2306	1														UK206+HE2306		
UKP207+H2307	**30**	47,6	167	127	48	17	20	18	93	59,5	43	M14	24415	14630	**UK207+H2307**	**P207**	1,67
UKP207+HS2307	1 1/8	1 7/8	6 9/16	5	1 7/8	43/64	25/32	45/64	3 21/32	2 11/32	1,693	1/2			UK207+HS2307		
UKP208+H2308	**35**	49,2	184	137	54	17	20	18	100	69	46	M14			**UK208+H2308**		
UKP208+HE2308	1 1/4	1 15/16	7 1/4	5 13/32	2 1/8	43/64	25/32	45/64	3 15/16	2 23/32	1,811	1/2	27645	16910	UK208+HE2308	**P208**	1,99
UKP208+HS2308	1 3/8														UK208+HS2308		
UKP209+H2309	**40**	54	190	146	54	17	20	20	106	69	50	M14			**UK209+H2309**		
UKP209+HA2309	1 7/16												32395	20235	UK209+HA2309	**P209**	1,29
UKP209+HE2309	1 1/2	2 1/8	7 15/32	5 3/4	2 1/8	43/64	25/32	25/32	4 11/64	2 23/32	1,969	1/2			UK209+HE2309		
UKP209+HS2309	1 5/8														UK209+HS2309		
UKP210+H2310	**45**	57,2	206	159	60	20	23	21	113	74,5	55	M16			**UK210+H2310**		
UKP210+HS2310	1 5/8												33345	22135	UK210+HS2310	**P210**	2,83
UKP210+HA2310	1 11/16	2 1/4	8 1/8	6 1/4	2 3/8	25/32	29/32	53/64	4 29/64	2 15/16	2,165	5/8			UK210+HA2310		
UKP210+HE2310	1 3/4														UK210+HE2310		
UKP211+H2311	**50**	63,5	219	171	60	20	23	23	125	76	59	M16			**UK211+H2311**		
UKP211+HS2311	1 7/8												41230	27930	UK211+HS2311	**P211**	3,46
UKP211+HA2311	1 15/16	2 1/2	8 5/8	6 47/64	2 3/8	25/32	29/32	29/32	4 59/64	3	2,323	5/8			UK211+HA2311		
UKP211+HE2311	2														UK211+HE2311		
UKP212+H2312	**55**	69,8	241	184	70	20	23	25	138	89	62	M16	49780	34390	**UK212+H2312**	**P212**	4,95
UKP212+HS2312	2 1/8	2 3/4	9 1/2	7 1/4	2 3/4	25/32	29/32	63/64	5 7/16	3 1/2	2,441	5/8			UK212+HS2312		
UKP213+H2313	**60**	76,2	265	203	70	25	28	27	150	89	65	M20			**UK213+H2313**		
UKP213+HA2313	2 3/16												54340	38095	UK213+HA2313	**P213**	5,06
UKP213+HE2313	2 1/4	3	10 7/16	8	2 3/4	63/64	1 3/32	1 1/16	5 29/32	3 1/2	2,559	3/4			UK213+HE2313		
UKP213+HS2313	2 3/8														UK213+HS2313		
UKP215+H2315	**65**	82,6	275	217	74	25	28	28	162	-	73	M20			**UK215+H2315**		
UKP215+HA2315	2 7/16	3 1/4	10 53/64	8 35/64	2 29/32	63/64	1 3/32	1 3/32	6 3/8	-	2,874	3/4	64030	45885	UK215+HA2315	**P215**	7,27
UKP215+HE2315	2 1/2														UK215+HE2315		
UKP216+H2316	**70**	88,9	292	232	78	25	28	30	174	-	78	M20			**UK216+H2316**		
UKP216+HA2316	2 11/16	3 1/2	11 1/2	9 1/8	3 1/16	63/64	1 3/32	1 3/16	6 27/32	-	3,071	3/4	69065	50350	UK216+HA2316	**P216**	8,36
UKP216+HE2316	2 3/4														UK216+HE2316		
UKP217+H2317	**75**	95,2	310	247	83	25	28	32	185	-	82	M20			**UK217+H2317**		
UKP217+HA2317	2 15/16	3 3/4	12 13/64	9 23/32	3 17/64	63/64	1 3/32	1 1/4	7 9/32	-	3,228	3/4	79800	58805	UK217+HA2317	**P217**	10,23
UKP217+HE2317	3														UK217+HE2317		
UKP218+H2318	**80**	101,6	327	262	88	27	30	33	198	-	86	M22	91295	67925	**UK218+H2318**	**P218**	12,34
UKP218+HA2318	3 3/16	4	12 7/8	10 5/16	3 15/32	1 1/16	1 3/16	1 19/64	7 51/64	-	3,386	7/8			UK218+HA2318		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

SUPPORTI RITTI CON BUSSOLA - *BEARING UNITS WITH ADAPTER SLEEVE*

UKP3 Serie pesante - *Heavy duty*



Tipo *Type*	Dimensioni - *Dimensions*										Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	d	h	a	e	b	S_1	S_2	g	w	B_1		Dinamico C *Dynamic C*	Statico C_o *Static C_o*			
	mm/inch										mm/inch					kg
UKP305+H2305	**20**	45	175	132	45	17	20	15	85	35	M14	20140	10355	**UK305+H2305**	**P305**	1,7
UCP305+HE2305	3/4	1 49/64	6 7/8	5 3/16	1 3/4	43/64	19/32	25/32	3 11/32	1,378	1/2			UK305+HE2305		
UKP306+H2306	**25**	50	180	140	50	17	20	18	95	38	M14	25365	14250	**UK306+H2306**	**P306**	2,3
UKP306+HS2306	7/8	1 31/32	7 3/32	5 1/2	1 31/32	43/64	25/32	23/32	3 3/4	1,496	1/2			UK306+HS2306		
UKP306+HE2306	1													UK306+HE2306		
UKP307+H2307	**30**	56	210	160	56	17	25	20	106	43	M14	31730	18335	**UK307+H2307**	**P307**	3,0
UKP307+HS2307	1 1/8	2 13/64	8 9/32	6 5/16	2 7/32	43/64	63/64	25/32	4 3/16	1,693	1/2			UK307+HS2307		
UKP308+H2308	**35**	60	220	170	60	17	27	22	116	46	M16	38665	22800	**UK308+H2308**	**P308**	3,8
UKP308+HE2308	1 1/4	2 23/64	8 21/32	6 11/16	2 3/8	43/64	1 1/16	7/8	4 9/16	1,811	5/8			UK308+HE2308		
UKP308+HS2308	1 3/8													UK308+HS2308		
UKP309+H2309	**40**	67	245	190	67	20	30	24	129	50	M16	46455	28025	**UK309+H2309**	**P309**	5,0
UKP309+HA2309	1 7/16													UK309+HA2309		
UKP309+HE2309	1 1/2	1 41/64	9 21/32	7 15/32	2 5/8	25/32	1 3/16	15/16	5 3/32	1,969	5/8			UK309+HE2309		
UKP309+HS2309	1 5/8													UK309+HS2309		
UKP310+H2310	**45**	75	275	212	75	20	35	27	143	55	M16	58900	36385	**UK310+H2310**	**P310**	6,7
UKP310+HS2310	1 5/8													UK310+HS2310		
UKP310+HA2310	1 11/16	2 61/64	10 13/16	8 11/32	2 15/16	25/32	1 3/8	1 1/16	5 5/8	2,165	5/8			UK310+HA2310		
UKP310+HE2310	1 3/4													UK310+HE2310		
UKP311+H2311	**50**	80	310	236	80	20	38	30	154	59	M16	68020	42750	**UK311+H2311**	**P311**	8,1
UKP311+HS2311	1 7/8													UK311+HS2311		
UKP311+HA2311	1 15/16	3 5/32	12 7/32	9 9/32	3 5/32	25/32	1 1/2	1 3/16	6 1/16	2,323	5/8			UK311+HA2311		
UKP311+HE2311	2													UK311+HE2311		
UKP312+H2312	**55**	85	330	250	85	25	38	32	165	62	M20	77805	49590	**UK312+H2312**	**P312**	9,4
UKP312+HS2312	2 1/8	3 11/32	12	9 27/32	3 11/32	63/64	1 1/2	1 1/4	6 1/2	2,441	3/4			UK312+HS2312		
UKP313+H2313	**60**	90	340	260	90	25	38	33	176	65	M20	88065	56905	**UK313+H2313**	**P313**	10,8
UKP313+HA2313	2 3/16													UK313+HA2313		
UKP313+HE2313	2 1/4	3 35/64	13 3/8	10 1/4	3 17/32	63/64	1 1/2	1 5/16	6 15/16	2,559	3/4			UK313+HE2313		
UKP313+HS2313	2 3/8													UK313+HS2313		
UKP315+H2315	**65**	100	380	290	100	27	40	35	198	73	M22	107350	73340	**UK315+H2315**	**P315**	14,9
UKP315+HA2315	2 7/16	3 15/16	14 31/32	11 13/32	3 15/16	1 1/16	1 9/18	1 3/8	7 25/32	2,874	7/8			UK315+HA2315		
UKP315+HE2315	2 1/2													UK315+HE2315		
UKP316+H2316	**70**	106	400	300	110	27	40	40	210	78	M22	116850	82365	**UK316+H2316**	**P316**	18,6
UKP316+HA2316	2 11/16	4 11/64	15 3/4	11 13/16	4 11/32	1 1/16	1 9/16	1 9/16	8 9/32	3,071	7/8			UK316+HA2316		
UKP316+HE2316	2 3/4													UK316+HE2316		
UKP317+H2317	**75**	112	420	320	110	33	45	40	220	82	M27	126350	91960	**UK317+H2317**	**P317**	20,2
UKP317+HA2317	2 15/16	4 11/64	16 17/32	12 19/32	4 11/32	1 5/16	1 25/32	1 9/16	8 21/32	3,228	1			UK317+HA2317		
UKP317+HS2317	3													UK317+HS2317		
UKP318+H2318	**80**	118	430	330	110	33	45	45	235	86	M27	135850	101650	**UK318+H2318**	**P318**	22,8
UKP318+HA2318	3 3/16	4 41/64	16 15/16	13	4 11/32	1 5/16	1 25/32	1 25/32	9 1/4	3,386	1			UK318+HA2318		
UKP319+H2319	**85**	125	470	360	120	36	50	45	250	90	M30	145350	113050	**UK319+H2319**	**P319**	29,3
UKP319+HA2319	3 5/16	4 59/64	18 1/2	14 3/16	4 23/32	1 13/32	1 31/32	1 25/32	9 27/32	3,543	1 1/8			UK319+HA2319		
UKP320+H2320	**90**	140	490	380	120	36	50	50	275	97	M30	164350	133950	**UK320+H2320**	**P320**	34,8
UKP320+HA2320	3 7/16	5 33/64	19 9/32	14 31/32	4 23/32	1 13/32	1 31/32	1 31/32	10 53/64	3,814	1 1/8			UK320+HA2320		
UKP322+H2322	**100**	150	520	400	140	40	55	55	300	105	M33	194750	171000	**UK322+H2322**	**P322**	43,9
UKP322+HA2322	3 15/16	5 29/32	20 15/32	15 3/4	5 1/2	1 9/16	2 5/32	2 5/32	11 13/16	4,134	1 1/4			UK322+HA2322		
UKP324+H2324	**110**	160	570	450	140	40	55	65	320	112	M33	196650	175750	**UK324+H2324**	**P324**	55,7
UKP324+HA2324	4 3/16	6 19/64	22 7/16	17 23/32	5 1/2	1 9/16	2 5/32	1 21/32	12 19/32	4,410	1 1/4			UK324+HA2324		
UKP326+H2326	**115**	180	600	480	140	40	55	75	335	121	M33	217550	203300	**UK326+H2326**	**P326**	71,9
UKP326+HA2326	4 7/16	7 3/32	23 5/8	18 29/32	5 1/2	1 9/16	2 5/32	2 61/64	13 31/32	4,764	1 1/4			UK326+HA2326		
UKP328+H2328	**125**	200	620	500	140	40	55	75	390	131	M33	240350	233700	**UK328+H2328**	**P328**	92,5
UKP328+HA2328	4 15/16	7 7/8	24 13/32	19 11/16	5 1/2	1 9/16	2 5/32	2 61/64	15 32/64	5,158	1 1/4			UK328+HA2328		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

UKPX Serie media - *Medium duty*



Tipo *Type*	Dimensioni - *Dimensions* d	h	a	e	b	S1	S2	g	w	B1	Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)* Dinamico C *Dynamic C*	Statico C0 *Static C0*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch										mm/inch					kg
UKPX05+H2305	**20**	44,4	159	119	51	17	20	18	85	35	M14	18525	10735	**UKX05+H2305**	**PX05**	1,5
UKPX05+HE2305	3/4	1 3/4	6 1/4	4 11/16	2	43/64	25/32	3 11/32	1,378	1/2	1/2			UKX05+HE2305		
UKPX06+H2306	**25**	47,6	175	127	57	17	20	20	93	38	M14	24415	14630	**UKX06+H2306**	**PX06**	2,1
UKPX06+HS2306	7/8	1 7/8	6 7/8	5	2 1/4	43/64	25/32	25/32	3 21/32	1,496	1/2			UKX06+HS2306		
UKPX06+HE2306	1													UKX06+HE2306		
UKPX07+H2307	**30**	54,0	203	144	57	17	20	21	105	43	M14	27645	16910	**UKX07+H2307**	**PX07**	2,7
UKPX07+HS2307	1 1/8	2 1/8	8	5 21/32	2 1/4	43/64	25/32	13/16	4 1/8	1,693	1/2			UKX07+HS2307		
UKPX08+H2308	**35**	58,7	222	156	67	20	23	26	111	46	M16	32395	20235	**UKX08+H2308**	**PX08**	3,5
UKPX08+HE2308	1 1/4	2 5/16	8 3/4	6 5/32	2 5/8	25/32	29/32	1 1/32	4 3/8	1,811	5/8			UKX08+HE2308		
UKPX08+HS2308	1 3/8													UKX08+HS2308		
UKPX09+H2309	**40**	58,7	222	156	67	20	23	26	116	50	M16	33345	22135	**UKX09+H2309**	**PX09**	3,7
UKPX09+HA2309	1 7/16													UKX09+HA2309		
UKPX09+HE2309	1 1/2	2 5/16	8 3/4	6 5/32	2 5/8	25/32	29/32	1 1/32	4 9/18	1,969	5/8			UKX09+HE2309		
UKPX09+HS2309	1 5/8													UKX09+HS2309		
UKPX10+H2310	**45**	63,5	241	171	73	20	23	27	126	55	M16	41230	27930	**UKX10+H2310**	**PX10**	4,6
UKPX10+HS2310	1 5/8													UKX10+HS2310		
UKPX10+HA2310	1 11/16	2 1/2	9 1/2	6 47/64	2 7/8	25/32	29/32	1 1/16	4 31/32	2,165	5/8			UKX10+HA2310		
UKPX10+HE2310	1 3/4													UKX10+HE2310		
UKPX11+H2311	**50**	69,8	260	184	79	25	28	30	137	59	M20	49780	34390	**UKX11+H2311**	**PX11**	6,2
UKPX11+HS2311	17/8													UKX11+HS2311		
UKPX11+HA2311	1 15/16	2 3/4	10 1/4	7 1/4	3 1/8	31/32	1 3/32	1 3/16	5 13/32	2,323	3/4			UKX11+HA2311		
UKPX11+HE2311	2													UKX11+HE2311		
UKPX12+H2312	**55**	76,2	286	203	83	25	28	33	151	62	M20	54340	38095	**UKX12+H2312**	**PX12**	7,5
UKPX12+HS2312	2 1/8	3	11 1/4	8	3 9/32	63/64	1 3/32	1 5/16	2,441	3/4	3/4			UKX12+HS2312		
UKPX13+H2313	**60**	76,2	286	203	83	25	28	33	154	65	M20	59090	41895	**UKX13+H2313**	**PX13**	7,8
UKPX13+HA2313	2 3/16													UKX13+HA2313		
UKPX13+HE2313	2 1/4	3	11 1/4	8	3 9/32	63/64	1 3/32	1 5/16	6 1/16	2,559	3/4			UKX13+HE2313		
UKPX13+HS2313	2 3/8													UKX13+HS2313		
UKPX15+H2315	**65**	88,9	330	229	89	27	30	35	175	73	M22	69065	50350	**UKX15+H2315**	**PX15**	10,5
UKPX15+HA2315	2 7/16	3 1/2	13	9 1/32	3 1/2	1 1/16	1 3/16	1 3/8	6 7/8	2,874	7/8			UKX15+HA2315		
UKPX15+HS2315	2 1/2													UKX15+HS2315		
UKPX16+H2316	**70**	101,6	381	283	102	27	30	40	194	78	M22	79800	58805	**UKX16+H2316**	**PX16**	15,4
UKPX16+HA2316	2 11/16	4	15	11 5/32	4 1/32	1 1/16	1 3/16	1 9/16	7 5/8	3,071	7/8			UKX16+HA2316		
UKPX16+HS2316	2 3/4													UKX16+HS2316		
UKPX17+H2317	**75**	101,6	381	283	102	27	30	40	200	82	M22	91295	67925	**UKX17+H2317**	**PX17**	15,8
UKPX17+HA2317	2 15/16	4	15	11 5/32	4 1/32	1 1/16	1 3/16	1 9/16	7 7/8	3,228	7/8			UKX17+HA2317		
UKPX17+HE2317	3													UKX17+HE2317		
UKPX18+H2318	**80**	101,6	381	283	111	27	30	40	206	86	M22	103550	77805	**UKX18+H2318**	**PX18**	18,6
UKPX18+HA2318	3 3/16	4	15	11 5/32	4 3/8	1 1/16	1 3/16	1 9/16	8 1/8	3,386	7/8			UKX18+HA2318		
UKPX20+H2320	**90**	127	432	337	121	33	36	45	244	97	M27	126350	99750	**UKX20+H2320**	**PX20**	29,3
UKPX20+HA2320	3 1/2	5	17	13 9/32	4 3/4	1 5/16	1 13/32	1 25/32	9 5/8	3,814	1 1/16			UKX20+HA2320		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

UCF2 Serie normale - *Standard duty*



Tipo *Type*	d	a	e	i	g	l	s	z	t	B	n	Bull. fiss. *Bolt Size*	Dinamico C *Dynamic C*	Statico C₀ *Static C₀*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch											mm/inch					kg
UCF201	**12**	86	64	15	12	25,5	12	33,3	37,5	31	12,7	M10	12160	6318	**UC201**	**F204**	0,60
UCF201-8	3/4	3 3/8	2 33/64	19/32	15/32	1	15/32	1 5/16	1 31/64	1,2205	0,500	3/8			UC201-8		0,59
UCF202	**15**	86	64	15	12	25,5	12	33,3	37,5	31	12,7	M10			**UC202**		0,59
UCF202-9	9/16	3 3/8	2 33/64	19/32	15/32	1	15/32	1 5/16	1 31/64	1,2205	0,500	3/8	12160	6318	UC202-9	**F204**	0,59
UCF202-10	5/8														UC202-10		0,59
UCF203	**17**	86	64	15	12	25,5	12	33,3	37,5	31	12,7	M10	12160	6318	**UC203**	**F204**	0,58
UCF203-11	11/16	3 3/8	2 33/64	19/32	15/32	1	15/32	1 5/16	1 31/64	1,2205	0,500	3/8			UC203-11		0,57
UCF204	**20**	86	64	15	12	25,5	12	33,3	37,5	31	12,7	M10	12160	6318	**UC204**	**F204**	0,56
UCF204-12	3/4	3 3/8	2 33/64	19/32	15/32	1	15/32	1 5/16	1 31/64	1,2205	0,500	3/8			UC204-12		0,56
UCF205	**25**	95	70	16	14	27	12	35,8	40	34,1	14,3	M10			**UC205**		0,80
UCF205-13	13/16														UC205-13		0,84
UCF205-14	7/8	3 3/4	2 3/4	5/8	35/64	1 1/16	15/32	1 13/32	1 9/16	1,3425	0,563	3/8	13300	7457	UC205-14	**F205**	0,83
UCF205-15	15/16														UC205-15		0,81
UCF205-16	1														UC205-16		0,80
UCF206	**30**	108	83	18	14	31	12	40,2	44,5	38,1	15,9	M10			**UC206**		1,12
UCF206-17	1 1/16														UC206-17		1,15
UCF206-18	1 1/8	4 1/4	3 17/64	45/64	35/64	1 7/32	15/32	1 19/32	1 3/4	1,5000	0,626	3/8	18525	10735	UC206-18	**F206**	1,14
UCF206-19	1 3/15														UC206-19		1,12
UCF206-20	1 1/4														UC206-20		1,11
UCF207	**35**	117	92	19	16	34	14	44,4	48,5	42,9	17,5	M12			**UC207**		1,46
UCF207-20	1 1/4														UC207-20		1,52
UCF207-21	1 5/16	4 39/64	3 5/8	3/4	5/8	1 11/32	35/64	1 3/4	1 29/32	1,6890	0,689	7/16	24415	14630	UC207-21	**F207**	1,49
UCF207-22	1 3/8														UC207-22		1,46
UCF207-23	1 7/16														UC207-23		1,43
UCF208	**40**	130	102	21	16	36	16	51,2	55,5	49,2	19	M14			**UC208**		1,84
UCF208-24	1 1/2	5 1/8	4 1/64	53/64	5/8	1 27/64	5/8	2 1/64	2 3/16	1,9370	0,748	1/2	27645	16910	UC208-24	**F208**	1,88
UCF208-25	1 9/16														UC208-25		1,85
UCF209	**45**	137	105	22	18	38	16	52,2	56,5	49,2	19	M14			**UC209**		2,15
UCF209-26	1 5/8														UC209-26		2,25
UCF209-27	1 11/16	5 13/32	4 9/64	55/64	23/32	1 1/2	5/8	2 1/16	2 7/32	1,9370	0,748	1/2	32395	20235	UC209-27	**F209**	2,21
UCF209-28	1 3/4														UC209-28		2,17
UCF210	**50**	143	111	22	18	40	16	54,6	59,5	51,6	19	M14			**UC210**		2,42
UCF210-29	1 13/16														UC210-29		2,54
UCF210-30	1 7/8	5 5/8	4 3/8	55/64	23/32	1 9/16	5/8	2 5/32	2 11/32	2,0315	0,748	1/2	33345	22135	UC210-30	**F210**	2,49
UCF210-31	1 15/16														UC210-31		2,44
UCF210-32	2														UC210-32		2,40
UCF211	**55**	162	130	25	20	43	19	58,4	63	55,6	22,2	M16			**UC211**		3,31
UCF211-32	2														UC211-32		3,46
UCF211-33	2 1/16	6 3/8	5 1/8	63/64	25/32	1 11/16	3/4	1 5/16	2 31/64	2,1890	0,874	5/8	41230	27930	UC211-33	**F211**	3,40
UCF211-34	2 1/8														UC211-34		3,35
UCF211-35	2 3/16														UC211-35		3,29
UCF212	**60**	175	143	29	20	48	19	68,7	73,5	65,1	25,4	M16			**UC212**		4,28
UCF212-36	2 1/4														UC212-36		4,41
UCF212-37	2 5/16	6 57/64	5 5/8	1 9/64	25/32	1 57/64	3/4	2 45/64	2 57/64	2,5630	1,000	5/8	49780	34390	UC212-37	**F212**	4,33
UCF212-38	2 3/8														UC212-38		4,26
UCF212-39	2 7/16														UC212-39		4,19
UCF213	**65**	187	149	30	22	50	19	69,7	74,5	65,1	25,4	M16			**UC213**		4,99
UCF213-40	2 1/2	7 23/64	5 55/64	1 3/16	55/64	1 31/32	3/4	2 3/4	2 15/16	2,5630	1,000	5/8	54340	38095	UC213-40	**F213**	5,08
UCF213-41	2 9/16														UC213-41		4,99
UCF214	**70**	193	152	31	22	54	19	75,4	81,5	74,6	30,2	M16			**UC214**		5,85
UCF214-42	2 5/8														UC214-42		6,06
UCF214-43	2 11/16	7 19/32	5 63/64	1 7/32	55/64	2 1/8	3/4	2 21/32	3 13/64	2,9370	1,189	5/8	59090	41895	UC214-43	**F214**	5,96
UCF214-44	2 3/4														UC214-44		5,86
UCF215	**75**	200	159	34	22	56	19	78,5	83,5	77,8	33,3	M16			**UC215**		6,91
UCF215-45	2 13/16														UC215-45		7,16
UCF215-46	2 7/8	7 7/8	6 17/64	1 11/32	55/64	2 7/32	3/4	3 3/32	3 9/32	3,0630	1,311	5/8	64030	45885	UC215-46	**F215**	7,05
UCF215-47	2 15/16														UC215-47		6,94
UCF215-48	3														UC215-48		6,82
UCF216	**80**	208	165	34	22	58	23	83,3	88,5	82,6	33,3	M20			**UC216**		7,50
UCF216-49	3 1/16														UC216-49		7,68
UCF216-50	3 1/8	8 3/16	6 1/2	1 11/32	55/64	2 9/32	29/32	3 9/32	3 39/64	3,2520	1,311	3/4	69065	50350	UC216-50	**F216**	7,55
UCF216-51	3 3/16														UC216-51		7,42
UCF217	**85**	220	175	36	24	63	23	87,6	92,6	85,7	34,1	M20			**UC217**		9,66
UCF217-52	3 1/4														UC217-52		9,88
UCF217-53	3 5/6	8 21/33	6 57/64	1 27/64	15/16	2 15/32	29/32	3 7/16	3 41/64	3,3740	1,343	3/4	79800	58805	UC217-53	**F217**	9,74
UCF217-55	3 7/16														UC217-55		9,45
UCF218	**90**	235	187	40	24	68	23	96,3	101,5	96	39,7	M20	91295	67925	**UC218**	**F218**	12,06
UCF218-56	3 1/2	9 1/4	7 23/64	1 37/64	15/16	2 11/16	29/32	3 25/32	4	3,7795	1,5630	3/4			UC218-56		12,17

Disponibile in acciaio inox Supporto: AISI 304 - Cuscinetto: AISI 440C - *Available stainless steel Housing: AISI 304 - Bearing: AISI 440C*
Disponibile su richiesta con cuscinetto SA (SAF..) - *Available under request with SA bearing (SAF..)*

HCF2 Serie normale - *Standard duty*



Tipo *Type*	Dimensioni - *Dimensions* d	a	e	i	g	l	s	z	B_1	n	Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)* Dinamico C *Dynamic C*	Statico C_o *Static C_o*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch										mm/inch					kg
HCF204	**20**	86	64	15	12	25,5	12	41,6	43,7	17,1	M10	12160	6318	**HC204**	**F204**	0,63
HCF204-12	3/4	3 3/8	2 33/64	19/32	15/32	1	15/32	1 41/64	1,720	0,673	3/8			HC204-12		0,63
HCF205	**25**	95	70	16	14	27	12	42,9	44,4	17,5	M10	13300	7457	**HC205**	**F205**	0,87
HCF205-13	13/16	3 3/4	2 3/4	5/8	35/64	1 1/16	15/32	1 11/16	1,748	0,689	3/8			HC205-13		0,92
HCF205-14	7/8													HC205-14		0,91
HCF205-15	15/16													HC205-15		0,89
HCF205-16	1													HC205-16		0,87
HCF206	**30**	108	83	18	14	31	12	48,1	48,4	18,3	M10	18525	10735	**HC206**	**F206**	1,25
HCF206-17	1 1/16	4 1/4	3 17/64	45/64	35/64	1 7/32	15/32	1 57/64	1,906	0,720	3/8			HC206-17		1,30
HCF206-18	1 1/8													HC206-18		1,27
HCF206-19	1 3/16													HC206-19		1,25
HCF206-20	1 1/4													HC206-20		1,24
HCF207	**35**	117	92	19	16	34	14	51,3	51,1	18,8	M12	24415	14630	**HC207**	**F207**	1,58
HCF207-20	1 1/4	4 39/64	3 5/8	3/4	5/8	1 11/32	35/64	2 1/64	2,012	0,740	7/16			HC207-20		1,65
HCF207-21	1 5/16													HC207-21		1,61
HCF207-22	1 3/8													HC207-22		1,58
HCF207-23	1 7/16													HC207-23		1,55
HCF208	**40**	130	102	21	16	36	16	55,9	56,3	21,4	M14	27645	16910	**HC208**	**F208**	1,99
HCF208-24	1 1/2	5 1/8	4 1/64	53/64	5/8	1 27/32	5/8	2 13/64	2,217	0,843	1/2			HC208-24		2,04
HCF208-25	1 9/16													HC208-25		2,00
HCF209	**45**	137	105	22	18	38	16	56,9	56,3	21,4	M14	32395	20235	**HCF209**	**F209**	2,32
HCF209-26	1 5/8	5 13/32	4 9/64	55/64	55/64	1 1/2	5/8	2 15/64	2,217	0,843	1/2			HC209-26		2,43
HCF209-27	1 11/16													HC209-27		2,38
HCF209-28	1 3/4													HC209-28		2,34
HCF210	**50**	143	111	22	18	40	16	60,1	62,7	24,6	M14	33345	22135	**HCF210**	**F210**	2,61
HCF210-29	1 13/16	5 5/8	4 3/8	55/64	55/64	1 9/16	5/8	2 3/8	2,469	0,969	1/2			HC210-29		2,76
HCF210-30	1 7/8													HC210-30		2,70
HCF210-31	1 15/16													HC210-31		2,64
HCF210-32	2													HC210-32		2,58
HCF211	**55**	162	130	25	20	43	19	68,6	71,4	27,8	M16	41230	27930	**HCF211**	**F211**	3,52
HCF211-32	2	6 3/8	5 1/8	63/64	25/32	1 11/16	3/4	2 45/64	2,811	1,094	5/8			HC211-32		3,72
HCF211-33	2 2/16													HC211-33		3,64
HCF211-34	2 1/8													HC211-34		3,57
HCF211-35	2 3/16													HC211-35		3,49
HCF212	**60**	175	143	29	20	48	19	75,8	77,8	31	M16	49780	34390	**HC212**	**F212**	4,62
HCF212-36	2 1/4	6 57/64	5 5/8	1 9/64	25/32	1 57/64	3/4	2 63/64	3,063	1,220	5/8			HC212-36		4,78
HCF212-37	2 5/16													HC212-37		4,69
HCF212-38	2 3/8													HC212-38		4,64
HCF212-39	2 7/16													HC212-39		4,51
HCF213	**65**	187	149	30	22	50	19	81,6	85,7	34,1	M16	54340	38095	**HC213**	**F213**	5,55
HCF213-40	2 1/2	7 23/64	5 55/64	1 3/16	55/64	1 31/32	3/4	3 7/32	3,374	1,343	5/8			HC213-40		5,65
HCF213-41	2 9/16													HC213-41		5,54
HCF214	**70**	193	152	31	22	54	19	82,6	85,7	34,1	M16	59090	41895	**HC214**	**F214**	6,35
HCF214-42	2 3/8	7 19/32	5 63/64	1 7/32	55/64	2 1/8	3/4	3 1/4	3,374	1,343	5/8			HC214-42		6,59
HCF214-43	2 11/16													HC214-43		6,48
HCF214-44	2 3/4													HC214-44		6,36
HCF215	**75**	200	159	34	22	56	19	88,8	92,1	37,3	M16	64030	45885	**HC215**	**F215**	7,54
HCF215-45	2 13/16	7 7/8	6 17/64	1 11/32	55/64	2 7/32	3/4	3 1/2	3,626	1,426	5/8			HC215-45		7,84
HCF215-46	2 7/8													HC215-46		7,71
HCF215-47	2 15/16													HC215-47		7,58
HCF215-48	3													HC215-48		7,44

UCF3 Serie pesante - *Heavy duty*





Tipo *Type*	Dimensioni - *Dimensions* d	a	e	i	g	l	s	z	B	n	Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)* Dinamico C *Dynamic C*	Statico C₀ *Static C₀*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch										mm/inch					kg
UCF305	**25**	110	80	16	13	29	16	39	38	15	M14	20140	10355	**UC305**	**F305**	1,1
UCF305-13	13/16													UC305-13		
UCF305-14	7/8	4 11/32	3 5/32	5/8	1/2	1 5/32	5/8	1 17/32	1,4961	0,591	1/2			UC305-14		
UCF305-15	15/16													UC305-15		
UCF305-16	1													UC305-16		
UCF306	**30**	125	95	18	15	32	16	44	43	17	M14	25365	14250	**UC306**	**F306**	1,6
UCF306-17	1 1/16													UC306-17		
UCF306-18	1 1/8	4 29/32	3 37/64	45/64	19/32	1 1/4	5/8	1 47/64	1,6929	0,669	1/2			UC306-18		
UCF306-19	1 3/16													UC306-19		
UCF307	**35**	135	100	20	16	36	19	49	48	19	M16	31730	18335	**UC307**	**F307**	2
UCF307-20	1 1/4													UC307-20		
UCF307-21	1 5/16	5 5/16	3 15/16	25/32	5/8	1 13/32	3/4	1 59/64	1,8898	0,748	5/8			UC307-21		
UCF307-22	1 3/8													UC307-22		
UCF307-23	1 7/16													UC307-23		
UCF308	**40**	150	112	23	17	40	19	56	52	19	M16	38665	22800	**UC308**	**F308**	2,7
UCF308-24	1 1/2	5 29/32	4 13/32	29/32	21/32	1 9/16	3/4	2 13/64	2,0472	0,748	5/8			UC308-24		
UCF308-25	1 9/16													UC308-25		
UCF309	**45**	160	125	25	18	44	19	60	57	22	M16	46455	28025	**UC309**	**F309**	3,4
UCF309-26	1 5/8													UC309-26		
UCF309-27	1 11/16	6 5/16	4 59/64	63/64	23/32	1 23/32	3/4	2 23/64	2,2441	0,866	5/8			UC309-27		
UCF309-28	1 3/4													UC309-28		
UCF310	**50**	175	132	28	19	48	23	67	61	22	M20	58900	36385	**UC310**	**F310**	4,5
UCF310-29	1 13/16													UC310-29		
UCF310-30	1 7/8	6 7/8	5 13/64	1 7/64	3/4	1 7/8	29/32	2 41/64	2,4016	0,866	3/4			UC310-30		
UCF310-31	1 15/16													UC310-31		
UCF311	**55**	185	140	30	20	52	23	71	66	25	M20	68020	42750	**UC311**	**F311**	5,5
UCF311-32	2													UC311-32		
UCF311-33	2 1/16	7 9/32	5 33/64	1 3/16	25/32	2 1/16	29/32	2 51/64	2,5984	0,948	3/4			UC311-33		
UCF311-34	2 1/8													UC311-34		
UCF311-35	2 3/16													UC311-35		
UCF312	**60**	195	150	33	22	56	23	78	71	26	M20	77805	49590	**UC312**	**F312**	6,5
UCF312-36	2 1/4													UC312-36		
UCF312-37	2 5/16	7 11/16	5 29/32	1 19/64	7/8	2 7/32	29/32	3 5/64	2,7953	1,024	3/4			UC312-37		
UCF312-38	2 3/8													UC312-38		
UCF312-39	2 7/16													UC312-39		
UCF313	**65**	208	166	33	22	58	23	78	75	30	M20	88065	56905	**UC313**	**F313**	7,9
UCF313-40	2 1/2	8 3/16	6 17/32	1 19/64	55/64	2 9/32	29/32	3 5/64	2,9528	1,818	3/4			UC313-40		
UCF313-41	2 9/16													UC313-41		
UCF314	**70**	226	178	36	25	61	25	81	78	33	M22	98800	64790	**UC314**	**F314**	9,5
UCF314-42	2 5/8													UC314-42		
UCF314-43	2 11/16	8 29/32	6 1/64	1 27/64	31/32	2 13/32	63/64	3 3/16	3,0708	1,299	7/8			UC314-43		
UCF314-44	2 3/4													UC314-44		
UCF315	**75**	236	184	39	25	66	25	89	82	32	M22	107350	73340	**UC315**	**F315**	12
UCF315-45	2 13/16													UC315-45		
UCF315-46	2 7/8	9 19/32	7 1/4	1 17/32	31/32	2 19/32	63/64	3 1/2	3,2283	1,260	7/8			UC315-46		
UCF315-47	2 15/16													UC315-47		
UCF315-48	3													UC315-48		
UCF316	**80**	250	196	38	27	68	31	90	86	34	M27	116850	82365	**UC316**	**F316**	14
UCF316-49	3 1/16													UC316-49		
UCF316-50	3 1/8	9 27/32	7 23/32	1 1/2	1 1/16	2 11/16	1 7/32	3 35/64	3,3858	1,339	1			UC316-50		
UCF316-51	3 3/16													UC316-51		
UCF317	**85**	260	204	44	27	74	31	100	96	40	M27	126350	91960	**UC317**	**F317**	16
UCF317-52	3 1/4													UC317-52		
UCF317-53	3 5/16	10 1/4	8 1/32	1 47/64	1 1/16	2 29/32	1 7/32	3 15/16	3,7795	1,575	1			UC317-53		
UCF317-55	3 7/16													UC317-55		
UCF318	**90**	280	216	44	30	76	35	100	96	40	M30	135850	101650	**UC318**	**F318**	19
UCF318-55	3 7/16	11 1/32	8 1/2	1 47/64	1 3/16	3	1 3/8	3 15/16	3,7795	1,575	1 1/8			UC318-55		
UCF318-56	3 1/2													UC318-56		
UCF319	**95**	290	228	59	30	94	35	121	103	41	M30	145350	113050	**UC319**	**F319**	22
UCF319-58	3 5/8													UC319-58		
UCF319-59	3 11/16	11 13/32	8 31/32	2 21/64	1 3/16	3 11/16	1 3/8	4 49/64	4,0551	1,614	1 1/8			UC319-59		
UCF319-60	3 3/4													UC319-60		
UCF320	**100**	310	242	59	32	94	38	125	108	42	M33	164350	133950	**UC320**	**F320**	25
UCF320-61	3 13/16													UC320-61		
UCF320-62	3 7/8	12 7/32	9 17/32	2 21/64	1 1/4	3 11/16	1 1/2	4 59/64	4,2520	1,654	1 1/8			UC320-62		
UCF320-63	3 15/16													UC320-63		
UCF320-64	4													UC320-64		
UCF321	**105**	310	242	59	32	94	38	127	-	44	M33	174800	145350	**UC321**	**F321**	25,6
UCF322	**110**	340	266	60	35	96	41	131	-	46	M36	194750	171000	**UC322**	**F322**	34,7
UCF324	**120**	370	290	65	40	110	41	140	-	51	M36	196650	175750	**UC324**	**F324**	47,2
UCF326	**130**	410	320	65	45	115	41	146	-	54	M36	217550	203300	**UC326**	**F326**	62,7
UCF328	**140**	450	350	75	55	125	41	161	-	59	M36	240350	233700	**UC328**	**F328**	87,0

UCFS3 Serie pesante - *Heavy duty*



Tipo *Type*	d	a	e	i	s	j	g	l	f	z	B	n	Bull. fiss. *Bolt Size*	Dinamico C *Dynamic C*	Statico C₀ *Static C₀*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch												mm/inch	Coefficienti di carico (N) *Load ratings (N)*				kg
UCFS305	**25**	110	80	9	16	7	13	29	80	39	38	15	M14			**UC305**		
UCFS305-13	13/16															UC305-13		
UCFS305-14	7/8	4 11/32	3 5/32	23/64	5/8	9/32	1/2	1 9/64	3,1496	1 17/32	1,4961	0,591	1/2	20140	10355	UC305-14	**FS305**	1,3
UCFS305-15	15/16															UC305-15		
UCFS305-16	1															UC305-16		
UCFS306	**30**	125	95	10	16	8	15	32	90	44	43	17	M14			**UC306**		
UCFS306-17	1 1/16															UC306-17		
UCFS306-18	1 1/8	4 29/32	3 47/64	25/64	5/8	5/16	19/32	1 17/64	3,5433	1 47/64	1,6929	0,669	1/2	25365	14250	UC306-18	**FS306**	1,9
UCFS306-19	1 3/16															UC306-19		
UCFS307	**35**	135	100	11	19	9	16	36	100	49	48	19	M16			**UC307**		
UCFS307-20	1 1/4															UC307-20		
UCFS307-21	1 5/16	5 5/16	3 15/16	7/16	3/4	23/64	5/8	1 13/32	3,9730	1 59/64	1,8898	0,748	5/8	31730	18335	UC307-21	**FS307**	2,4
UCFS307-22	1 3/8															UC307-22		
UCFS307-23	1 7/16															UC307-23		
UCFS308	**40**	150	112	13	19	10	17	40	115	56	52	19	M16			**UC308**		
UCFS308-25	1 1/2	5 29/32	4 13/32	33/64	3/4	25/64	21/32	1 9/16	4,5276	2 13/64	2,0472	0,748	5/8	38665	22800	UC308-24	**FS308**	3,3
UCFS308-25	1 9/16															UC308-25		
UCFS309	**45**	160	125	14	19	11	18	44	125	60	57	22	M16			**UC309**		
UCFS309-26	1 5/8															UC309-26		
UCFS309-27	1 11/16	6 5/16	4 59/64	35/64	3/4	7/16	23/32	1 47/64	4,9213	2 23/64	2,2441	0,866	5/8	46455	28020	UC309-27	**FS309**	4,0
UCFS309-28	1 3/4															UC309-28		
UCFS310	**50**	175	132	16	23	12	19	48	140	67	61	22	M20			**UC310**		
UCFS310-29	1 13/16															UC310-29		
UCFS310-30	1 7/8	6 7/8	5 13/64	5/8	29/32	15/32	3/4	1 57/64	5,5118	2 41/64	2,4016	0,866	3/4	58900	36385	UC310-30	**FS310**	5,3
UCFS310-31	1 15/16															UC310-31		
UCFS311	**55**	185	140	17	23	13	20	52	150	71	66	26	M20			**UC311**		
UCFS311-32	2															UC311-32		
UCFS311-33	2 1/16	7 9/32	5 33/64	43/64	29/32	33/64	25/32	2 3/64	5,9055	2 51/64	2,5984	0,984	3/4	68020	42750	UC311-33	**FS311**	6,2
UCFS311-34	2 1/8															UC311-34		
UCFS311-35	2 3/16															UC311-35		
UCFS312	**60**	195	150	19	23	14	22	56	160	78	71	25	M20			**UC312**		
UCFS312-36	2 1/4															UC312-36		
UCFS312-37	2 5/16	7 11/16	5 29/32	3/4	29/32	35/64	7/8	2 7/32	6,2922	3 5/64	2,7953	1,024	3/4	77805	49590	UC312-37	**FS312**	7,2
UCFS312-38	2 3/8															UC312-38		
UCFS312-39	2 7/16															UC312-39		
UCFS313	**65**	208	166	15	23	18	22	58	175	78	75	30	M20			**UC313**		
UCFS313-40	2 1/2	8 3/16	6 17/32	19/32	29/32	45/64	55/64	2 9/32	6,8898	3 5/64	2,9528	1,181	3/4	88065	56905	UC313-40	**FS313**	8,9
UCFS313-41	2 9/16															UC313-41		
UCFS314	**70**	223	178	18	25	18	25	61	185	81	78	33	M20			**UC314**		
UCFS314-42	2 5/8															UC314-42		
UCFS314-43	2 11/16	8 29/32	6 1/64	45/64	63/64	45/64	31/32	2 13/32	7,2835	3 3/16	3,0708	1,299	3/4	98800	64790	UC314-43	**FS314**	11
UCFS314-44	2 3/4															UC314-44		
UCFS315	**75**	236	184	21	25	18	25	66	200	89	82	32	M22			**UC315**		
UCFS315-45	2 13/16															UC315-45		
UCFS315-46	2 7/8	9 9/32	7 1/4	53/64	63/64	45/64	31/32	2 19/32	7,8740	3 1/2	3,2283	1,260	7/8	107350	73340	UC315-46	**FS315**	13
UCFS315-47	2 15/16															UC315-47		
UCFS315-48	3															UC315-48		
UCFS316	**80**	250	196	18	31	20	27	68	210	90	86	34	M27			**UC316**		
UCFS316-49	3 1/16															UC316-49		
UCFS316-50	3 1/8	9 27/32	7 23/32	45/64	1 7/32	25/32	1 1/16	2 63/64	8,2677	3 35/64	3,3858	1,339	1	116850	82365	UC316-50	**FS316**	15
UCFS316-51	3 3/16															UC316-51		
UCFS317	**85**	260	204	24	31	20	27	74	220	100	96	40	M27			**UC317**		
UCFS317-52	3 1/4															UC317-52		
UCFS317-53	3 5/16	10 1/4	8 1/32	15/16	1 7/32	25/32	1 1/16	2 29/32	8,6614	3 15/16	9,7795	1,575	1	126350	91960	UC317-53	**FS317**	17
UCFS317-55	3 7/16															UC317-55		
UCFS318	**90**	280	216	24	35	20	30	76	240	100	96	40	M30			**UC318**		
UCFS318-55	3 7/16	11 1/32	8 1/2	15/16	1 3/8	25/32	1 3/16	3	9,4488	3 15/16	3,7795	1,575	1 1/8	135850	101650	UC318-55	**FS318**	21
UCFS318-56	3 1/2															UC318-56		
UCFS319	**95**	280	228	39	35	20	30	94	250	121	103	41	M30			**UC319**		
UCFS319-58	3 5/8															UC319-58		
UCFS319-59	3 11/16	11 1/32	8 31/32	1 17/32	1 3/8	25/32	1 3/16	3 45/64	9,8425	4 49/64	4,0551	1,614	1 1/8	145350	113050	UC319-59	**FS319**	25
UCFS319-60	3 3/4															UC319-60		
UCFS320	**100**	310	242	39	38	20	32	94	260	125	108	42	M33			**UC320**		
UCFS320-61	3 13/16															UC320-61		
UCFS320-62	3 7/8	12 7/32	9 17/32	1 17/32	1 1/2	25/32	1 3/16	3 45/64	10,2362	4 59/64	4,2520	1,654	1 1/4	164350	133950	UC320-62	**FS320**	30
UCFS320-63	3 15/16															UC320-63		
UCFS320-64	4															UC320-64		

UCFX Serie media - *Medium duty*





Tipo *Type*	**Dimensioni** - *Dimensions*										**Bull. fiss.** *Bolt Size*	**Coefficienti di carico (N)** *Load ratings (N)*		**Cuscinetto** *Bearing*	**Supporto** *Housing*	**Peso** *Weight*
	d	**a**	**e**	**i**	**g**	**l**	**s**	**z**	**B**	**n**		**Dinamico C** *Dynamic C*	**Statico C_o** *Static C_o*			
	mm/inch										mm/inch					kg
UCFX05	**25**	108	83	18	13	30	12	40,2	38,1	15,9	M10	18525	10735	**UCX05**	**FX05**	1,0
UCFX05-13	13/16	4 1/4	3 17/64	45/64	1/2	1 3/16	15/32	1 19/32	1,5000	0,626	3/8			UCX05-13		
UCFX05-14	7/8													UCX05-14		
UCFX05-15	15/16													UCX05-15		
UCFX05-16	1													UCX05-16		
UCFX06	**30**	117	92	19	14	34	16	44,4	42,9	17,5	M14	24415	14630	**UCX06**	**FX06**	1,7
UCFX06-17	1 1/16	4 39/64	3 5/8	3/4	9/16	1 11/32	5/8	1 3/4	1,6890	0,689	1/2			UCX06-17		
UCFX06-18	1 1/8													UCX06-18		
UCFX06-19	1 3/16													UCX06-19		
UCFX06-20	1 1/4													UCX06-20		
UCFX07	**35**	130	102	21	14	38	16	51,2	49,2	19	M14	27645	16910	**UCX07**	**FX07**	2,1
UCFX07-21	1 5/16	5 1/8	4 1/64	53/64	9/16	1 1/2	5/8	2 1/64	1,9370	0,748	1/2			UCX07-21		
UCFX07-22	1 3/8													UCX07-22		
UCFX07-23	1 7/16													UCX07-23		
UCFX08	**40**	137	105	22	14	40	19	52,2	49,2	19	M16	32395	20235	**UCX08**	**FX08**	2,4
UCFX08-24	1 1/2	5 13/32	4 9/64	55/64	9/16	1 9/16	3/4	2 1/64	1,9370	0,748	5/8			UCX08-24		
UCFX08-25	1 9/16													UCX08-25		
UCFX09	**45**	143	111	23	14	40	19	55,6	51,6	19	M16	33345	22135	**UCX09**	**FX09**	2,5
UCFX09-26	1 5/8	5 5/8	4 3/8	29/32	9/16	1 9/16	3/4	2 3/16	2,0315	0,748	5/8			UCX09-26		
UCFX09-27	1 11/16													UCX09-27		
UCFX09-28	1 3/4													UCX09-28		
UCFX09-29	1 13/16													UCX09-29		
UCFX10	**50**	162	130	26	20	44	19	59,4	55,6	22,2	M16	41230	27930	**UCX10**	**FX10**	3,9
UCFX10-30	1 7/8	6 3/8	5 1/8	1 1/32	25/32	1 23/32	3/4	2 11/32	2,1890	0,874	5/8			UCX10-30		
UCFX10-31	1 15/16													UCX10-31		
UCFX10-32	2													UCX10-32		
UCFX11	**55**	175	143	29	20	49	19	68,7	65,1	25,4	M16	49780	34390	**UCX11**	**FX11**	4,9
UCFX11-33	2 1/16	6 57/64	5 5/8	1 9/64	25/32	1 15/16	3/4	2 45/64	2,5630	1,000	5/8			UCX11-33		
UCFX11-34	2 1/8													UCX11-34		
UCFX11-35	2 3/16													UCX11-35		
UCFX11-36	2 1/4													UCX11-36		
UCFX11-37	2 5/16													UCX11-37		
UCFX12	**60**	187	149	34	21	59	19	73,7	65,1	25,4	M16	54340	38095	**UCX12**	**FX12**	5,2
UCFX12-38	2 3/8	7 23/64	5 55/64	1 11/32	13/16	2 5/16	3/4	2 29/32	2,5630	1,000	5/8			UCX12-38		
UCFX12-39	2 7/16													UCX12-39		
UCFX13	**65**	187	149	34	21	59	19	78,4	74,6	30,2	M16	59090	41895	**UCX13**	**FX13**	5,3
UCFX13-40	2 1/2	7 23/64	5 55/64	1 11/32	13/16	2 5/16	3/4	3 3/32	2,9370	1,189	5/8			UCX13-40		
UCFX13-41	2 9/16													UCX13-41		
UCFX14	**70**	197	152	37	24	60	23	81,5	77,8	33,3	M20	64030	45885	**UCX14**	**FX14**	7,3
UCFX14-42	2 5/8	7 3/4	5 63/64	1 29/64	15/16	2 3/8	29/32	3 13/64	3,0630	1,311	3/4			UCX14-42		
UCFX14-43	2 11/16													UCX14-43		
UCFX14-44	2 3/4													UCX14-44		
UCFX15	**75**	197	152	40	24	68	23	89,3	82,6	33,3	M20	69065	50350	**UCX15**	**FX15**	8,1
UCFX15-45	2 13/16	7 3/4	5 63/64	1 37/64	15/16	2 11/16	29/32	3 33/64	3,2520	1,311	3/4			UCX15-45		
UCFX15-46	2 7/8													UCX15-46		
UCFX15-47	2 15/16													UCX15-47		
UCFX15-48	3													UCX15-48		
UCFX16	**80**	214	171	40	24	70	23	91,6	85,7	34,1	M20	79800	58805	**UCX16**	**FX16**	9,9
UCFX16-49	3 1/16	8 7/16	6 47/64	1 37/64	15/16	2 3/4	29/32	3 39/64	3,3740	1,343	3/4			UCX16-49		
UCFX16-50	3 1/8													UCX16-50		
UCFX16-51	3 3/16													UCX16-51		
UCFX16-52	3 1/4													UCX16-52		
UCFX17	**85**	214	171	40	24	70	23	93,3	96	39,7	M20	91295	67925	**UCX17**	**FX17**	11
UCFX17-53	3 5/16	8 7/16	6 47/64	1 37/64	15/16	2 3/4	29/32	3 25/32	3,7795	1,563	3/4			UCX17-53		
UCFX17-55	3 7/16													UCX17-55		
UCFX18	**90**	214	171	45	24	76	23	106,1	104	42,9	M20	103550	77805	**UCX18**	**FX18**	11
UCFX18-56	3 7/16	8 7/16	6 47/64	1 49/64	15/16	3	29/32	4 11/64	4,0945	1,689	3/4			UCX18-56		
UCFX18-57	3 1/2													UCX18-57		
UCFX20	**100**	268	211	59	31	97	31	127,3	117,5	49,2	M27	126350	99750	**UCX20**	**FX20**	17
UCFX20-58	3 13/16	10 9/16	8 5/16	2 21/64	1 7/32	3 13/16	1 7/32	5 1/64	4,6260	1,937	1			UCX20-58		
UCFX20-59	3 7/8													UCX20-59		
UCFX20-60	3 15/16													UCX20-60		
UCFX20-61	4													UCX20-61		

UKF2 Serie normale - *Standard duty*



Tipo *Type*	Dimensioni - *Dimensions*										Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	d	a	e	i	g	l	s	z	t	B_1		Dinamico C *Dynamic C*	Statico C_o *Static C_o*			
	mm/inch										mm/inch					kg
UKF205+H2305	**20**	95	70	16	14	27	12	35,5	40	35	M10	13300	7457	**UK205+H2305**	**F205**	0,85
UKF205+HE2305	3/4	3 3/4	2 3/4	5/8	35/64	1 1/16	15/32	1 25/64	1 9/16	1,378	3/8			UK205+HE2305		
UKF206+H2306	**25**	108	83	18	14	31	12	39	44,5	38	M10	18525	10735	**UK206+H2306**	**F206**	1,16
UKF206+HS2306	7/8	4 1/4	3 17/64	45/64	35/64	1 7/32	15/32	1 17/32	1 3/4	1,496	3/8			UK206+HS2306		
UKF206+HE2306	1													UK206+HE2306		
UKF207+H2307	**30**	117	92	19	16	34	14	42,5	48,5	43	M12	24415	14630	**UK207+H2307**	**F207**	1,55
UKF207+HS2307	1 1/8	4 39/64	3 5/8	3/4	5/8	1 11/32	35/64	1 43/64	1 29/32	1,693	7/16			UK207+HS2307		
UKF208+H2308	**35**	130	102	21	16	36	16	46,5	55,5	46	M14	27645	16910	**UK208+H2308**	**F208**	1,94
UKF208+HE2308	1 1/4	5 1/8	4 1/64	53/64	5/8	1 27/64	5/8	1 53/64	2 3/16	1,811	1/2			UK208+HE2308		
UKF208+HS2308	1 3/8													UK208+HS2308		
UKF209+H2309	**40**	137	105	22	18	38	16	48,5	56,5	50	M14	32395	20235	**UK209+H2309**	**F209**	2,30
UKF209+HA2309	1 7/16													UK209+HA2309		
UKF209+HE2309	1 1/2	5 13/32	4 9/64	55/64	23/32	1 1/2	5/8	1 29/32	2 7/32	1,969	1/2			UK209+HE2309		
UKF209+HS230	1 5/8													UK209+HS2309		
UKF210+H2310	**45**	143	111	22	18	40	16	50	59,5	55	M14	33345	22135	**UK210+H2310**	**F210**	2,59
UKF210+HS2310	1 5/8													UK210+HS2310		
UKF210+HA2310	1 11/16	5 5/8	4 3/8	55/64	23/32	1 9/16	5/8	1 31/32	2 11/32	2,165	1/2			UK210+HA2310		
UKF210+HE2310	1 3/4													UK210+HE2310		
UKF211+H2311	**50**	162	130	25	20	43	19	54,5	63	59	M16	41230	27930	**UK211+H2311**	**F211**	3,46
UKF211+HS2311	1 7/8													UK211+HS2311		
UKF211+HA2311	1 15/16	6 3/8	5 1/8	63/64	25/32	1 11/16	3/4	2 9/64	2 31/64	2,323	5/8			UK211+HA2311		
UKF211+HE2311	2													UK211+HE2311		
UKF212+H2312	**55**	175	143	29	20	48	19	61	73,5	62	M16	49780	34390	**UK212+H2312**	**F212**	4,33
UKF212+HS2312	2 1/8	6 57/64	5 5/8	1 9/64	25/32	1 57/64	3/4	2 19/32	2 57/64	2,441	5/8			UK212+HS2312		
UKF213+H2313	**60**	187	149	30	22	50	19	64	74,5	65	M16	54340	38095	**UK213+H2313**	**F213**	4,90
UKF213+HA2313	2 3/16													UK213+HA2313		
UKF213+HE2313	2 1/4	7 23/64	5 55/64	1 3/16	55/64	1 31/32	3/4	2 33/64	2 15/16	2,559	5/8			UK213+HE2313		
UKF213+HS2313	2 3/8													UK213+HS2313		
UKF215+H2315	**65**	200	159	34	22	56	19	71	83,5	73	M16	64030	45885	**UK215+H2315**	**F215**	7,02
UKF215+HA2315	2 7/16	7 7/8	6 17/64	1 11/32	55/64	2 7/32	3/4	2 51/64	3 9/32	2,874	5/8			UK215+HA2315		
UKF215+HE2315	2 1/2													UK215+HE2315		
UKF216+H2316	**70**	208	165	34	22	58	23	73,5	88,5	78	M20	69065	50350	**UK216+H2316**	**F216**	7,76
UKF216+HA2316	2 11/16	8 3/16	6 1/2	1 11/32	55/64	2 9/32	29/32	2 57/64	3 31/64	3,071	3/4			UK216+HA2316		
UKF216+HE2316	2 3/4													UK216+HE2316		
UKF217+H2317	**75**	220	175	36	24	63	23	77	92,6	82	M20	79800	58805	**UK217+H2317**	**F217**	10,08
UKF217+HA2317	2 15/16	8 21/32	6 57/64	1 27/64	15/16	2 15/32	29/32	3 1/32	3 41/64	3,228	3/4			UK217+HA2317		
UKF217+HE2317	3													UK217+HE2317		
UKF218+H2318	**80**	235	187	40	24	68	23	81,5	101,5	86	M20	91295	67925	**UK218+H2318**	**F218**	12,44
UKF218+HA2318	3 3/16	9 1/4	7 23/64	1 37/64	15/16	2 11/16	29/32	3 13/64	4	3,386	3/4			UK218+HA2318		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

UKF3 Serie pesante - *Heavy duty*



Tipo *Type*	d	a	e	i	g	l	s	z	B_1	Bull. fiss. *Bolt Size*	Dinamico C *Dynamic C*	Statico C_0 *Static C_0*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch									mm/inch	Coefficienti di carico (N) *Load ratings (N)*				kg
UKF305+H2305	**20**	110	80	16	13	29	16	37	35	M14	20140	10355	**UK305+H2305**	**F305**	1,4
UKF305+HE2305	3/4	4 11/32	3 5/32	5/8	1/2	1 5/32	5/8	1 29/64	1,378	1/2			UK305+HE2305		
UKF306+H2306	**25**	125	95	18	15	32	16	40,5	38	M14	25365	14250	**UK306+H2306**	**F306**	1,9
UKF306+HS2306	7/8	4 29/32	3 47/64	45/64	19/32	1 1/4	5/8	2 19/32	1,496	1/2			UK306+HS2306		
UKF306+HE2306	1												UK306+HE2306		
UKF307+H2307	**30**	135	100	20	16	36	19	44,5	43	M16	31730	18335	**UK307+H2307**	**F307**	2,3
UKF307+HS2307	1 1/8	5 5/16	3 15/16	25/32	5/8	1 13/32	3/4	2 3/4	1,693	5/8			UK307+HS2307		
UKF308+H2308	**35**	150	112	23	17	40	19	50	46	M16	38665	22800	**UK308+H2308**	**F308**	3,1
UKF308+HE2308	1 1/4	5 29/32	4 13/32	29/32	21/32	1 9/16	3/4	2 31/32	1,811	5/8			UK308+HE2308		
UKF308+HS2308	1 3/8												UK308+HS2308		
UKF309+H2309	**40**	160	125	25	18	44	19	54,5	50	M16	46455	28025	**UK309+H2309**	**F309**	4,1
UKF309+HA2309	1 7/16												UK309+HA2309		
UKF309+HE2309	1 1/2	6 1/16	4 59/64	63/64	23/32	1 23/32	3/4	2 9/64	1,969	5/8			UK309+HE2309		
UKF309+HS2309	1 5/8												UK309+HS2309		
UKF310+H2310	**45**	175	132	28	19	48	23	60	55	M20	58900	36385	**UK310+H2310**	**F310**	5,1
UKF310+HS2310	1 5/8												UK310+HS2310		
UKF310+HA2310	1 11/16	6 7/8	5 13/64	1 7/64	3/4	1 7/8	29/32	2 23/64	2,165	3/4			UK310+HA2310		
UKF310+HE2310	1 3/4												UK310+HE2310		
UKF311+H2311	**50**	185	140	30	20	52	23	63,5	59	M20	68020	42750	**UK311+H2311**	**F311**	5,9
UKF311+HS2311	1 7/8												UK311+HS2311		
UKF311+HA2311	1 15/16	7 9/32	5 33/64	1 3/16	25/32	2 1/16	29/32	2 1/2	2,323	3/4			UK311+HA2311		
UKF311+HE2311	2												UK311+HE2311		
UKF312+H2312	**55**	195	150	33	22	56	23	69	62	M20	77805	49590	**UK312+H2312**	**F312**	6,8
UKF312+HS2312	2 1/8	7 11/16	5 29/32	1 19/64	7/8	2 7/32	29/32	2 23/32	2,441	3/4			UK312+HS2312		
UKF313+H2313	**60**	208	166	33	22	58	23	71	65	M20	88065	56905	**UK313+H2313**	**F313**	7,9
UKF313+HA2313	2 3/16												UK313+HA2313		
UKF313+HE2313	2 1/4	8 3/16	6 17/32	1 19/64	7/8	2 9/32	29/32	2 51/64	2,559	3/4			UK313+HE2313		
UKF313+HS2313	2 3/8												UK313+HS2313		
UKF315+H2315	**65**	236	184	39	25	66	25	81	73	M22	107350	73340	**UK315+H2315**	**F315**	11,7
UKF315+HA2315	2 7/16	9 9/32	7 1/4	1 17/32	63/64	2 19/32	63/64	3 3/16	2,874	7/8			UK315+HA2315		
UKF315+HE2315	2 1/2												UK315+HE2315		
UKF316+H2316	**70**	250	196	38	27	68	31	83,5	78	M27	116850	82365	**UK316+H2316**	**F316**	12,9
UKF316+HA2316	2 11/16	9 27/32	7 23/32	1 1/2	1 1/16	2 11/16	1 7/32	3 9/32	3,071	1			UK316+HA2316		
UKF316+HE2316	2 3/4												UK316+HE2316		
UKF317+H2317	**75**	260	204	44	27	74	31	92	82	M27	126350	91960	**UK317+H2317**	**F317**	15,2
UKF317+HA2317	2 15/16	10 1/4	8 1/32	1 47/64	1 1/16	2 29/32	3 5/8	3 5/8	3,228	1			UK317+HA2317		
UKF317+HS2317	3												UK317+HS2317		
UKF318+H2318	**80**	280	216	44	30	76	35	93,5	86	M30	135850	101650	**UK318+H2318**	**F318**	19
UKF318+HA2318	3 3/16	11 1/32	8 1/2	1 47/64	1 3/16	3	1 3/8	3 11/16	3,386	1 1/8			UK318+HA2318		
UKF319+H2319	**85**	290	228	59	30	94	35	111	90	M30	145350	113050	**UK319+H2319**	**F319**	21,9
UKF319+HA2319	3 5/16	11 13/32	8 31/32	2 21/64	1 3/16	3 11/16	1 3/8	4 3/8	3,543	1 1/8			UK319+HA2319		
UKF320+H2320	**90**	310	242	59	32	94	38	115	97	M33	164350	133950	**UK320+H2320**	**F320**	25,4
UKF320+HA2320	3 7/16	12 7/32	9 17/32	2 21/64	1 1/4	3 11/16	1 1/2	4 17/32	3,814	1 1/4			UK320+HA2320		
UKF322+H2322	**100**	340	266	60	35	96	41	121	105	M36	194750	171000	**UK322+H2322**	**F322**	35,2
UKF322+HA2322	3 15/16	13 3/8	10 15/32	3 23/64	1 3/8	3 25/32	1 39/64	4 49/64	4,134	1 3/8			UK322+HA2322		
UKF324+H2324	**110**	370	290	65	40	110	41	130	112	M36	196650	175750	**UK324+H2324**	**F324**	47,6
UKF324+HA2324	4 3/16	16 5/32	12 19/32	2 9/16	1 9/16	4 11/32	1 39/64	5 1/8	4,410	1 3/8			UK324+HA2324		
UKF326+H2326	**115**	410	320	65	45	115	41	134	121	M36	217550	203300	**UK326+H2326**	**F326**	65,3
UKF326+HA2326	4 7/16	16 5/32	12 19/32	2 9/6	1 25/32	4 17/32	1 39/64	5 9/32	4,764	1 3/8			UK326+HA2326		
UKF328+H2328	**125**	450	350	75	55	125	41	148	131	M36	240350	233700	**UK328+H2328**	**F328**	93,4
UKF328+HA2328	4 15/16	17 23/32	13 25/32	2 61/64	2 5/32	4 29/32	1 39/64	5 53/64	5,158	1 3/8			UK328+HA2328		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

UKFX Serie media - *Medium duty*



Tipo *Type*	d	a	e	i	g	l	s	z	B_1	Bull. fiss. *Bolt Size*	Dinamico C *Dynamic C*	Statico C_o *Static C_o*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch									mm/inch	Coefficienti di carico (N) *Load ratings (N)*				kg
UKFX05+H2305	**20**	108	83	18	13	30	12	39	35	M10	18525	10735	**UKX05+H2305**	**FX05**	1,2
UKFX05+HE2305	3/4	4 1/4	3 17/64	45/64	1/2	1 3/16	15/32	1 17/32	1,378	3/8			UKX05+HE2305		
UKFX06+H2306	**25**	117	92	19	14	34	16	41,5	38	M14	24415	14630	**UKX06+H2306**	**FX06**	1,6
UKFX06+HS2306	7/8	4 39/64	3 5/8	3/4	9/16	1 11/32	5/8	1 41/64	1,496	1/2			UKX06+HS2306		
UKFX06+HE2306	1												UKX06+HE2306		
UKFX07+H2307	**30**	130	102	21	14	38	16	45,5	43	M14	27645	16910	**UKX07+H2307**	**FX07**	2,0
UKFX07+HS2307	1 1/8	5 1/8	4 1/64	53/64	9/16	1 1/2	5/8	1 51/64	1,693	1/2			UKX07+HS2307		
UKFX08+H2308	**35**	137	105	22	14	40	19	47,5	46	M16	32395	20235	**UKX08+H2308**	**FX08**	2,3
UKFX08+HE2308	1 1/4	5 13/32	4 9/64	55/64	9/16	1 9/16	3/4	1 7/8	1,811	5/8			UKX08+HE2308		
UKFX08+HS2308	1 3/8												UKX08+HS2308		
UKFX09+H2309	**40**	143	111	23	14	40	19	50	50	M16	33345	22135	**UKX09+H2309**	**FX09**	2,7
UKFX09+HA2309	1 5/8	5 5/8	4 3/8	29/32	9/16	1 9/16	3/4	1 31/32	1,969	5/8			UKX09+HA2309		
UKFX09+HE2309	1 1/2												UKX09+HE2309		
UKFX09+HS2309	1 5/8												UKX09+HS2309		
UKFX10+H2310	**45**	162	130	26	20	44	19	55,5	55	M16	41230	27930	**UKX10+H2310**	**FX10**	3,6
UKFX10+HS2310	1 5/8	6 3/8	5 1/8	1 1/32	25/32	1 23/32	3/4	2 3/16	2,165	5/8			UKX10+HS2310		
UKFX10+HA2310	1 11/16												UKX10+HA2310		
UKFX10+HE2310	1 3/4												UKX10+HE2310		
UKFX11+H2311	**50**	175	143	29	20	49	19	60	59	M16	49780	34390	**UKX11+H2311**	**FX11**	4,6
UKFX11+HS2311	1 7/8	6 57/64	5 5/8	1 9/64	25/32	1 15/16	3/4	2 23/64	2,323	5/8			UKX11+HS2311		
UKFX11+HA2311	1 15/16												UKX11+HA2311		
UKFX11+HE2311	2												UKX11+HE2311		
UKFX12+H2312	**55**	187	149	34	21	59	19	67	62	M16	54340	38095	**UKX12+H2312**	**FX12**	5,5
UKFX12+HS2312	2 1/8	7 23/64	5 55/64	1 11/32	13/16	2 5/16	3/4	2 41/64	2,441	5/8			UKX12+HS2312		
UKFX13+H2313	**60**	187	149	34	21	59	19	68	65	M16	59090	41895	**UKX13+H2313**	**FX13**	6,0
UKFX13+HA2313	2 3/16	7 23/64	5 55/64	1 11/32	13/16	2 5/16	3/4	2 11/16	2,559	5/8			UKX13+HA2313		
UKFX13+HE2313	2 1/4												UKX13+HE2313		
UKFX13+HS2313	2 3/8												UKX13+HS2313		
UKFX15+H2315	**65**	197	152	40	24	68	23	77,5	73	M20	69065	50350	**UKX15+H2315**	**FX15**	8,1
UKFX15+HA2315	2 7/16	7 3/4	5 63/64	1 37/64	15/16	2 11/16	29/32	2 3/64	2,874	3/4			UKX15+HA2315		
UKFX15+HS2315	2 1/2												UKX15+HS2315		
UKFX16+H2316	**70**	214	171	40	24	70	23	80	78	M20	79800	58805	**UKX16+H2316**	**FX16**	9,5
UKFX16+HA2316	2 11/16	8 7/16	6 47/64	1 37/64	15/16	2 3/4	29/32	3 5/32	3,071	3/4			UKX16+HA2316		
UKFX16+HS2316	2 3/4												UKX16+HS2316		
UKFX17+H2317	**75**	214	171	40	24	70	23	81,5	82	M20	91295	67925	**UKX17+H2317**	**FX17**	10,4
UKFX17+HA2317	2 15/16	8 7/16	6 47/64	1 37/64	15/16	2 3/4	29/32	3,228	3 3/4	3/4			UKX17+HA2317		
UKFX17+HE2317	3												UKX17+HE2317		
UKFX18+H2318	**80**	214	171	45	24	76	23	88	86	M20	103550	77805	**UKX18+H2318**	**FX18**	11,4
UKFX18+HA2318	3 3/16	8 7/16	6 47/64	1 49/64	15/16	3	29/32	3 15/32	3,386	3/4			UKX18+HA2318		
UKFX20+H2320	**90**	268	211	59	31	97	31	106	97	M27	126350	99750	**UKX20+H2320**	**FX20**	18,4
UKFX20+HA2330	3 1/2	10 9/16	8 5/16	2 21/64	1 7/32	3 13/13	1 7/32	4 3/64	3,814	1			UKX20+HA2330		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

ISB®

UCFC2 Serie normale - *Standard duty*



Tipo *Type*	Dimensioni - *Dimensions*														Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	d	a	p	e	i	s	j	k	g	f	z	t	B	n		Dinamico C *Dynamic C*	Statico C_o *Static C_o*			
	mm/inch														mm/inch					kg
UCFC201	**12**	100	78	55,1	10	12	5	7	20,5	62	28,3	32,5	31	12,7	M10	12160	6318	**UC201**	**FC204**	0,73
UCFC201-8	¾	3¹⁵⁄₁₆	3⁵⁄₆₄	2¹¹⁄₆₄	²⁵⁄₆₄	¹⁵⁄₃₂	¹³⁄₆₄	⁹⁄₃₂	¹³⁄₁₆	2,4409	1⅛	1⁹⁄₃₂	1,2205	0,500	⅜			UC201-8		0,72
UCFC202	**15**	100	78	55,1	10	12	5	7	20,5	62	28,3	32,5	31	12,7	M10	12160	6318	**UC202**	**FC204**	0,72
UCFC202-9	⁹⁄₁₆	3¹⁵⁄₁₆	3⁵⁄₆₄	2¹¹⁄₆₄	²⁵⁄₆₄	¹⁵⁄₃₂	¹³⁄₆₄	⁹⁄₃₂	¹³⁄₁₆	2,4409	1⅛	1⁹⁄₃₂	1,2205	0,500	⅜			UC202-9		0,72
UCFC202-10	⅝																	UC202-10		0,72
UCFC203	**17**	100	78	55,1	10	12	5	7	20,5	62	28,3	32,5	31	12,7	M10	12160	6318	**UC203**	**FC204**	0,71
UCFC203-11	¹¹⁄₁₆	3¹⁵⁄₁₆	3⁵⁄₆₄	2¹¹⁄₆₄	²⁵⁄₆₄	¹⁵⁄₃₂	¹³⁄₆₄	⁹⁄₃₂	¹³⁄₁₆	2,4409	1⅛	1⁹⁄₃₂	1,2205	0,500	⅜			UC203-11		0,70
UCFC204	**20**	100	78	55,1	10	12	5	7	20,5	62	28,3	32,5	31	12,7	M10	12160	6318	**UC204**	**FC204**	0,69
UCFC204-12	¾	3¹⁵⁄₁₆	3⁵⁄₆₄	2¹¹⁄₆₄	²⁵⁄₆₄	¹⁵⁄₃₂	¹³⁄₆₄	⁹⁄₃₂	¹³⁄₁₆	2,4409	1⅛	1⁹⁄₃₂	1,2205	0,500	⅜			UC204-12		0,69
UCFC205	**25**	115	90	63,6	10	12	6	7	21	70	29,8	34	34,1	14,3	M10	13300	7457	**UC205**	**FC205**	1,00
UCFC205-13	¹³⁄₁₆																	UC205-13		1,04
UCFC205-14	⅞	4¹⁷⁄₃₂	3³⁵⁄₆₄	2½	²⁵⁄₆₄	¹⁵⁄₃₂	¹⁵⁄₆₄	⁹⁄₃₂	⁵³⁄₆₄	2,7559	1¹¹⁄₆₄	1¹¹⁄₃₂	1,3425	0,563	⅜			UC205-14		1,03
UCFC205-15	¹⁵⁄₁₆																	UC205-15		1,01
UCFC205-16	1																	UC205-16		1,00
UCFC206	**30**	125	100	70,7	10	12	8	8	23	80	32,2	36,5	38,1	15,9	M10	18525	10735	**UC206**	**FC206**	1,30
UCFC206-17	1¹⁄₁₆																	UC206-17		1,31
UCFC206-18	1⅛	4⁵⁹⁄₆₄	3¹⁵⁄₁₆	2²⁵⁄₃₂	²⁵⁄₆₄	¹⁵⁄₃₂	⁵⁄₁₆	⁵⁄₁₆	²⁹⁄₃₂	3,1496	1¹⁷⁄₆₄	1⁷⁄₁₆	1,5000	0,626	⅜			UC206-18		1,32
UCFC206-19	1³⁄₁₆																	UC206-19		1,30
UCFC206-20	1¼																	UC206-20		1,29
UCFC207	**35**	135	110	77,8	11	14	8	9	26	90	36,4	41	42,9	17,5	M12	24415	14630	**UC207**	**FC207**	1,81
UCFC207-20	1¼																	UC207-20		1,87
UCFC207-21	1⁵⁄₁₆	5⁵⁄₁₆	4²¹⁄₆₄	3¹⁄₁₆	⁷⁄₁₆	³⁵⁄₆₄	⁵⁄₁₆	²³⁄₆₄	1¹⁄₃₂	3,5433	1⁷⁄₁₆	1⅝	1,6890	0,689	⁷⁄₁₆			UC207-21		1,84
UCFC207-22	1⅜																	UC207-22		1,81
UCFC207-23	1⁷⁄₁₆																	UC207-23		1,78
UCFC208	**40**	145	120	84,8	11	14	10	9	26	100	41,2	45,5	49,2	19	M12	27645	16910	**UC208**	**FC208**	2,14
UCFC208-24	1½	5⁴⁵⁄₆₄	4²³⁄₃₂	3¹¹⁄₃₂	⁷⁄₁₆	³⁵⁄₆₄	²⁵⁄₆₄	²³⁄₈₄	1¹⁄₃₂	3,9370	1⅝	1⁵¹⁄₆₄	1,9370	0,748	⁷⁄₁₆			UC208-24		2,18
UCFC208-25	1⁹⁄₆																	UC208-25		2,15
UCFC209	**45**	160	132	93,3	10	16	12	14	26	105	40,2	44,5	49,2	19	M14	32395	20235	**UC209**	**FC209**	2,68
UCFC209-26	1⅝																	UC209-26		2,78
UCFC209-27	1¹¹⁄₁₆	6¹⁹⁄₆₄	5¹³⁄₆₄	3⁴³⁄₆₄	²⁵⁄₆₄	⅝	¹⁵⁄₃₂	³⁵⁄₆₄	1¹⁄₃₂	4,1339	1³⁷⁄₆₄	1¾	1,9370	0,748	½			UC209-27		2,74
UCFC209-28	1¾																	UC209-28		2,70
UCFC210	**50**	165	138	97,6	10	16	12	14	28	110	42,6	47,5	51,6	19	M14	33345	22135	**UC210**	**FC210**	2,90
UCFC210-29	1¹³⁄₁₆																	UC210-29		3,02
UCFC210-30	1⅞	6½	5⁷⁄₁₆	3²⁷⁄₃₂	²⁵⁄₆₄	⅝	¹⁵⁄₃₂	³⁵⁄₆₄	1⁷⁄₆₄	4,3307	1¹⁄₁₆	1⅞	2,0315	0,748	½			UC210-30		2,97
UCFC210-31	1¹⁵⁄₁₆																	UC210-31		2,92
UCFC210-32	2																	UC210-32		2,88
UCFC211	**55**	185	150	106,1	13	19	12	15	31	125	46,4	51	55,6	22,2	M16	41230	27930	**UC211**	**FC211**	4,01
UCFC211-32	2																	UC211-32		4,16
UCFC211-33	2¹⁄₁₆	7⁹⁄₃₂	5²⁹⁄₃₂	4³⁄₁₆	³³⁄₆₄	¾	¹⁵⁄₃₂	¹⁹⁄₃₂	1⁷⁄₃₂	4,9213	1⁵³⁄₆₄	2¹⁄₆₄	2,1890	0,874	⅝			UC211-33		4,10
UCFC211-34	2⅛																	UC211-34		4,05
UCFC211-35	2³⁄₁₆																	UC211-35		3,99
UCFC212	**60**	195	160	113,1	17	19	12	15	36	135	56,7	61,5	65,1	25,4	M16	49780	34390	**UC212**	**FC212**	4,94
UCFC212-36	2¼																	UC212-36		5,07
UCFC212-37	2⁵⁄₁₆	7¹¹⁄₁₆	6¹⁹⁄₆₄	4²⁹⁄₆₄	⁴³⁄₆₄	¾	¹⁵⁄₃₂	¹⁹⁄₃₂	1²⁷⁄₆₄	5,3150	2¹⁵⁄₆₄	2²⁷⁄₆₄	2,5630	1,000	⅝			UC212-37		4,99
UCFC212-38	2⅜																	UC212-38		4,92
UCFC212-39	2⁷⁄₁₆																	UC212-39		4,85
UCFC213	**65**	205	170	120,2	16	19	14	15	36	145	55,7	60,5	65,1	25,4	M16	54340	38095	**UC213**	**FC213**	5,65
UCFC213-40	2½	8⁵⁄₆₄	6¹¹⁄₁₆	4⁴⁷⁄₆₄	⅝	¾	³⁵⁄₆₄	¹⁹⁄₃₂	1²⁷⁄₆₄	5,5118	1³⁄₁₆	2²⁵⁄₆₄	2,5630	1,000	⅝			UC213-40		5,74
UCFC213-41	2⁹⁄₁₆																	UC213-41		5,65
UCFC214	**70**	215	177	125,1	17	19	14	18	40	150	61,4	-	74,6	30,2	M16	59090	41895	**UC214**	**FC214**	6,95
UCFC214-42	2⅝																	UC214-42		7,16
UCFC214-43	2¹¹⁄₁₆	8¹⁵⁄₃₂	6³¹⁄₃₂	4⁵⁹⁄₆₄	⁴³⁄₆₄	¾	³⁵⁄₆₄	²³⁄₃₂	1³⁷⁄₆₄	5,9055	1¹³⁄₃₂	-	2,9370	1,189	⅝			UC214-43		7,06
UCFC214-44	2¾																	UC214-44		6,96
UCFC215	**75**	220	184	130,1	18	19	16	18	40	160	62,5	-	77,8	33,3	M16	64030	45885	**UC215**	**FC215**	7,56
UCFC215-45	2¹³⁄₁₆																	UC215-45		7,81
UCFC215-46	2⅞	8³¹⁄₃₂	7¼	5⅛	²³⁄₃₂	¾	⅝	²³⁄₃₂	1³⁷⁄₆₄	6,2992	2¹⁵⁄₃₂	-	3,0630	1,311	⅝			UC215-46		7,70
UCFC215-47	2¹⁵⁄₁₆																	UC215-47		7,59
UCFC215-48	3																	UC215-48		7,47
UCFC216	**80**	240	200	141,4	18	23	16	18	42	170	67,3	-	82,6	33,3	M20	69065	50350	**UC216**	**FC216**	9,15
UCFC216-49	3¹⁄₁₆																	UC216-49		9,28
UCFC216-50	3⅛	9²⁹⁄₆₄	7⅞	5⁹⁄₁₆	²³⁄₃₂	²⁹⁄₃₂	⅝	²³⁄₃₂	1²¹⁄₃₂	6,6929	2²¹⁄₃₂	-	3,2520	1,311	¾			UC216-50		9,20
UCFC216-51	3³⁄₁₆																	UC216-51		9,07
UCFC217	**85**	250	208	147,1	18	23	18	20	45	180	69,6	-	85,7	34,1	M20	79800	58805	**UC217**	**FC217**	10,81
UCFC217-52	3¼																	UC217-52		11,03
UCFC217-53	3⁵⁄₁₆	9²⁷⁄₃₂	8³⁄₁₆	5⁵¹⁄₆₄	²³⁄₃₂	²⁹⁄₃₂	²³⁄₃₂	²⁵⁄₃₂	1²⁵⁄₃₂	7,0866	2¾	-	3,3740	1,343	¾			UC217-53		10,89
UCFC217-55	3⁷⁄₁₆																	UC217-55		10,60
UCFC218	**90**	265	220	155,5	22	23	18	20	50	190	78,3	-	96	39,7	M20	91295	67925	**UC218**	**FC218**	12,96
UCFC218-56	3½	10⁷⁄₁₆	8²¹⁄₃₂	6⅛	⁵⁵⁄₆₄	²⁹⁄₃₂	²³⁄₃₂	²⁵⁄₃₂	1³¹⁄₃₂	7,4803	3³⁄₃₂	-	3,7795	1,5630	¾			UC218-56		13,07

Disponibile in acciaio inox Supporto: AISI 304 - Cuscinetto: AISI 440C - *Available stainless steel Housing: AISI 304 - Bearing: AISI 440C*
Disponibile su richiesta con cuscinetto SA (SAFC..) - *Available under request with SA bearing (SAFC..)*

HCFC2 Serie normale - *Standard duty*





Tipo *Type*	**Dimensioni** - *Dimensions*													**Bull. fiss.** *Bolt Size*	**Coefficienti di carico (N)** *Load ratings (N)*		**Cuscinetto** *Bearing*	**Supporto** *Housing*	**Peso** *Weight*
	d	**a**	**p**	**e**	**i**	**s**	**j**	**k**	**g**	**f**	**z**	**B1**	**n**		**Dinamico C** *Dynamic C*	**Statico C0** *Static C0*			
	mm/inch													mm/inch					kg
HCFC204	**12**	100	78	55,1	10	12	5	7	20,5	62	36,6	43,7	17,1	M10	12160	6318	**HC204**	**FC204**	0,76
HCFC204-12	3/4	3 15/16	3 5/64	2 11/64	25/64	15/32	13/64	9/32	13/16	2,4409	1 7/16	1,720	0,673	3/8			HC204-12		0,76
HCFC205	**25**	115	90	63,6	10	12	6	7	21	70	36,9	44,4	17,5	M10	13300	7457	**HC205**	**FC205**	1,07
HCFC205-13	13/16	4 17/32	3 35/64	2 1/2	25/64	15/32	15/64	9/32	53/64	2,7559	1 29/64	1,748	0,689	3/8			HC205-13		1,12
HCFC205-14	7/8																HC205-14		1,11
HCFC205-15	15/16																HC205-15		1,09
HCFC205-16	1																HC205-16		1,07
HCFC206	**30**	125	100	70,7	10	12	8	8	23	80	40,1	48,4	18,3	M10	18525	10735	**HC206**	**FC206**	1,43
HCFC206-17	1 1/16	4 59/64	3 15/16	2 25/32	25/64	15/32	5/16	5/16	29/32	3,1496	1 37/64	1,906	0,720	3/8			HC206-17		1,48
HCFC206-18	1 1/8																HC206-18		1,45
HCFC206-19	1 3/16																HC206-19		1,43
HCFC206-20	1 1/4																HC206-20		1,40
HCFC207	**35**	135	110	77,8	11	14	8	9	26	90	43,3	51,1	18,8	M12	24415	14630	**HC207**	**FC207**	1,93
HCFC207-20	1 1/4	1 5/16	4 21/64	3 1/16	7/16	35/64	5/16	23/64	1 1/32	3,5433	1 45/64	2,012	0,740	7/16			HC207-20		2,00
HCFC207-21	1 5/16																HC207-21		1,96
HCFC207-22	1 3/8																HC207-22		1,93
HCFC207-23	1 7/16																HC207-23		1,87
HCFC208	**40**	145	120	84,8	11	14	10	9	26	100	45,9	56,3	21,4	M12	27645	16910	**HC208**	**FC208**	2,29
HCFC208-24	1 1/2	5 45/64	4 23/32	3 11/32	7/16	35/64	25/64	23/64	1 1/32	3,9370	1 13/16	2,217	0,843	7/16			HC208-24		2,34
HCFC208-25	1 9/16																HC208-25		2,30
HCFC209	**45**	160	132	93,3	10	16	12	14	26	105	44,9	56,3	21,4	M14	32395	20235	**HCF209**	**FC209**	2,85
HCFC209-26	1 5/8	6 19/64	5 13/64	3 43/64	25/64	5/8	15/32	35/64	1 1/32	4,1339	1 49/64	2,217	0,843	1/2			HC209-26		2,96
HCFC209-27	1 11/16																HC209-27		2,91
HCFC209-28	1 3/4																HC209-28		2,87
HCFC210	**50**	165	138	97,6	10	16	12	14	28	110	48,1	62,7	24,6	M14	33345	22135	**HCF210**	**FC210**	3,09
HCFC210-29	1 13/16	6 1/2	5 7/16	3 27/32	25/64	5/8	15/32	35/94	1 7/64	4,3307	1 57/64	2,469	0,969	1/2			HC210-29		3,24
HCFC210-30	1 7/8																HC210-30		3,18
HCFC210-31	1 15/16																HC210-31		3,12
HCFC210-32	2																HC210-32		3,06
HCFC211	**55**	185	150	106,1	13	19	12	15	31	125	56,6	71,4	27,8	M16	41230	27930	**HCF211**	**FC211**	4,22
HCFC211-32	2	7 9/32	5 29/32	4 3/16	33/64	3/4	15/32	19/32	1 7/32	4,9213	2 15/64	2,811	1,094	5/8			HC211-32		4,42
HCFC211-33	2 1/16																HC211-33		4,34
HCFC211-34	2 1/8																HC211-34		4,27
HCFC211-35	2 3/16																HC211-35		4,19
HCFC212	**60**	195	160	113,1	17	19	12	15	36	135	63,8	77,8	31	M16	49780	34390	**HC212**	**FC212**	5,28
HCFC212-36	2 1/4	7 11/16	6 19/64	4 29/64	43/64	3/4	15/32	19/32	1 27/64	5,3150	2 33/64	3,063	1,220	5/8			HC212-36		5,44
HCFC212-37	2 5/16																HC212-37		5,35
HCFC212-38	2 3/8																HC212-38		5,30
HCFC212-39	2 7/16																HC212-39		5,17
HCFC213	**65**	205	170	120,2	16	19	14	15	36	145	67,6	85,7	34,1	M16	54340	38095	**HC213**	**FC213**	6,21
HCFC213-40	2 1/2	8 5/64	6 11/16	4 47/64	5/8	3/4	35/64	19/32	1 27/64	5,5118	2 21/32	3,374	1,343	5/8			HC213-40		6,31
HCFC213-41	2 9/16																HC213-41		6,20
HCFC214	**70**	215	177	125,1	17	19	14	18	40	150	68,6	85,7	34,1	M16	59090	41895	**HC214**	**FC214**	7,45
HCFC214-42	2 3/8	8 15/32	6 31/32	4 59/64	43/64	3/4	35/64	23/32	1 37/64	5,9055	2 45/64	3,374	1,343	5/8			HC214-42		7,69
HCFC214-43	2 11/16																HC214-43		7,58
HCFC214-44	2 3/4																HC214-44		7,46
HCFC215	**75**	220	184	130,1	18	19	16	18	40	160	72,8	92,1	37,3	M16	64030	45885	**HC215**	**FC215**	8,19
HCFC215-45	2 13/16	8 21/32	7 1/4	5 1/8	23/32	3/4	5/8	23/32	1 37/64	6,2992	2 7/8	3,626	1,469	5/8			HC215-45		8,49
HCFC215-46	2 7/8																HC215-46		8,36
HCFC215-47	2 15/16																HC215-47		8,23
HCFC215-48	3																HC215-48		8,09

UCFCX Serie media - *Medium duty*



Tipo *Type*	Dimensioni - *Dimensions*													Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	d	a	p	e	i	s	j	k	g	f	z	B	n		Dinamico C *Dynamic C*	Statico C_o *Static C_o*			
	mm/inch													mm/inch					kg
UCFCX05	**25**	111	92	65	10	9,5	6	9,5	24	76	32,2	38,1	15,9	M8			**UCX05**		
UCFCX05-13	13/16																UCX05-13		
UCFCX05-14	7/8	4 3/8	3 5/8	2 9/16	25/64	3/8	15/64	3/8	15/16	2,9921	1 9/32	1,5000	0,626	5/16	18525	10735	UCX05-14	**FCX05**	1,2
UCFCX05-15	15/16																UCX05-15		
UCFCX05-16	1																UCX05-16		
UCFCX06	**30**	127	105	74,2	8	12	9,5	9,5	22,5	85	33,4	42,9	17,5	M10			**UCX06**		
UCFCX06-17	1 1/16																UCX06-17		
UCFCX06-18	1 1/8	5	4 9/64	2 59/64	5/16	15/32	3/8	3/8	7/8	3,3465	1 5/16	1,6890	0,689	3/8	24415	14630	UCX06-18	**FCX06**	1,5
UCFCX06-19	1 3/16																UCX06-19		
UCFCX06-20	1 1/4																UCX06-20		
UCFCX07	**35**	133	111	78,5	9	12	11	11	26	92	39,2	49,2	19	M10			**UCX07**		
UCFCX07-21	1 5/16																UCX07-21		
UCFCX07-22	1 3/8	5 1/4	4 3/8	3 3/32	23/64	15/32	7/16	7/16	1 1/32	3,6220	1 17/32	1,9370	0,748	3/8	27645	16910	UCX07-22	**FCX07**	1,9
UCFCX07-23	1 7/16																UCX07-23		
UCFCX08	**40**	133	111	78,5	9	12	11	11	26	92	39,2	49,2	19	M10			**UCX08**		
UCFCX08-24	1 1/2	5 1/4	4 3/8	3 3/32	23/64	15/32	7/16	7/16	1 1/32	3,6220	1 17/32	1,9370	0,748	3/8	32395	20235	UCX08-24	**FCX08**	2,0
UCFCX08-25	1 9/16																UCX08-25		
UCFCX09	**45**	155	130	91,9	8	14	12	11	25	108	40,6	51,6	19	M12			**UCX09**		
UCFCX09-26	1 5/8																UCX09-26		
UCFCX09-27	1 11/16	6 3/32	5 1/8	3 5/8	5/16	35/64	15/32	7/16	63/64	4,2520	1 19/32	2,0315	0,748	7/16	33345	22135	UCX09-27	**FCX09**	2,6
UCFCX09-28	1 3/4																UCX09-28		
UCFCX09-29	1 13/16																UCX09-29		
UCFCX10	**50**	162	136	96,2	7	14	16	11	25	118	40,4	55,6	22,2	M12			**UCX10**		
UCFCX10-30	1 7/8																UCX10-30		
UCFCX10-31	1 15/16	6 3/8	5 23/64	3 25/32	9/32	35/64	5/8	7/16	63/64	4,6457	1 19/32	2,1890	0,874	7/16	41230	27930	UCX10-31	**FCX10**	3,2
UCFCX10-32	2																UCX10-32		
UCFCX11	**55**	180	152	107,5	4	16	22	13	26	127	43,7	65,1	25,4	M14			**UCX11**		
UCFCX11-33	2 1/16																UCX11-33		
UCFCX11-34	2 1/8																UCX11-34		
UCFCX11-35	2 3/16	7 3/32	5 63/64	4 15/64	5/32	5/8	55/64	1/2	1 1/32	5,0000	1 23/32	2,5630	1,000	1/2	49780	34390	UCX11-35	**FCX11**	4,3
UCFCX11-36	2 1/4																UCX11-36		
UCFCX11-37	2 5/16																UCX11-37		
UCFCX12	**60**	194	165	116,7	11	16	20	14	33	140	50,7	65,1	25,4	M14			**UCX12**		
UCFCX12-38	2 3/8	7 5/8	6 1/2	4 19/32	7/16	5/8	25/32	9/16	1 5/16	5,5118	2	2,5630	1,000	1/2	54340	38095	UCX12-38	**FCX12**	5,3
UCFCX12-39	2 7/16																UCX12-39		
UCFCX13	**65**	194	165	116,7	11	16	20	14	33	140	55,4	74,6	30,2	M14			**UCX13**		
UCFCX13-40	2 1/2	7 5/8	6 1/2	4 19/32	7/16	5/8	25/32	9/16	1 5/16	5,5118	2 3/16	2,9370	1,189	1/2	59090	41895	UCX13-40	**FCX13**	5,7
UCFCX13-41	2 9/16																UCX13-41		
UCFCX14	**70**	222	190	134,3	14	19	20	14	36	164	58,5	77,8	33,3	M16			**UCX14**		
UCFCX14-42	2 5/8																UCX14-42		
UCFCX14-43	2 11/16	8 3/4	7 31/64	5 9/32	35/64	3/4	25/32	9/16	1 13/32	6,4567	2 5/16	3,0630	1,311	5/8	64030	45885	UCX14-43	**FCX14**	7,3
UCFCX14-44	2 3/4																UCX14-44		
UCFCX15	**75**	222	190	134,3	12	19	22	16	35	164	61,3	82,6	33,3	M16			**UCX15**		
UCFCX15-45	2 13/16																UCX15-45		
UCFCX15-46	2 7/8	8 3/4	7 31/64	5 9/32	15/32	3/4	55/64	5/8	1 3/8	6,4567	2 13/32	3,2520	1,311	5/8	69065	50350	UCX15-46	**FCX15**	8
UCFCX15-47	2 15/16																UCX15-47		
UCFCX15-48	3																UCX15-48		
UCFCX16	**80**	260	219	154,8	10	23	25	19	36	186	61,6	85,7	34,1	M20			**UCX16**		
UCFCX16-49	3 1/16																UCX16-49		
UCFCX16-50	3 1/8	10 1/4	8 5/8	6 3/32	25/64	29/32	63/64	3/4	1 13/32	7,3228	2 7/16	3,3740	1,343	3/4	79800	58805	UCX16-50	**FCX16**	11,3
UCFCX16-51	3 3/16																UCX16-51		
UCFCX16-52	3 1/4																UCX16-52		
UCFCX17	**85**	260	219	154,8	10	23	25	19	36	186	66,3	96	39,7	M20			**UCX17**		
UCFCX17-53	3 5/16	10 1/4	8 5/8	6 3/32	25/64	29/32	63/64	3/4	1 13/32	7,3228	2 5/8	3,7795	1,5630	3/4	91295	67925	UCX17-53	**FCX17**	12,9
UCFCX17-55	3 7/16																UCX17-55		
UCFCX18	**90**	260	219	154,8	12	23	28	-	43	186	73,1	104	42,9	M20			**UCX18**		
UCFCX18-56	3 7/16	10 1/4	8 5/8	6 3/32	15/32	29/32	1 7/64	-	1 11/16	7,3228	-	4,0945	1,689	3/4	103550	77805	UCX18-56	**FCX18**	12
UCFCX18-57	3 1/2																UCX18-57		
UCFCX20	**100**	276	238	168,3	22	23	28	-	66	206	90,3	117,5	49,2	M20			**UCX20**		
UCFCX20-58	3 13/16																UCX20-58		
UCFCX20-59	3 7/8	10 7/8	9 3/8	6 5/8	55/64	29/32	1 7/64	-	2 19/32	8,1102	-	4,6260	1,937	3/4	126350	99750	UCX20-59	**FCX20**	16
UCFCX20-60	3 15/16																UCX20-60		
UCFCX20-61	4																UCX20-61		

UKFC2 Serie normale - *Standard duty*



Tipo *Type*	**Dimensioni** - *Dimensions*													**Bull. fiss.** *Bolt Size*	**Coefficienti di carico (N)** *Load ratings (N)*		**Cuscinetto** *Bearing*	**Supporto** *Housing*	**Peso** *Weight*
	d	**a**	**p**	**e**	**i**	**s**	**j**	**k**	**g**	**f**	**z**	**t**	**B_1**		**Dinamico C** *Dynamic C*	**Statico C_0** *Static C_0*			
	mm/inch													mm/inch					kg
UKFC205+H2305	**20**	115	90	63,6	10	12	6	7	21	70	29,5	34	35	M10	13300	7457	**UK205+H2305**	**FC205**	1,05
UKFC205+HE2305	3/4	4 17/32	3 35/64	2 1/2	15/64	15/32	15/64	9/32	53/64	2,7559	1 5/32	1 11/32	1,378	3/8			UK205+HE2305		
UKFC206+H2306	**25**	125	100	70,7	10	12	8	8	23	80	31	36,5	38	M10	18525	10735	**UK206+H2306**	**FC206**	1,34
UKFC206+HS2306	7/8	4 59/64	3 15/16	2 25/32	25/64	15/32	5/16	5/16	29/32	3,1496	1 7/32	1 7/16	1,496	3/8			UK206+HS2306		
UKFC206+HE2306	1																UK206+HE2306		
UKFC207+H2307	**30**	135	110	77,8	11	14	8	9	26	90	33,5	41	43	M12	24415	14630	**UK207+H2307**	**FC207**	1,90
UKFC207+HS2307	1 1/8	5 5/6	4 21/64	3 1/16	7/16	35/64	5/16	23/64	1 1/32	3,5433	1 5/16	1 5/8	1,693	7/16			UK207+HS2307		
UKFC208+H2308	**35**	145	120	84,8	11	14	10	9	26	100	35,5	45,5	46	M12	27645	16910	**UK208+H2308**	**FC208**	2,24
UKFC208+HE2308	1 1/4	5 45/64	4 23/32	3 11/32	7/16	35/64	25/64	23/64	1 1/32	3,9370	1 25/64	1 51/64	1,811	7/16			UK208+HE2308		
UKFC208+HS2308	1 3/8																UK208+HS2308		
UKFC209+H2309	**40**	160	132	93,3	10	16	12	14	26	105	36	44,5	50	M14	32395	20235	**UK209+H2309**	**PFC209**	2,83
UKFC209+HA2309	1 7/16																UK209+HA2309		
UKFC209+HE2309	1 1/2	6 19/64	5 13/64	3 43/64	25/64	5/8	15/32	35/64	1 1/32	4,1339	1 27/64	1 3/4	1,969	1/2			UK209+HE2309		
UKFC209+HS2309	1 5/8																UK209+HS2309		
UKFC210+H2310	**45**	165	138	97,6	10	16	12	14	28	110	37,5	47,5	55	M14	33345	22135	**UK210+H2310**	**FC210**	3,07
UKFC210+HS2310	1 5/8																UK210+HS2310		
UKFC210+HA2310	1 11/16	6 1/2	5 7/16	3 27/32	25/64	5/8	15/32	35/64	1 7/64	4,3307	1 15/32	1 7/8	2,165	1/2			UK210+HA2310		
UKFC210+HE2310	1 3/4																UK210+HE2310		
UKFC211+H2311	**50**	185	150	106,1	13	19	12	15	31	125	41,5	51	59	M16	41230	27930	**UK211+H2311**	**FC211**	4,16
UKFC211+HS2311	1 7/8																UK211+HS2311		
UKFC211+HA2311	1 15/16	7 9/32	5 29/32	4 3/16	33/64	3/4	15/32	19/32	1 7/32	4,9213	1 41/64	2 1/64	2,323	5/8			UK211+HA2311		
UKFC211+HE2311	2																UK211+HE2311		
UKFC212+H2312	**55**	195	160	113,1	17	19	12	15	36	135	48	61,5	62	M16	49780	34390	**UK212+H2312**	**FC212**	4,99
UKFC212+HS2312	2 1/8	7 11/16	6 19/64	4 29/64	43/64	3/4	15/32	19/32	1 27/64	5,3150	1 57/64	2 27/64	2,441	5/8			UK212+HS2312		
UKFC213+H2313	**60**	205	170	120,2	16	19	14	15	36	145	49	60,5	65	M16	54340	38095	**UK213+H2313**	**FC213**	5,56
UKFC213+HA2313	2 3/16																UK213+HA2313		
UKFC213+HE2313	2 1/4	8 5/64	6 11/16	4 47/64	5/8	3/4	35/64	19/32	1 27/64	5,5118	1 15/16	2 25/64	2,559	5/8			UK213+HE2313		
UKFC213+HS2313	2 3/8																UK213+HS2313		
UKFC215+H2315	**65**	220	184	130,1	18	19	16	18	40	160	53,5	-	73	M16	64030	45885	**UK215+H2315**	**FC215**	7,67
UKFC215+HA2315	2 7/16	8 21/32	7 1/4	5 1/8	23/32	3/4	5/8	23/32	1 37/64	6,2992	2 7/64	-	2,874	5/8			UK215+HA2315		
UKFC215+HE2315	2 1/2																UK215+HE2315		
UKFC216+H2316	**70**	240	200	141,4	18	23	16	18	42	170	57	-	78	M20	69065	50350	**UK216+H2316**	**FC216**	9,41
UKFC216+HA2316	2 11/16	9 29/64	7 7/8	5 9/16	23/32	29/32	5/8	23/32	1 21/32	6,6929	2 1/4	-	3,071	3/4			UK216+HA2316		
UKFC216+HE2316	2 3/4																UK216+HE2316		
UKFC217+H2317	**75**	250	208	147,1	18	23	18	20	45	180	59	-	82	M20	79800	58805	**UK217+H2317**	**FC217**	11,23
UKFC217+HA2317	2 15/16	9 27/32	8 3/16	5 51/64	23/32	29/32	23/32	25/32	1 25/32	7,0866	2 21/64	-	3,228	3/4			UK217+HA2317		
UKFC217+HE2317	3																UK217+HE2317		
UKFC218+H2318	**80**	265	220	155,5	22	23	18	20	50	190	64,5	-	86	M20	91295	67925	**UK218+H2318**	**FC218**	13,34
UKFC218+HA2318	3 3/16	10 7/16	8 21/32	6 1/8	55/64	29/32	23/32	25/32	1 31/32	7,4803	3 35/64	-	3,386	3/4			UK218+HA2318		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

UCFL2 Serie normale - *Standard duty*



Tipo *Type*	d	a	e	i	g	l	s	b	z	t	B	n	Bull. fiss. *Bolt Size*	Dinamico C *Dynamic C*	Statico C₀ *Static C₀*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch												mm/inch					kg
UCFL201	**12**	113	90	15	11	25,5	12	60	33,3	37,5	31	12,7	M10	12160	6318	**UC201**	**FL204**	0,45
UCFL201-8	¾	4 7/16	3 35/64	19/32	7/16	1	15/32	2 3/8	1 5/16	1 31/64	1,2205	0,500	3/8			UC201-8		0,44
UCFL202	**15**	113	90	15	11	25,5	12	60	33,3	37,5	31	12,7	M10	12160	6318	**UC202**	**FL204**	0,44
UCFL202-9	9/16	4 7/16	3 35/64	19/32	7/16	1	15/32	2 3/8	1 5/16	1 31/64	1,2205	0,500	3/8			UC202-9		0,44
UCFL202-10	5/8															UC202-10		0,44
UCFL203	**17**	113	90	15	11	25,5	12	60	33,3	37,5	31	12,7	M10	12160	6318	**UC203**	**FL204**	0,43
UCFL203-11	11/16	4 7/16	3 35/64	19/32	7/16	1	15/32	2 3/8	1 5/16	1 31/64	1,2205	0,500	3/8			UC203-11		0,42
UCFL204	**20**	113	90	15	11	25,5	12	60	33,3	37,5	31	12,7	M10	12160	6318	**UC204**	**FL204**	0,41
UCFL204-12	¾	4 7/16	3 35/64	19/32	7/16	1	15/32	2 3/8	1 5/16	1 31/64	1,2205	0,500	3/8			UC204-12		0,41
UCFL205	**25**	130	99	16	13	27	16	68	35,8	40	34,1	14,3	M14	13300	7457	**UC205**	**FL205**	0,58
UCFL205-13	13/16	5 1/8	3 57/64	5/8	½	1 1/16	5/8	2 11/16	1 13/32	1 9/16	1,3425	0,563	½			UC205-13		0,62
UCFL205-14	7/8															UC205-14		0,61
UCFL205-15	15/16															UC205-15		0,59
UCFL205-16	1															UC205-16		0,58
UCFL206	**30**	148	117	18	13	31	16	80	40,2	44,5	38,1	15,9	M14	18525	10735	**UC206**	**FL206**	0,86
UCFL206-17	1 1/16	5 13/16	4 39/64	45/64	½	1 7/32	5/8	3 5/32	1 19/32	1 ¾	1,5000	0,626	½			UC206-17		0,89
UCFL206-18	1 1/8															UC206-18		0,88
UCFL206-19	1 3/16															UC206-19		0,86
UCFL206-20	1 ¼															UC206-20		0,85
UCFL207	**35**	161	130	19	14	34	16	90	44,4	48,5	42,9	17,5	M14	24415	14630	**UC207**	**FL207**	1,08
UCFL207-20	1 ¼	6 11/32	5 1/8	¾	35/64	1 13/32	5/8	3 35/64	1 ¾	1 29/32	1,6890	0,689	½			UC207-20		1,14
UCFL207-21	1 5/16															UC207-21		1,11
UCFL207-22	1 3/8															UC207-22		1,08
UCFL207-23	1 7/16															UC207-23		1,05
UCFL208	**40**	175	144	21	14	36	16	100	51,2	55,5	49,2	19	M14	27645	16910	**UC208**	**FL208**	1,44
UCFL208-24	1 ½	6 7/8	5 43/64	53/64	35/64	1 13/32	5/8	3 15/16	2 1/64	2 3/16	1,9370	0,748	½			UC208-24		1,48
UCFL208-25	1 9/16															UC208-25		1,45
UCFL209	**45**	188	148	22	15	38	19	108	52,2	56,5	49,2	19	M16	32395	20235	**UC209**	**FL209**	1,74
UCFL209-26	1 5/8	7 13/32	5 53/64	55/64	19/32	1 ½	¾	4 ¼	2 1/16	2 7/32	1,9370	0,748	5/8			UC209-26		1,84
UCFL209-27	1 11/16															UC209-27		1,80
UCFL209-28	1 ¾															UC209-28		1,76
UCFL210	**50**	197	157	22	15	40	19	115	54,6	59,5	51,6	19	M16	33345	22135	**UC210**	**FL210**	2,10
UCFL210-29	1 13/16	7 ¾	6 3/16	55/64	19/32	1 37/64	¾	4 17/32	2 5/32	2 11/32	2,0315	0,748	5/8			UC210-29		2,22
UCFL210-30	1 7/8															UC210-30		2,17
UCFL210-31	1 15/16															UC210-31		2,12
UCFL210-32	2															UC210-32		2,08
UCFL211	**55**	224	184	25	18	43	19	130	58,4	63	55,6	22,2	M16	41230	27930	**UC211**	**FL211**	2,91
UCFL211-32	2	8 13/16	7 ¼	63/64	23/32	1 11/16	¾	5 1/6	2 5/16	2 15/32	2,1890	0,874	5/8			UC211-32		3,06
UCFL211-33	2 1/16															UC211-33		3,00
UCFL211-34	2 1/8															UC211-34		2,95
UCFL211-35	2 3/16															UC211-35		2,89
UCFL212	**60**	250	202	29	18	48	23	140	68,7	73,5	65,1	25,4	M20	49780	34390	**UC212**	**FL212**	3,74
UCFL212-36	2 ¼	9 27/32	7 61/64	1 9/64	23/32	1 7/8	29/32	5 ½	2 23/32	2 57/64	2,5630	1,000	¾			UC212-36		3,87
UCFL212-37	2 5/16															UC212-37		3,79
UCFL212-38	2 3/8															UC212-38		3,72
UCFL212-39	2 7/16															UC212-39		3,65
UCFL213	**65**	258	210	30	22	50	23	155	69,7	74,5	65,1	25,4	M20	54340	38095	**UC213**	**FL213**	4,57
UCFL213-40	2 ½	10 5/32	8 17/64	1 3/16	7/8	1 31/32	29/32	6 3/32	2 ¾	2 15/16	2,5630	1,000	¾			UC213-40		4,66
UCFL213-41	2 9/16															UC213-41		4,57
UCFL214	**70**	265	216	31	22	54	23	160	75,4	-	74,6	30,2	M20	59090	41895	**UC214**	**FL214**	5,11
UCFL214-42	2 5/8	10 7/16	8 ½	1 7/32	7/8	2 1/8	29/32	6 5/16	2 31/32	-	2,9370	1,189	¾			UC214-42		5,32
UCFL214-43	2 11/16															UC214-43		5,22
UCFL214-44	2 ¾															UC214-44		5,12
UCFL215	**75**	275	225	34	22	56	23	165	78,5	-	77,8	33,3	M20	64030	45885	**UC215**	**FL215**	5,37
UCFL215-45	2 13/16	10 13/16	8 55/64	1 11/32	7/8	2 7/32	29/32	6 ½	3 3/32	-	3,0630	1,311	¾			UC215-45		5,62
UCFL215-46	2 7/8															UC215-46		5,51
UCFL215-47	2 15/16															UC215-47		5,40
UCFL215-48	3															UC215-48		5,28
UCFL216	**80**	290	233	34	22	58	25	180	83,3	-	82,6	33,3	M22	69065	50350	**UC216**	**FL216**	7,20
UCFL216-49	3 1/16	11 13/32	9 11/64	1 11/32	7/8	2 9/32	63/64	7 3/32	3 9/32	-	3,2520	1,311	7/8			UC216-49		7,38
UCFL216-50	3 1/8															UC216-50		7,25
UCFL216-51	3 1/16															UC216-51		7,12
UCFL217	**85**	305	248	36	24	63	25	190	87,6	-	85,7	34,1	M22	79800	58805	**UC217**	**FL217**	8,61
UCFL217-52	3 ¼	12	9 49/64	1 27/64	15/16	2 15/32	63/64	7 15/32	3 7/16	-	3,3740	1,343	7/8			UC217-52		8,83
UCFL217-53	3 5/16															UC217-53		8,69
UCFL217-55	3 7/16															UC217-55		8,40
UCFL218	**90**	320	265	40	24	68	25	205	96,3	-	96	39,7	M22	91295	67925	**UC218**	**FL218**	10,51
UCFL218-56	3 ½	12 19/32	10 7/16	1 37/64	15/16	2 11/16	63/64	8 1/16	3 25/32	-	3,7795	1,5630	7/8			UC218-56		10,62

Disponibile in acciaio inox Supporto: AISI 304 - Cuscinetto: AISI 440C - *Available stainless steel Housing: AISI 304 - Bearing: AISI 440C*
Disponibile su richiesta con cuscinetto SA (SAFL) - *Available under request with SA bearing (SAFL)*

HCFL2 Serie normale - *Standard duty*



Tipo *Type*	**Dimensioni** - *Dimensions*											**Bull. fiss.** *Bolt Size*	**Coefficienti di carico (N)** *Load ratings (N)*		**Cuscinetto** *Bearing*	**Supporto** *Housing*	**Peso** *Weight*
	d	**a**	**e**	**i**	**g**	**l**	**s**	**b**	**z**	**B_1**	**n**		**Dinamico C** *Dynamic C*	**Statico C_o** *Static C_o*			
	mm/inch											mm/inch					kg
HCFL204	**20**	113	90	15	11	25,5	12	60	41,6	43,7	17,1	M10			**HC204**		0,48
HCFL204-12	3/4	4 7/16	3 35/64	19/32	7/16	1	15/32	2 3/8	1 41/64	1,720	0,673	3/8	12160	6318	HC204-12	**FL204**	0,48
HCFL205	**25**	130	99	16	13	27	16	68	42,9	44,4	17,5	M14			**HC205**		0,65
HCFL205-13	13/16														HC205-13		0,70
HCFL205-14	7/8	5 1/8	3 57/64	5/8	1/2	1 1/16	5/8	2 11/16	1 11/16	1,748	0,689	1/2	13300	7457	HC205-14	**FL205**	0,69
HCFL205-15	15/16														HC205-15		0,67
HCFL205-16	1														HC205-16		0,65
HCFL206	**30**	148	117	18	13	31	16	80	48,1	48,4	18,3	M14			**HC206**		0,99
HCFL206-17	1 1/16														HC206-17		1,04
HCFL206-18	1 1/8	5 13/16	4 39/64	45/64	1/2	1 7/32	5/8	3 5/32	1 57/64	1,906	0,720	1/2	18525	10735	HC206-18	**FL206**	1,01
HCFL206-19	1 3/16														HC206-19		0,99
HCFL206-20	1 1/4														HC206-20		0,96
HCFL207	**35**	161	130	19	14	34	16	90	51,3	51,1	18,8	M14			**HC207**		1,20
HCFL207-20	1 1/4														HC207-20		1,27
HCFL207-21	1 5/16	6 11/32	5 1/8	3/4	35/64	1 11/32	5/8	3 35/64	2 1/64	2,012	0,740	1/2	24415	14630	HC207-21	**FL207**	1,23
HCFL207-22	1 3/8														HC207-22		1,20
HCFL207-23	1 7/16														HC207-23		1,17
HCFL208	**40**	175	144	21	14	36	16	100	55,9	56,3	21,4	M14			**HC208**		1,59
HCFL208-24	1 1/2	6 7/8	5 43/64	53/64	35/64	1 13/32	5/8	3 15/16	2 13/64	2,217	0,843	1/2	27645	16910	HC208-24	**FL208**	1,64
HCFL208-25	1 9/16														HC208-25		1,60
HCFL209	**45**	188	148	22	15	38	19	108	56,9	56,3	21,4	M14			**HCF209**		1,91
HCFL209-26	1 5/8														HC209-26		2,02
HCFL209-27	1 11/16	7 13/32	5 53/64	55/64	19/32	1 1/2	3/4	4 1/4	2 15/64	2,217	0,843	1/2	32395	20235	HC209-27	**FL209**	1,97
HCFL209-28	1 3/4														HC209-28		1,93
HCFL210	**50**	197	157	22	15	40	19	115	60,1	62,7	24,6	M16			**HCF210**		2,29
HCFL210-29	1 13/16														HC210-29		2,44
HCFL210-30	1 7/8	7 3/4	6 3/16	55/64	19/32	1 37/64	3/4	4 17/32	2 23/64	2,469	0,969	5/8	33345	22135	HC210-30	**FL210**	2,38
HCFL210-31	1 15/16														HC210-31		2,32
HCFL210-32	2														HC210-32		2,26
HCFL211	**55**	224	184	25	18	43	19	130	68,6	71,4	27,8	M16			**HCF211**		3,12
HCFL211-32	2														HC211-32		3,32
HCFL211-33	2 2/16	8 13/16	7 1/4	63/64	23/32	1 11/16	3/4	5 1/8	2 45/64	2,811	1,094	5/8	41230	27930	HC211-33	**FL211**	3,24
HCFL211-34	2 1/8														HC211-34		3,17
HCFL211-35	2 3/16														HC211-35		3,09
HCFL212	**60**	250	202	29	18	48	23	140	75,8	77,8	31	M20			**HC212**		4,08
HCFL212-36	2 1/4														HC212-36		4,24
HCFL212-37	2 5/16	9 27/32	7 61/64	1 9/64	23/32	1 7/8	29/32	5 1/2	2 63/64	3,063	1,220	3/4	49780	34390	HC212-37	**FL212**	4,15
HCFL212-38	2 3/8														HC212-38		4,10
HCFL212-39	2 7/16														HC212-39		3,97
HCFL213	**65**	258	210	30	22	50	23	155	81,6	85,7	34,1	M20			**HC213**		5,13
HCFL213-40	2 1/2	10 5/32	8 17/64	1 3/16	7/8	1 31/32	29/32	6 3/32	3 7/32	3,374	1,343	3/4	54340	38095	HC213-40	**FL213**	5,23
HCFL213-41	2 9/16														HC213-41		5,12
HCFL214	**70**	265	216	31	22	54	23	160	82,6	85,7	34,1	M20			**HC214**		5,61
HCFL214-42	2 3/8														HC214-42		5,85
HCFL214-43	2 11/16	10 7/16	8 1/2	1 7/32	7/8	2 1/8	29/32	6 5/16	3 1/4	3,374	1,343	3/4	59090	41895	HC214-43	**FL214**	5,74
HCFL214-44	2 3/4														HC214-44		5,62
HCFL215	**75**	275	225	34	22	56	23	165	88,8	92,1	37,3	M20			**HC215**		6,00
HCFL215-45	2 13/16														HC215-45		6,30
HCFL215-46	2 7/8	10 13/16	8 55/64	1 11/32	7/8	2 7/32	29/32	6 1/2	3 1/2	3,626	1,426	3/4	64030	45885	HC215-46	**FL215**	6,17
HCFL215-47	2 15/16														HC215-47		6,04
HCFL215-48	3														HC215-48		5,90

UCFL3 Serie pesante - *Heavy duty*





Tipo *Type*	Dimensioni - *Dimensions*											Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	d	a	e	i	g	l	s	b	z	B	n		Dinamico C *Dynamic C*	Statico C₀ *Static C₀*			
	mm/inch											mm/inch					kg
UCFL305 UCFL305-13 UCFL305-14 UCFL305-15 UCFL305-16	**25** 13/16 7/8 15/16 1	150 5 29/32	113 4 7/16	16 5/8	13 1/2	29 1 5/32	19 3/4	80 3 5/32	39 1 17/32	38 1,4961	15 0,591	M16 5/8	20140	10355	**UC305** UC305-13 UC305-14 UC305-15 UC305-16	**FL305**	1,1
UCFL306 UCFL306-17 UCFL306-18 UCFL306-19	**30** 1 1/16 1 1/8 1 3/16	180 7 3/32	134 5 9/32	18 45/64	15 19/32	32 1 1/4	23 29/32	90 3 17/32	44 1 47/64	43 1,6929	17 0,669	M20 3/4	25365	14250	**UC306** UC306-17 UC306-18 UC306-19	**FL306**	1,5
UCFL307 UCFL307-20 UCFL307-21 UCFL307-22 UCFL307-23	**35** 1 1/4 1 5/16 1 3/8 1 7/16	185 7 9/32	141 5 35/64	20 25/32	16 5/8	36 1 13/32	23 29/32	100 3 15/16	49 1 59/64	48 1,8898	19 0,748	M20 3/4	31730	18335	**UC307** UC307-20 UC307-21 UC307-22 UC307-23	**FL307**	1,9
UCFL308 UCFL308-24 UCFL308-25	**40** 1 1/2 1 9/16	200 7 7/8	158 5 7/32	23 29/32	17 21/32	40 1 9/16	23 29/32	112 4 13/32	56 1 13/64	52 2,0472	19 0,748	M20 3/4	38665	22800	**UC308** UC308-24 UC308-25	**FL308**	2,5
UCFL309 UCFL309-26 UCFL309-27 UCFL309-28	**45** 1 5/8 1 11/16 1 3/4	230 9 1/16	177 6 31/32	25 63/64	18 23/32	44 1 23/32	25 63/64	125 4 29/32	60 2 23/64	57 2,2441	22 0,866	M22 7/8	46455	28025	**UC309** UC309-26 UC309-27 UC309-28	**FL309**	3,4
UCFL310 UCFL310-29 UCFL310-30 UCFL310-31	**50** 1 13/16 1 7/8 1 15/16	240 9 7/16	187 7 23/64	28 1 7/64	19 3/4	48 1 7/8	25 63/64	140 5 1/2	67 2 41/64	61 2,4016	22 0,866	M22 7/8	58900	36385	**UC310** UC310-29 UC310-30 UC310-31	**FL310**	4,4
UCFL311 UCFL311-32 UCFL311-33 UCFL311-34 UCFL311-35	**55** 2 2 1/16 2 1/8 2 3/16	250 9 27/32	198 7 51/64	30 1 3/16	20 25/32	52 2 1/16	25 63/64	150 5 29/32	71 2 51/64	66 2,5984	25 0,984	M22 7/8	68020	42750	**UC311** UC311-32 UC311-33 UC311-34 UC311-35	**FL311**	5,1
UCFL312 UCFL312-36 UCFL312-37 UCFL312-38 UCFL312-39	**60** 2 1/4 2 5/16 2 3/8 2 7/16	270 10 5/8	212 8 11/32	33 1 19/64	22 7/8	56 2 7/32	31 1 7/32	160 6 5/64	78 3 5/64	71 2,9753	26 1,024	M27 1	77805	49590	**UC312** UC312-36 UC312-37 UC312-38 UC312-39	**FL312**	6,1
UCFL313 UCFL313-40 UCFL313-41	**65** 2 1/2 2 9/16	295 11 5/8	240 9 29/64	33 1 19/64	25 31/32	58 2 9/32	31 1 7/32	175 6 7/8	78 3 5/64	75 2,9528	30 1,181	M27 1	88065	56905	**UC313** UC313-40 UC313-41	**FL313**	7,8
UCFL314 UCFL314-42 UCFL314-43 UCFL314-44	**70** 2 5/8 2 11/16 2 3/4	315 12 13/32	250 9 27/32	36 1 27/64	28 1 3/32	61 2 13/32	35 1 3/8	185 7 9/32	81 3 3/16	78 3,0708	33 1,299	M30 1 1/8	98800	64790	**UC314** UC314-42 UC314-43 UC314-44	**FL314**	9,0
UCFL315 UCFL315-45 UCFL315-46 UCFL315-47 UCFL315-48	**75** 2 13/16 2 7/8 2 15/16 3	320 12 19/32	260 10 15/64	39 1 17/32	30 1 3/16	66 2 19/32	35 1 3/8	195 7 11/16	89 3 1/2	82 3,2283	32 1,260	M30 1 1/8	107350	73340	**UC315** UC315-45 UC315-46 UC315-47 UC315-48	**FL315**	10
UCFL316 UCFL316-49 UCFL316-50 UCFL316-51	**80** 3 1/16 3 1/8 3 3/16	355 13 31/32	285 11 7/32	38 1 1/2	32 1 1/4	68 2 11/16	38 1 1/2	210 8 9/32	90 3 35/64	86 3,3858	34 1,339	M33 1 1/4	116850	82365	**UC316** UC316-49 UC316-50 UC316-51	**FL316**	13
UCFL317 UCFL317-52 UCFL317-53 UCFL317-55	**85** 3 1/4 3 5/16 3 7/16	370 14 9/16	300 11 13/14	44 1 47/64	32 1 1/4	74 2 29/32	38 1 1/2	220 8 21/32	100 3 15/16	96 3,7795	40 1,575	M33 1 1/4	126350	91960	**UC317** UC317-52 UC317-53 UC317-55	**FL317**	15
UCFL318 UCFL318-55 UCFL318-56	**90** 3 7/16 3 1/2	385 15 5/32	315 12 13/32	44 1 47/64	36 1 13/32	76 3	38 1 1/2	235 9 1/4	100 3 15/16	96 3,7795	40 1,575	M33 1 1/4	135850	101650	**UC318** UC318-55 UC318-56	**FL318**	18
UCFL319 UCFL319-58 UCFL319-59 UCFL319-60	**95** 3 5/8 3 11/16 3 3/4	405 15 15/16	330 12 63/64	59 2 21/64	40 1 9/16	94 3 11/16	41 1 39/64	250 9 27/32	121 4 49/64	103 4,0551	41 1,614	M36 1 3/8	145350	113050	**UC319** UC319-58 UC319-59 UC319-60	**FL319**	22
UCFL320 UCFL320-61 UCFL320-62 UCFL320-63 UCFL320-64	**100** 3 13/16 3 7/8 3 15/16 4	440 17 5/16	360 14 11/64	59 2 21/64	40 1 9/16	94 3 11/16	44 1 47/64	270 10 5/8	125 4 59/64	108 4,2520	42 1,654	M39 1 1/2	164350	133950	**UC320** UC320-61 UC320-62 UC320-63 UC320-64	**FL320**	27
UCFL322	**110** -	470 18 1/2	390 15 23/64	60 2 23/64	42 1 21/32	96 3 25/32	44 1 47/64	300 11 13/16	131 5 5/32	117 4,6035	46 1,8110	M39 1 1/2	194750	171000	**UC322**	**FL322**	33
UCFL324	**120** -	520 20 15/32	430 16 59/64	65 2 9/16	48 1 7/8	110 4 11/32	47 1 27/32	330 13	140 5 1/2	126 4,9606	51 2,0079	M42 -	196650	175750	**UC324**	**FL324**	48
UCFL326	**130** -	550 21 21/32	460 18 7/64	65 2 9/16	50 1 31/32	115 4 17/32	47 1 27/32	360 14 3/16	146 5 3/4	135 5,1350	54 2,1260	M42 -	217550	203300	**UC326**	**FL326**	58
UCFL328	**140** -	600 23 5/8	500 19 11/16	75 2 61/64	60 2 3/8	125 4 29/32	51 2	400 15 3/4	161 6 11/32	145 5,7086	59 2,3228	M45 -	240350	233700	**UC328**	**FL328**	81

UCFLX Serie media - *Medium duty*





Tipo *Type*	**Dimensioni** - *Dimensions*											**Bull. fiss.** *Bolt Size*	**Coefficienti di carico (N)** *Load ratings (N)*		**Cuscinetto** *Bearing*	**Supporto** *Housing*	**Peso** *Weight*
	d	**a**	**e**	**i**	**g**	**l**	**s**	**b**	**z**	**B**	**n**		**Dinamico C** *Dynamic C*	**Statico C_o** *Static C_o*			
	mm/inch											mm/inch					kg
UCFLX05	**25**	141	117	18	13	30	12	83	40,2	38,1	15,9	M10			**UCX05**		
UCFLX05-13	13/16														UCX05-13		
UCFLX05-14	7/8	5 9/16	4 39/64	45/64	1/2	1 3/16	15/32	3 9/32	1 37/64	1,5000	0,626	3/8	18525	10735	UCX05-14	**FLX05**	1,0
UCFLX05-15	15/16														UCX05-15		
UCFLX05-16	1														UCX05-16		
UCFLX06	**30**	156	130	19	15	34	16	95	44,4	42,9	17,5	M14			**UCX06**		
UCFLX06-17	1 1/16														UCX06-17		
UCFLX06-18	1 1/8	6 5/32	5 1/8	3/4	19/32	1 11/32	5/8	3 3/4	1 3/4	1,6890	0,689	1/2	24415	14630	UCX06-18	**FLX06**	1,5
UCFLX06-19	1 3/16														UCX06-19		
UCFLX06-20	1 1/4														UCX06-20		
UCFLX07	**35**	171	144	21	16	38	16	105	51,2	49,2	19	M14			**UCX07**		
UCFLX07-21	1 5/16												27645	16910	UCX07-21	**FLX07**	2,0
UCFLX07-22	1 3/8	6 23/32	5 43/64	53/64	5/8	1 1/2	5/8	4 1/8	2 1/64	1,9370	0,748	1/2			UCX07-22		
UCFLX07-23	1 7/16														UCX07-23		
UCFLX08	**40**	179	148	22	16	40	16	111	52,2	49,2	19	M14			**UCX08**		
UCFLX08-24	1 1/2	7 1/16	5 53/64	55/64	5/8	1 37/64	5/8	4 3/8	2 1/16	1,9370	0,748	1/2	32395	20235	UCX08-24	**FLX08**	2,2
UCFLX08-25	1 9/16														UCX08-25		
UCFLX09	**45**	189	157	23	16	40	16	116	55,6	51,6	19	M14			**UCX09**		
UCFLX09-26	1 5/8														UCX09-26		
UCFLX09-27	1 11/16	7 7/16	6 3/16	29/32	5/8	1 37/64	5/8	4 9/18	2 3/16	2,0315	0,748	1/2	33345	22135	UCX09-27	**FLX09**	2,4
UCFLX09-28	1 3/4														UCX09-28		
UCFLX09-29	1 13/16														UCX09-29		
UCFLX10	**50**	216	184	26	18	44	19	133	59,4	55,6	22,2	M16			**UCX10**		
UCFLX10-30	1 7/8												41230	27930	UCX10-30	**FLX10**	3,4
UCFLX10-31	1 15/16	8 1/2	7 1/4	1 1/32	23/32	1 23/32	3/4	5 1/4	2 11/32	2,1890	0,874	5/8			UCX10-31		
UCFLX10-32	2														UCX10-32		

UKFL2 Serie normale - *Standard duty*



Tipo *Type*	d	a	e	i	g	l	s	b	z	t	B1	Bull. fiss. *Bolt Size*	Dinamico C *Dynamic C*	Statico C0 *Static C0*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch											mm/inch	Coefficienti di carico (N) *Load ratings (N)*				kg
UKFL205+H2305	**20**	130	99	16	13	27	16	68	35,5	40	35	M14	13300	7457	**UK205+H2305**	**FL205**	0,63
UKFL205+HE2305	3/4	5 1/8	3 57/64	5/8	1/2	1 1/16	5/8	2 11/16	1 25/64	1 9/16	1,378	1/2			UK205+HE2305		
UKFL206+H2306	**25**	148	117	18	13	31	16	80	39	44,5	38	M14	18525	10735	**UK206+H2306**	**FL206**	0,90
UKFL206+HS2306	7/8	5 13/16	4 39/64	45/64	1/2	1 7/32	5/8	3 5/32	1 17/32	1 3/4	1,496	1/2			UK206+HS2306		
UKFL206+HE2306	1														UK206+HE2306		
UKFL207+H2307	**30**	161	130	19	14	34	16	90	42,5	48,5	43	M14	24415	14630	**UK207+H2307**	**FL207**	1,17
UKFL207+HS2307	1 1/8	6 11/32	5 1/8	3/4	35/64	1 11/32	5/8	3 35/64	1 43/64	1 29/32	1,693	1/2			UK207+HS2307		
UKFL208+H2308	**35**	175	144	21	14	36	16	100	46,5	55,5	46	M14	27645	16910	**UK208+H2308**	**FL208**	1,54
UKFL208+HE2308	1 1/4	6 7/8	5 43/64	53/64	35/64	1 13/32	5/8	3 15/16	1 53/64	2 3/16	1,811	1/2			UK208+HE2308		
UKFL208+HS2308	1 3/8														UK208+HS2308		
UKFL209+H2309	**40**	188	148	22	15	38	19	108	48,5	56,5	50	M16	32395	20235	**UK209+H2309**	**FL209**	1,89
UKFL209+HA2309	1 7/16														UK209+HA2309		
UKFL209+HE2309	1 1/2	7 13/32	5 53/64	55/64	19/32	1 1/2	3/4	4 1/4	1 29/32	2 7/32	1,969	5/8			UK209+HE2309		
UKFL209+HS2309	1 5/8														UK209+HS2309		
UKFL210+H2310	**45**	197	157	22	15	40	19	115	50	59,5	55	M16	33345	22135	**UK210+H2310**	**FL210**	2,27
UKFL210+HS2310	1 5/8														UK210+HS2310		
UKFL210+HA2310	1 11/16	7 3/4	6 3/16	55/64	19/32	1 37/64	3/4	4 17/32	1 31/32	2 11/32	2,165	5/8			UK210+HA2310		
UKFL210+HE2310	1 3/4														UK210+HE2310		
UKFL211+H2311	**50**	224	184	25	18	43	19	130	54,5	63	59	M16	41230	27930	**UK211+H2311**	**FL211**	3,06
UKFL211+HS2311	1 7/8														UK211+HS2311		
UKFL211+HA2311	1 15/16	8 13/16	7 1/4	63/64	23/32	1 11/16	3/4	5 1/8	2 9/64	2 15/32	2,323	5/8			UK211+HA2311		
UKFL211+HE2311	2														UK211+HE2311		
UKFL212+H2312	**55**	250	202	29	18	48	23	140	61	73,5	62	M20	49780	34390	**UK212+H2312**	**FL212**	3,79
UKFL212+HS2312	2 1/8	9 27/32	7 61/64	1 9/64	23/32	1 7/8	29/32	5 1/2	2 13/32	2 57/64	2,441	3/4			UK212+HS2312		
UKFL213+H2313	**60**	258	210	30	22	50	23	155	64	74,5	65	M20	54340	38095	**UK213+H2313**	**FL213**	4,48
UKFL213+HA2313	2 3/16														UK213+HA2313		
UKFL213+HE2313	2 1/4	10 5/32	8 17/64	1 3/16	7/8	1 31/32	29/32	6 3/62	2 33/64	2 15/16	2,559	3/4			UK213+HE2313		
UKFL213+HS2313	2 3/8														UK213+HS2313		
UKFL215+H2315	**65**	275	225	34	22	56	23	165	71	-	73	M20	64030	45885	**UK215+H2315**	**FL215**	5,48
UKFL215+HA2315	2 7/16	10 13/16	8 55/64	1 11/32	7/8	2 7/32	29/32	6 1/2	2 51/64	-	2,874	3/4			UK215+HA2315		
UKFL215+HE2315	2 1/2														UK215+HE2315		
UKFL216+H2316	**70**	290	233	34	22	58	25	180	73,5	-	78	M22	69065	50350	**UK216+H2316**	**FL216**	7,46
UKFL216+HA2316	2 11/16	11 13/32	9 11/64	1 11/32	7/8	2 9/32	63/64	7 3/32	2 57/64	-	3,071	7/8			UK216+HA2316		
UKFL216+HE2316	2 3/4														UK216+HE2316		
UKFL217+H2317	**75**	305	248	36	24	63	25	190	77	-	82	M22	79800	58805	**UK217+H2317**	**FL217**	9,03
UKFL217+HA2317	2 15/16	12	9 49/64	1 27/64	15/16	2 15/32	63/64	7 15/32	3 1/32	-	3,228	7/8			UK217+HA2317		
UKFL217+HE2317	3														UK217+HE2317		
UKFL218+H2318	**80**	320	265	40	24	68	25	205	81,5	-	86	M22	91295	67925	**UK218+H2318**	**FL218**	10,89
UKFL218+HA2318	3 3/16	12 19/32	10 7/16	1 37/64	15/16	2 11/16	63/64	8 1/16	3 13/64	-	3,386	7/8			UK218+HA2318		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

UKFLX Serie media - *Medium duty*



Tipo *Type*	Dimensioni - *Dimensions* d	a	e	i	g	l	s	b	z	B_1	Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)* Dinamico C *Dynamic C*	Statico C_0 *Static C_0*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch										mm/inch					kg
UKFLX05+H2305	**20**	141	117	18	13	30	12	83	39	35	M10	18525	10735	**UKX05+H2305**	**FLX05**	1,0
UKFLX05+HE2305	3/4	5 9/16	4 39/64	45/64	1/2	1 3/16	15/32	3 9/32	1 17/32	1,378	3/8			UKX05+HE2305		
UKFLX06+H2306	**25**	156	130	19	15	34	16	95	41,5	38	M14			**UKX06+H2306**		
UKFLX06+HS2306	7/8	6 5/32	5 1/8	3/4	19/32	1 11/32	5/8	3 3/4	1 41/64	1,496	1/2	24415	14630	UKX06+HS2306	**FLX06**	1,5
UKFLX06+HE2306	1													UKX06+HE2306		
UKFLX07+H2307	**30**	171	144	21	16	38	16	105	45,5	43	M14	27645	16910	**UKX07+H2307**	**FLX07**	1,8
UKFLX07+HS2307	1 1/8	6 23/32	5 43/64	53/64	5/8	1 1/2	5/8	4 1/8	1 51/64	1,693	1/2			UKX07+HS2307		
UKFLX08+H2308	**35**	179	148	22	16	40	16	111	47,5	46	M14			**UKX08+H2308**		
UKFLX08+HE2308	1 1/4	7 1/16	5 53/64	55/64	5/8	1 9/16	5/8	4 3/8	1 7/8	1,811	1/2	32395	20235	UKX08+HE2308	**FLX08**	2,1
UKFLX08+HS2308	1 3/8													UKX08+HS2308		
UKFLX09+H2309	**40**	189	157	23	16	40	16	116	50	50	M14			**UKX09+H2309**		
UKFLX09+HA2309	1 7/16											33345	22135	UKX09+HA2309	**FLX09**	2,5
UKFLX09+HE2309	1 1/2	7 7/16	6 3/16	29/32	5/8	1 37/64	5/8	4 9/16	1 31/32	1,969	1/2			UKX09+HE2309		
UKFLX09+HS2309	1 5/8													UKX09+HS2309		
UKFLX10+H2310	**45**	216	184	26	18	44	19	133	55,5	55	M16			**UKX10+H2310**		
UKFLX10+HS2310	1 5/8											41230	27930	UKX10+HS2310	**FLX10**	3,7
UKFLX10+HA2310	1 11/16	8 1/2	7 1/4	1 1/32	23/32	1 23/32	3/4	5 1/4	2 3/16	2,165	5/8			UKX10+HA2310		
UKFLX10+HE2310	1 3/4													UKX10+HE2310		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

UCT2 Serie normale - *Standard duty*





Tipo *Type*	d	o	g	p	q	s	b	k	e	a	w	j	l	h	t	B	N	Dinamico C *Dynamic C*	Statico C₀ *Static C₀*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight* (kg)
	mm/inch																					
UCT201	**12**	16	10	51	32	19	51	12	76	89	94	32	24	61	44,5	31	12,7	12160	6318	**UC201**	**T204**	0,80
UCT201-8	3/4	5/8	25/64	1 1/64	1 1/4	3/4	2 1/64	15/32	2 63/64	3 1/2	3 11/16	1 1/4	15/16	2 13/32	1 3/4	1,2205	0,500			UC201-8		0,79
UCT202	**15**	16	10	51	32	19	51	12	76	89	94	32	24	61	44,5	31	12,7	12160	6318	**UC202**	**T204**	0,79
UCT202-9	9/16	5/8	25/64	1 1/64	1 1/4	3/4	2 1/64	15/32	2 63/64	3 1/2	3 11/16	1 1/4	15/16	2 13/32	1 3/4	1,2205	0,500			UC202-9		0,79
UCT202-10	5/8																			UC202-10		0,79
UCT203	**17**	16	10	51	32	19	51	12	76	89	94	32	24	61	44,5	31	12,7	12160	6318	**UC203**	**T204**	0,78
UCT203-11	11/16	5/8	25/64	1 1/64	1 1/4	3/4	2 1/64	15/32	2 63/64	3 1/2	3 11/16	1 1/4	15/16	2 13/32	1 3/4	1,2205	0,500			UC203-11		0,77
UCT204	**20**	16	10	51	32	19	51	12	76	89	94	32	24	61	44,5	31	12,7	12160	6318	**UC204**	**T204**	0,76
UCT204-12	3/4	5/8	25/64	1 1/64	1 1/4	3/4	2 1/64	15/32	2 63/64	3 1/2	3 11/16	1 1/4	15/16	2 13/32	1 3/4	1,2205	0,500			UC204-12		0,76
UCT205	**25**	16	10	51	32	19	51	12	76	89	97	32	24	62	48	34,1	14,3	13300	7457	**UC205**	**T205**	0,81
UCT205-13	13/16	5/8	25/64	1 1/64	1 1/4	3/4	2 1/64	15/32	2 63/64	3 1/2	3 13/16	1 1/4	15/16	2 7/16	1 7/8	1,3425	0,563			UC205-13		0,85
UCT205-14	7/8																			UC205-14		0,84
UCT205-15	15/16																			UC205-15		0,82
UCT205-16	1																			UC205-16		0,81
UCT206	**30**	16	10	56	37	22	57	12	89	102	113	37	28	70	53	38,1	15,9	18525	10735	**UC206**	**T206**	1,22
UCT206-17	1 1/16	5/8	25/64	2 7/32	1 29/64	55/64	2 1/4	15/32	3 1/2	4 1/64	4 29/64	1 29/64	1 3/32	2 3/4	2 3/32	1,5000	0,626			UC206-17		1,23
UCT206-18	1 1/8																			UC206-18		1,24
UCT206-19	1 3/16																			UC206-19		1,22
UCT206-20	1 1/4																			UC206-20		1,21
UCT207	**35**	16	13	64	37	22	64	12	89	102	129	37	30	78	59,5	42,9	17,5	24415	14630	**UC207**	**T207**	1,44
UCT207-20	1 1/4	5/8	33/64	2 33/64	1 29/64	55/64	2 33/64	15/32	3 1/2	4 1/64	5 5/64	1 29/64	1 3/16	3 5/64	2 11/32	1,6890	0,689			UC207-20		1,50
UCT207-21	1 5/16																			UC207-21		1,48
UCT207-22	1 3/8																			UC207-22		1,44
UCT207-23	1 7/16																			UC207-23		1,41
UCT208	**40**	19	16	83	49	29	83	16	102	114	144	49	35	89	69	49,2	19	27645	16910	**UC208**	**T208**	2,40
UCT208-24	1 1/2	3/4	5/8	3 17/64	1 15/16	1 9/64	3 17/64	5/8	4 1/64	4 31/64	5 43/64	1 15/16	1 3/8	3 1/2	2 23/32	1,9370	0,748			UC208-24		2,44
UCT208-25	1 9/16																			UC208-25		2,41
UCT209	**45**	19	16	83	49	29	83	16	102	117	144	49	35	87	69	49,2	19	32395	20235	**UC209**	**T209**	2,36
UCT209-26	1 5/8	3/4	5/8	3 17/64	1 15/16	1 9/64	3 17/64	5/8	4 1/64	4 39/64	5 43/64	1 15/16	1 3/8	3 27/64	2 23/32	1,9370	0,748			UC209-26		2,46
UCT209-27	1 11/16																			UC209-27		2,42
UCT209-28	1 3/4																			UC209-28		2,38
UCT210	**50**	19	16	83	49	29	86	16	102	117	149	49	35	90	74,5	51,6	19	33345	22135	**UC210**	**T210**	2,43
UCT210-29	1 13/16	3/4	5/8	3 17/64	1 15/16	1 9/64	3 17/64	5/8	4 1/64	4 39/64	5 55/64	1 15/16	1 3/8	3 35/64	2 15/16	2,0315	0,748			UC210-29		2,55
UCT210-30	1 7/8																			UC210-30		2,50
UCT210-31	1 15/16																			UC210-31		2,45
UCT210-32	2																			UC210-32		2,41
UCT211	**55**	25	19	102	64	35	95	22	130	146	171	64	41	106	76	55,6	22,2	41230	27930	**UC211**	**T211**	4,11
UCT211-32	2	63/64	3/4	4 1/64	2 1/32	1 3/8	3 3/4	55/64	5 1/8	5 3/4	6 47/64	2 33/64	1 5/8	4 11/64	3	2,1890	0,874			UC211-32		4,26
UCT211-33	2 1/16																			UC211-33		4,20
UCT211-34	2 1/8																			UC211-34		4,15
UCT211-35	2 3/16																			UC211-35		4,09
UCT212	**60**	32	19	102	64	35	102	22	130	146	194	64	46	119	89	65,1	25,4	49780	34390	**UC212**	**T212**	4,97
UCT212-36	2 1/4	1 17/64	3/4	4 1/64	2 1/32	1 3/8	4 1/64	55/64	5 1/8	5 3/4	7 41/64	2 33/64	1 13/16	4 11/16	3 1/2	2,5630	1,000			UC212-36		5,10
UCT212-37	2 5/16																			UC212-37		5,02
UCT212-38	2 3/8																			UC212-38		4,95
UCT212-39	2 7/16																			UC212-39		4,88
UCT213	**65**	32	21	111	70	41	121	26	151	167	224	70	51	137	89	65,1	25,4	54340	38095	**UC213**	**T213**	6,65
UCT213-40	2 1/2	1 17/64	53/64	4 3/8	2 3/4	1 39/64	4 49/64	1 1/32	5 15/16	6 37/64	8 13/16	2 3/4	2	5 25/64	3 1/2	2,5630	1,000			UC213-40		6,74
UCT213-41	2 9/16																			UC213-41		6,65
UCT214	**70**	32	21	111	70	41	121	26	151	167	224	70	46	137	-	74,6	30,2	59090	41895	**UC214**	**T214**	7,05
UCT214-42	2 5/8	1 17/64	53/64	4 3/8	2 3/4	1 39/64	4 49/64	1 1/32	5 15/16	6 37/64	8 13/16	2 3/4	1 13/16	5 25/64	-	2,9370	1,189			UC214-42		7,26
UCT214-43	2 11/16																			UC214-43		7,16
UCT214-44	2 3/4																			UC214-44		7,06
UCT215	**75**	32	21	111	70	41	121	26	151	167	232	70	48	140	-	77,8	33,3	64030	45885	**UC215**	**T215**	7,41
UCT215-45	2 13/16	1 17/64	53/64	4 3/8	2 3/4	1 39/64	4 49/64	1 1/32	5 15/16	6 37/64	9 9/64	2 3/4	1 57/64	5 33/64	-	3,0630	1,311			UC215-45		7,66
UCT215-46	2 7/8																			UC215-46		7,55
UCT215-47	2 15/16																			UC215-47		7,44
UCT215-48	3																			UC215-48		7,32
UCT216	**80**	32	21	111	70	41	121	26	165	184	235	70	51	140	-	82,6	33,3	69065	50350	**UC216**	**T216**	8,30
UCT216-49	3 1/16	1 17/64	53/64	4 3/8	2 3/4	1 39/64	4 49/64	1 1/32	6 1/2	7 1/4	9 1/4	2 3/4	2	5 33/64	-	3,2520	1,311			UC216-49		8,48
UCT216-50	3 1/8																			UC216-50		8,35
UCT216-51	3 3/16																			UC216-51		8,22
UCT217	**85**	38	29	124	73	48	157	30	173	189	260	73	54	162	-	85,7	34,1	79800	58805	**UC217**	**T217**	11,00
UCT217-52	3 1/4	1 1/2	1 9/64	4 7/8	2 7/8	1 57/64	6 3/16	1 3/16	6 13/16	7 51/64	10 15/64	2 7/8	2 1/8	6 3/8	-	3,3740	1,343			UC217-52		11,22
UCT217-53	3 5/16																			UC217-53		11,09
UCT217-55	3 7/16																			UC217-55		10,80
UCT218	**90**	41	31	132	81	48	151	30	189	216	280	80	55	173	-	96	39,7	91295	67925	**UC218**	**T218**	12,75
UCT218-56	3 35/64	1 5/8	1,2205	5 13/64	3 9/32	1 57/64	5 61/64	1 3/16	7 51/64	8 1/2	11 13/32	3 5/32	2,165	6 13/16	-	3,7795	1 18/32			UC218-56		10,62

Disponibile in acciaio inox Supporto: AISI 304 - Cuscinetto: AISI 440C - *Available stainless steel Housing: AISI 304 - Bearing: AISI 440C*

Disponibile su richiesta con cuscinetto SA (SAT..) - *Available under request with SA bearing (SAT..)*

HCT2 Serie normale - *Normal duty*





Tipo *Type*	Dimensioni - *Dimensions* mm/inch																Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	d	o	g	p	q	s	b	k	e	a	w	j	i	h	B1	n	Dinamico C *Dynamic C*	Statico C0 *Static C0*			kg
HCT204	**20**	16	10	51	32	19	51	12	76	89	94	32	24	61	43,7	17,1	12160	6318	**HC204**	**T204**	0,83
HCT204-12	3/4	5/8	25/64	1 1/16	1 1/4	3/4	2 1/64	15/32	2 63/64	3 1/2	3 11/16	1 1/4	15/16	2 13/32	1,720	0,673			HC204-12		0,83
HCT205	**25**	16	10	51	32	19	51	12	76	89	97	32	24	62	44,4	17,5	13300	7457	**HC205**	**T205**	0,88
HCT205-13	13/16	5/8	25/64	1 1/16	1 1/4	3/4	2 1/64	15/32	2 63/64	3 1/2	3 13/16	1 1/4	15/16	2 7/16	1,748	0,689			HC205-13		0,93
HCT205-14	7/8																		HC205-14		0,92
HCT205-15	15/16																		HC205-15		0,90
HCT205-16	1																		HC205-16		0,88
HCT206	**30**	16	10	56	37	22	57	12	89	102	113	37	28	70	48,4	18,3	18525	10735	**HC206**	**T206**	1,35
HCT206-17	1 1/16	5/8	25/64	2 7/32	1 29/64	55/64	2 1/4	15/32	3 1/2	4 1/64	4 29/64	1 29/64	1 3/32	2 3/4	1,906	0,720			HC206-17		1,40
HCT206-18	1 1/8																		HC206-18		1,37
HCT206-19	1 3/16																		HC206-19		1,35
HCT206-20	1 1/4																		HC206-20		1,32
HCT207	**35**	16	13	64	37	22	64	12	89	102	129	37	30	78	51,1	18,8	24415	14630	**HC207**	**T207**	1,56
HCT207-20	1 1/4	5/8	33/64	2 33/64	1 29/64	55/64	2 33/64	15/32	3 1/2	4 1/64	5 5/64	1 29/64	1 3/16	3 5/64	2,012	0,740			HC207-20		1,63
HCT207-21	1 5/16																		HC207-21		1,59
HCT207-22	1 3/8																		HC207-22		1,56
HCT207-23	1 7/16																		HC207-23		1,53
HCT208	**40**	19	16	83	49	29	83	16	102	114	144	49	35	89	56,3	21,4	27645	16910	**HC208**	**T208**	2,55
HCT208-24	1 1/2	3/4	5/8	3 17/64	1 15/16	1 9/64	3 17/64	5/8	4 1/64	4 31/64	5 43/64	1 15/16	1 3/8	3 1/2	2,217	0,843			HC208-24		2,60
HCT208-25	1 9/16																		HC208-25		2,56
HCT209	**45**	19	16	83	49	29	83	16	102	117	144	49	35	87	56,3	21,4	32395	20235	**HCF209**	**T209**	2,53
HCT209-26	1 5/8	3/4	5/8	3 17/64	1 15/16	1 9/64	3 17/64	5/8	4 1/64	4 39/64	5 43/64	1 15/16	1 3/8	3 27/64	2,217	0,843			HC209-26		2,64
HCT209-27	1 11/16																		HC209-27		2,59
HCT209-28	1 3/4																		HC209-28		2,55
HCT210	**50**	19	16	83	49	29	86	16	102	117	149	49	35	90	6,7	24,6	33345	22135	**HCF210**	**T210**	2,62
HCT210-29	1 13/16	3/4	5/8	3 17/64	1 15/16	1 9/64	3 25/64	5/8	4 1/64	4 39/64	5 55/64	1 15/16	1 3/8	3 35/64	2,469	0,969			HC210-29		2,77
HCT210-30	1 7/8																		HC210-30		2,71
HCT210-31	1 15/16																		HC210-31		2,65
HCT210-32	2																		HC210-32		2,59
HCT211	**55**	25	19	102	64	35	95	22	130	146	171	64	41	106	71,4	27,8	41230	27930	**HCF211**	**T211**	4,32
HCT211-32	2	63/64	3/4	4 1/64	2 1/32	1 3/8	3 3/4	55/64	5 1/8	5 3/4	6 47/64	2 33/64	1 5/8	4 11/64	2,811	1,094			HC211-32		4,52
HCT211-33	2 2/16																		HC211-33		4,44
HCT211-34	2 1/8																		HC211-34		4,37
HCT211-35	2 3/16																		HC211-35		4,29
HCT212	**60**	32	19	102	64	35	102	22	130	146	194	64	46	119	77,8	31	49780	34390	**HC212**	**T212**	5,31
HCT212-36	2 1/4	1 17/64	3/4	4 1/64	2 1/32	1 3/8	4 1/64	55/64	5 1/8	5 3/4	7 41/64	2 33/64	1 13/16	4 11/16	3,063	1,220			HC212-36		5,47
HCT212-37	2 5/16																		HC212-37		5,38
HCT212-38	2 3/8																		HC212-38		5,33
HCT212-39	2 7/16																		HC212-39		5,20
HCT213	**65**	32	21	111	70	41	121	26	151	167	224	70	51	137	85,7	34,1	54340	38095	**HC213**	**T213**	7,21
HCT213-40	2 1/2	1 17/64	53/64	4 3/8	2 3/4	1 39/64	4 49/64	1 1/32	5 15/16	6 37/64	8 13/16	2 3/4	2	5 25/64	3,374	1,343			HC213-40		7,31
HCT213-41	2 9/16																		HC213-41		7,20
HCT214	**70**	32	21	111	70	41	121	26	151	167	224	70	46	137	85,7	34,1	59090	41895	**HC214**	**T214**	7,55
HCT214-42	2 3/8	1 17/64	53/64	4 3/8	2 3/4	1 39/64	4 49/64	1 1/32	5 15/16	6 37/64	8 13/16	2 3/4	1 13/16	5 25/64	3,374	1,343			HC214-42		7,79
HCT214-43	2 11/16																		HC214-43		7,68
HCT214-44	2 3/4																		HC214-44		7,56
HCT215	**75**	32	21	111	70	41	121	26	151	167	232	70	48	140	92,1	37,3	64030	45885	**HC215**	**T215**	8,04
HCT215-45	2 13/16	1 17/64	53/64	4 3/8	2 3/4	1 39/64	4 49/64	1 1/32	5 15/16	6 37/64	9 9/64	2 3/4	1 57/64	5 33/64	3,626	1,426			HC215-45		8,34
HCT215-46	2 7/8																		HC215-46		8,21
HCT215-47	2 15/16																		HC215-47		8,08
HCT215-48	3																		HC215-48		7,94

UCT3 Serie pesante - *Heavy duty*





Tipo *Type*	Dimensioni - *Dimensions* (mm/inch)																Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight* (kg)
	d	o	g	p	q	s	b	k	e	a	w	j	l	h	B	n	Dinamico C *Dynamic C*	Statico C₀ *Static C₀*			
UCT305	**25**	16	14	62	36	26	65	12	80	89	122	36	26	76	38	15	20140	10355	**UC305**	**T305**	1,4
UCT305-13	13/16																		UC305-13		
UCT305-14	7/8	5/8	9/16	2 7/16	1 13/32	1 1/32	2 9/16	0,472	3 5/32	3 1/2	4 13/16	1 13/32	1 1/32	3	1,4961	0,591			UC305-14		
UCT305-15	15/16																		UC305-15		
UCT305-16	1																		UC305-16		
UCT306	**30**	18	16	70	41	28	74	16	90	100	137	41	28	85	43	17	25365	14250	**UC306**	**T306**	1,8
UCT306-17	1 1/16																		UC306-17		
UCT306-18	1 1/8	23/32	5/8	2 3/4	1 5/8	1 3/32	2 29/32	0,630	3 55/64	3 15/16	5 13/32	1 5/8	1 3/32	3 11/32	1,6929	0,669			UC306-18		
UCT306-19	1 3/16																		UC306-19		
UCT307	**35**	20	17	75	45	30	80	16	100	111	150	45	32	94	48	19	31730	18335	**UC307**	**T307**	2,4
UCT307-20	1 1/4																		UC307-20		
UCT307-21	1 5/16	25/32	43/64	2 15/16	1 25/32	1 3/16	2 5/32	0,630	3 15/16	4 3/8	5 29/32	1 25/32	1 1/4	3 11/16	1,8898	0,748			UC307-21		
UCT307-22	1 3/8																		UC307-22		
UCT307-23	1 7/16																		UC307-23		
UCT308	**40**	22	19	83	50	32	89	18	112	124	162	50	34	100	52	19	38665	22800	**UC308**	**T308**	3,0
UCT308-24	1 1/2	7/8	3/4	3 17/64	1 31/32	1 1/4	3 1/2	0,709	4 13/32	4 7/8	6 3/8	1 21/32	1 11/32	3 15/16	2,0472	0,748			UC308-24		
UCT308-25	1 9/16																		UC308-25		
UCT309	**45**	24	20	90	55	34	97	18	125	138	178	55	38	110	57	22	46455	28025	**UC309**	**T309**	4,0
UCT309-26	1 5/8																		UC309-26		
UCT309-27	1 11/16	15/16	25/32	3 17/32	2 5/32	1 11/32	3 13/16	0,709	4 59/64	5 7/16	7	2 5/32	1 1/2	4 11/32	2,2441	0,866			UC309-27		
UCT309-28	1 3/4																		UC309-28		
UCT310	**50**	27	22	98	61	37	106	20	140	151	192	61	40	118	61	22	58900	36385	**UC310**	**T310**	5,0
UCT310-29	1 13/16																		UC310-29		
UCT310-30	1 7/8	1 1/16	7/8	3 27/32	2 13/32	1 15/32	4 3/16	0,787	5 33/64	5 15/16	7 9/16	2 13/32	1 9/16	4 21/32	2,4016	0,866			UC310-30		
UCT310-31	1 15/16																		UC310-31		
UCT311	**55**	29	23	105	66	39	115	22	150	163	207	66	44	127	66	25	68020	42750	**UC311**	**T311**	6,4
UCT311-32	2																		UC311-32		
UCT311-33	2 1/16	1 15/16	29/32	4 1/8	2 19/32	1 17/32	4 17/32	0,866	5 29/32	6 13/32	8 5/32	2 19/32	1 23/32	5	2,5984	0,984			UC311-33		
UCT311-34	2 1/8																		UC311-34		
UCT311-35	2 3/16																		UC311-35		
UCT312	**60**	31	25	113	71	41	123	22	160	178	220	71	46	135	71	26	77805	49590	**UC312**	**T312**	7,6
UCT312-36	2 1/4																		UC312-36		
UCT312-37	2 5/16	1 7/32	31/32	4 7/16	2 25/32	1 5/8	4 27/32	0,866	6 19/64	7	8 21/32	2 25/32	1 13/16	5 5/16	2,7953	1,024			UC312-37		
UCT312-38	2 3/8																		UC312-38		
UCT312-39	2 7/16																		UC312-39		
UCT313	**65**	32	27	116	70	43	134	26	170	190	238	80	50	146	75	30	88065	56905	**UC313**	**T313**	9,7
UCT313-40	2 1/2	1 17/64	1 1/16	4 9/16	2 3/4	1 11/16	5 9/32	1,024	6 11/16	7 15/32	9 3/8	3 5/32	1 31/32	5 3/4	2,9528	1,181			UC313-40		
UCT313-41	2 9/16																		UC313-41		
UCT314	**70**	36	27	130	85	46	140	26	180	202	252	90	52	155	78	33	98800	64790	**UC314**	**T314**	11
UCT314-42	2 5/8																		UC314-42		
UCT314-43	2 11/16	1 13/32	1 1/16	5 1/8	3 11/32	1 13/16	5 1/2	1,024	7 3/32	7 15/16	9 29/32	3 17/32	2 1/16	6 3/32	3,2283	1,299			UC314-43		
UCT314-44	2 3/4																		UC314-44		
UCT315	**75**	36	27	132	85	46	150	26	192	216	262	90	55	160	82	32	107350	73340	**UC315**	**T315**	14
UCT315-45	2 13/16																		UC315-45		
UCT315-46	2 7/8	1 13/32	1 1/16	5 3/16	3 11/32	1 13/16	5 29/32	1,024	7 9/16	8 1/2	10 5/16	3 17/32	2 5/32	6 5/16	3,2283	1,260			UC315-46		
UCT315-47	2 15/16																		UC315-47		
UCT315-48	3																		UC315-48		
UCT316	**80**	42	30	150	98	53	160	30	204	230	282	102	60	174	86	34	116850	82365	**UC316**	**T316**	16
UCT316-49	3 1/16																		UC316-49		
UCT316-50	3 1/8	1 21/32	1 3/16	5 29/32	3 27/32	2 3/32	6 5/16	1,181	8 1/32	9 1/16	11 3/32	4 1/32	2 3/8	6 27/32	3,2283	1,260			UC316-50		
UCT316-51	3 3/16																		UC316-51		
UCT317	**85**	42	32	152	98	53	170	32	214	240	298	102	64	183	96	40	126350	91960	**UC317**	**T317**	20
UCT317-52	3 1/4																		UC317-52		
UCT317-53	3 5/16	1 21/32	1 1/4	5 31/32	3 27/32	2 3/32	6 11/16	1,260	8 27/64	9 7/16	11 23/32	4 1/32	2 17/32	7 7/32	3,7795	1,575			UC317-53		
UCT317-55	3 7/16																		UC317-55		
UCT318	**90**	46	32	160	106	57	175	32	228	255	312	110	66	192	96	40	135850	101650	**UC318**	**T318**	22
UCT318-55	3 7/16	1 13/16	1 1/4	6 5/16	4 3/16	2 1/4	6 7/8	1,260	8 31/32	10 1/32	12 9/32	4 11/32	2 19/32	7 9/16	3,7795	1,575			UC318-55		
UCT318-56	3 1/2																		UC318-56		
UCT319	**95**	46	33	165	106	57	180	35	240	270	322	110	72	197	103	41	145350	113050	**UC319**	**T319**	24
UCT319-58	3 5/8																		UC319-58		
UCT319-59	3 11/16	1 13/16	1 5/16	6 1/2	4 3/16	2 1/4	7 3/32	1,378	9 29/64	10 5/8	12 11/16	4 11/32	2 27/32	7 3/4	4,0551	1,614			UC319-59		
UCT319-60	3 3/4																		UC319-60		
UCT320	**100**	48	34	175	115	59	200	35	260	290	345	120	75	210	108	42	164350	133950	**UC320**	**T320**	32
UCT320-61	3 13/16																		UC320-61		
UCT320-62	3 7/8	1 7/8	1 11/32	6 7/8	4 17/32	2 5/16	7 7/8	1,378	10 15/64	11 13/32	13 19/32	4 23/32	2 15/16	8 9/32	4,2520	1,654			UC320-62		
UCT320-63	3 15/16																		UC320-63		
UCT320-64	4																		UC320-64		
UCT322	**110**	52	38	185	125	65	215	38	285	320	385	130	80	235	117	46	194750	171000	**UC322**	**T322**	40
	-	2 1/16	1 1/2	7 9/32	4 29/32	2 9/16	8 15/32	1,496	11 7/32	12 19/32	15 5/32	5 1/8	3 5/32	9 1/4	4,6063	1,8110					
UCT324	**120**	60	42	210	140	70	230	45	320	355	432	140	90	267	126	51	196650	175750	**UC324**	**T324**	55
	-	2 3/8	1 21/32	8 9/32	2 3/4	5 1/2	9 1/16	1,772	12 19/32	13 31/32	17	5 1/2	3 17/32	10 1/2	4,9606	2,0079					
UCT326	**130**	65	45	220	150	75	240	50	350	385	465	150	100	285	135	54	217550	203300	**UC326**	**T326**	69
	-	2 9/16	1 25/32	8 21/32	5 29/32	2 62/64	9 7/16	1,969	13 25/32	15 5/32	18 5/16	5 29/32	3 15/16	1 7/32	5,3150	2,1260					
UCT328	**140**	70	50	230	160	80	255	50	380	415	515	155	100	315	145	59	240350	233700	**UC328**	**T328**	84
	-	2 3/4	1 31/32	9 1/16	6 5/16	3 5/32	10 1/32	1,969	14 61/63	16 11/32	20 9/32	6 3/32	3 15/16	12 13/32	5,7086	2,3228					

UCTX Serie media - *Medium duty*





Tipo *Type*	**Dimensioni** - *Dimensions* (mm/inch)																**Coefficienti di carico (N)** *Load ratings (N)*		**Cuscinetto** *Bearing*	**Supporto** *Housing*	**Peso** *Weight*
	d	**o**	**g**	**p**	**q**	**s**	**b**	**k**	**e**	**a**	**w**	**j**	**l**	**h**	**B**	**n**	**Dinamico C** *Dynamic C*	**Statico C_0** *Static C_0*			**kg**
UCTX05	**25**	16	12	56	37	22	57	12	89	102	113	28	37	70	38,1	15,9			**UCX05**		
UCTX05-13	13/16																		UCX05-13		
UCTX05-14	7/8	5/8	15/32	2 7/32	1 29/64	55/64	2 1/4	0,472	3 1/2	4 1/64	4 29/64	1 3/32	1 29/64	2 3/4	1,5000	0,626	18525	10735	UCX05-14	**TX05**	1,4
UCTX05-15	15/16																		UCX05-15		
UCTX05-16	1																		UCX05-16		
UCTX06	**30**	16	15	64	37	22	64	12	89	102	129	30	37	78	42,9	17,5			**UCX06**		
UCTX06-17	1 1/16																		UCX06-17		
UCTX06-18	1 1/8	5/8	19/32	2 33/64	1 29/64	55/64	2 33/64	0,472	3 1/2	4 1/64	5 5/64	1 3/16	1 29/64	3 5/64	1,6890	0,689	24415	14630	UCX06-18	**TX06**	1,8
UCTX06-19	1 3/16																		UCX06-19		
UCTX06-20	1 1/4																		UCX06-20		
UCTX07	**35**	19	17	83	49	29	83	16	102	114	144	36	49	88	49,2	19			**UCX07**		
UCTX07-21	1 5/16																27645	16910	UCX07-21	**TX07**	2,6
UCTX07-22	1 3/8	3/4	21/32	3 17/64	1 15/16	1 9/64	3 17/64	0,630	4 1/64	4 31/64	5 43/64	1 13/32	1 15/16	3 15/32	1,9370	0,748			UCX07-22		
UCTX07-23	1 7/16																		UCX07-23		
UCTX08	**40**	19	17	83	49	29	83	16	102	117	144	36	49	87	49,2	19			**UCX08**		
UCTX08-24	1 1/2	3/4	21/32	3 17/64	1 15/16	1 9/64	3 17/64	0,630	4 1/64	4 39/64	5 43/64	1 13/32	1 15/16	3 27/64	1,9370	0,748	32395	20235	UCX08-24	**TX08**	2,6
UCTX08-25	1 9/16																		UCX08-25		
UCTX09	**45**	19	18	83	49	29	86	16	102	117	151	38	49	92	51,6	19			**UCX09**		
UCTX09-26	1 5/8																		UCX09-26		
UCTX09-27	1 11/16	3/4	23/32	3 17/64	1 15/16	1 9/64	3 25/64	0,630	4 1/64	4 39/64	5 15/16	1 1/2	1 15/16	3 5/8	2,0315	0,748	33345	22135	UCX09-27	**TX09**	2,8
UCTX09-28	1 3/4																		UCX09-28		
UCTX09-29	1 13/16																		UCX09-29		
UCTX10	**50**	25	21	102	64	35	95	22	130	146	171	42	64	106	55,6	22,2			**UCX10**		
UCTX10-30	1 7/8																41230	27930	UCX10-30	**TX10**	4,3
UCTX10-31	1 15/16	63/64	13/16	4 1/64	2 1/32	1 3/8	3 3/4	0,866	5 1/8	5 3/4	6 47/64	1 21/32	2 33/64	4 11/64	2,1890	0,874			UCX10-31		
UCTX10-32	2																		UCX10-32		
UCTX11	**55**	32	21	102	64	35	102	22	130	146	194	44	64	119	65,1	25,4			**UCX11**		
UCTX11-33	2 1/16																		UCX11-33		
UCTX11-34	2 1/8																49780	34390	UCX11-34	**TX11**	5,2
UCTX11-35	2 3/16	1 17/64	13/16	4 1/64	2 1/32	1 3/8	4 1/64	0,866	5 1/8	5 3/4	7 41/64	1 23/32	2 33/64	4 11/16	2,5630	1,000			UCX11-35		
UCTX11-36	2 1/4																		UCX11-36		
UCTX11-37	2 5/16																		UCX11-37		
UCTX12	**60**	32	23	111	70	41	121	26	151	167	224	48	70	137	65,1	25,4			**UCX12**		
UCTX12-38	2 3/8	1 17/64	29/32	4 3/8	2 3/4	1 39/64	4 49/64	1,024	5 15/16	6 37/64	8 13/16	1 57/64	2 3/4	5 25/64	2,5630	1,000	54340	38095	UCX12-38	**TX12**	7,6
UCTX12-39	2 7/16																		UCX12-39		
UCTX13	**65**	32	23	111	70	41	121	26	151	167	224	48	70	137	74,6	30,2			**UCX13**		
UCTX13-40	2 1/2	1 17/64	29/32	4 3/8	2 3/4	1 39/64	4 49/64	1,024	5 15/16	6 37/64	8 13/16	1 57/64	2 3/4	5 25/64	2,9370	1,189	59090	41895	UCX13-40	**TX13**	7,6
UCTX13-41	2 9/16																		UCX13-41		
UCTX14	**70**	32	23	111	70	41	121	26	151	167	232	48	70	140	77,8	33,3			**UCX14**		
UCTX14-42	2 5/8																64030	45885	UCX14-42	**TX14**	7,7
UCTX14-43	2 11/16	1 17/64	29/32	4 3/8	2 3/4	1 39/64	4 49/64	1,024	5 15/16	6 37/64	9 9/64	1 57/64	2 3/4	5 33/64	3,0630	1,311			UCX14-43		
UCTX14-44	2 3/4																		UCX14-44		
UCTX15	**75**	32	23	111	70	41	121	28	165	184	235	48	70	140	82,6	33,3			**UCX15**		
UCTX15-45	2 13/16																		UCX15-45		
UCTX15-46	2 7/8	1 17/64	29/32	4 3/8	2 3/4	1 39/64	4 49/64	1,102	6 1/2	7 1/4	9 1/4	1 57/64	2 3/4	5 33/64	3,2520	1,311	69065	50350	UCX15-46	**TX15**	7,55
UCTX15-47	2 15/16																		UCX15-47		
UCTX15-48	3																		UCX15-48		
UCTX16	**80**	38	30	124	73	48	157	28	173	198	260	54	73	162	85,7	34,1			**UCX16**		
UCTX16-49	3 1/16																		UCX16-49		
UCTX16-50	3 1/8	1 1/2	1 3/16	4 7/8	2 7/8	1 57/64	6 3/16	1,102	6 13/16	7 51/64	10 15/64	2 1/8	2 7/8	6 3/8	3,3740	1,343	79800	58805	UCX16-50	**TX16**	11
UCTX16-51	3 3/16																		UCX16-51		
UCTX16-52	3 1/4																		UCX16-52		
UCTX17	**85**	38	30	124	73	48	157	28	173	198	260	54	73	162	96	39,7			**UCX17**		
UCTX17-53	3 5/16	1 1/2	1 3/16	4 7/8	2 7/8	1 57/64	6 3/16	1,102	6 13/16	7 51/64	10 15/64	2 1/8	2 7/8	6 3/8	3,7795	1,5630	91295	67925	UCX17-53	**TX17**	12
UCTX17-54	3 7/16																		UCX17-55		

UKT2 Serie normale - *Standard duty*



Tipo *Type*	d	o	g	p	q	s	b	k	e	a	w	j	l	h	t	B1	Coefficienti di carico (N) *Load ratings (N)* Dinamico C *Dynamic C*	Statico C0 *Static C0*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight* kg
	mm/inch																				
UKT205+H2305	**20**	16	10	51	32	19	51	12	76	89	97	32	24	62	48	35	13300	7457	**UK205+H2305**	**T205**	0,86
UKT205+HE2305	3/4	5/8	25/64	1 1/64	1 1/4	3/4	2 1/64	15/32	2 63/64	3 1/2	3 13/16	1 1/4	15/16	2 7/16	1 7/8	1,378			UK205+HE2305		
UKT206+H2306	**25**	16	10	56	37	22	57	12	89	102	113	37	28	70	53	38	18525	10735	**UK206+H2306**	**T206**	1,26
UKT206+HS2306	7/8	5/8	25/64	2 7/32	1 15/32	55/64	2 1/4	15/32	3 1/2	4 1/64	4 29/64	1 29/64	1 3/32	2 3/4	2 3/32	1,496			UK206+HS2306		
UKT206+HE2306	1																		UK206+HE2306		
UKT207+H2307	**30**	16	13	64	37	22	64	12	89	102	129	37	30	78	59,5	43	24415	14630	**UK207+H2307**	**T207**	2,50
UKT207+HS2307	1 1/8	5/8	33/64	2 33/64	1 15/32	55/64	2 33/64	15/32	3 1/2	4 1/64	5 5/64	1 29/64	1 3/16	3 5/64	2 11/32	1,693			UK207+HS2307		
UKT208+H2308	**35**	19	16	83	49	29	83	16	102	114	144	49	35	89	69	46	27645	16910	**UK208+H2308**	**T208**	2,50
UKT208+HE2308	1 1/4	3/4	5/8	3 17/64	1 15/16	1 9/64	3 17/64	5/8	4 1/64	4 31/64	5 43/64	1 15/16	1 3/8	3 1/2	2 23/32	1,811			UK208+HE2308		
UKT208+HS2308	1 3/8																		UK208+HS2308		
UKT209+H2309	**40**	19	16	83	49	29	83	16	102	117	144	49	35	87	69	50	32395	20235	**UK209+H2309**	**T209**	2,51
UKT209+HA2309	1 7/16																		UK209+HA2309		
UKT209+HE2309	1 1/2	3/4	5/8	3 17/64	1 15/16	1 9/64	3 17/64	5/8	4 1/64	4 39/64	5 43/64	1 15/16	1 3/8	3 27/64	2 23/32	1,969			UK209+HE2309		
UKT209+HS2309	1 5/8																		UK209+HS2309		
UKT210+H2310	**45**	19	16	83	49	29	86	16	102	117	149	49	35	90	74,5	55	33345	22135	**UK210+H2310**	**T210**	2,60
UKT210+HS2310	1 5/8																		UK210+HS2310		
UKT210+HA2310	1 11/16	3/4	5/8	3 17/64	1 15/16	1 9/64	3 25/64	5/8	4 1/64	4 39/64	5 55/64	1 15/16	1 3/8	3 35/64	2 15/16	2,165			UK210+HA2310		
UKT210+HE2310	1 3/4																		UK210+HE2310		
UKT211+H2311	**50**	25	19	102	64	35	95	22	130	146	171	64	41	106	76	59	41230	27930	**UK211+H2311**	**T211**	4,26
UKT211+HS2311	1 7/8																		UK211+HS2311		
UKT211+HA2311	1 15/16	63/64	3/4	4 1/64	2 1/32	1 3/8	3 3/4	55/64	5 1/8	5 3/4	6 47/64	2 33/64	1 5/8	4 11/64	3	2,323			UK211+HA2311		
UKT211+HE2311	2																		UK211+HE2311		
UKT212+H2312	**55**	32	19	102	64	35	102	22	130	146	194	64	46	119	89	62	49780	34390	**UK212+H2312**	**T212**	5,02
UKT212+HS2312	2 1/8	1 17/64	3/4	4 1/64	2 1/32	1 3/8	4 1/64	55/64	5 1/8	5 3/4	7 41/64	2 33/64	1 13/16	4 11/16	3 1/2	2,441			UK212+HS2312		
UKT213+H2313	**60**	32	21	111	70	41	121	26	151	167	224	70	51	137	89	65	54340	38095	**UK213+H2313**	**T213**	6,56
UKT213+HA2313	2 3/16																		UK213+HA2313		
UKT213+HE2313	2 1/4	1 17/64	53/64	4 3/8	2 3/4	1 39/64	4 49/64	1 1/32	5 15/16	6 37/64	8 13/16	2 3/4	2	5 25/64	3 1/2	2,559			UK213+HE2313		
UKT213+HS2313	2 3/8																		UK213+HS2313		
UKT215+H2315	**65**	32	21	111	70	41	121	26	151	167	232	70	48	140	-	73	64030	45885	**UK215+H2315**	**T215**	7,52
UKT215+HA2315	2 7/16	1 17/64	53/64	4 3/8	2 3/4	1 39/64	4 49/64	1 1/32	5 15/16	6 37/64	9 9/64	2 3/4	1 57/64	5 33/64	-	2,874			UK215+HA2315		
UKT215+HE2315	2 1/2																		UK215+HE2315		
UKT216+H2316	**70**	32	21	111	70	41	121	26	165	184	235	70	51	140	-	78	69065	50350	**UK216+H2316**	**T216**	8,56
UKT216+HA2316	2 11/16	1 17/64	53/64	4 3/8	2 3/4	1 39/64	4 49/64	1 1/32	6 1/2	7 1/4	9 1/4	2 3/4	2	5 33/64	-	3,071			UK216+HA2316		
UKT216+HE2316	2 3/4																		UK216+HE2316		
UKT217+H2317	**75**	38	29	124	73	48	157	30	173	198	260	73	54	162	-	82	79800	58805	**UK217+H2317**	**T217**	11,38
UKT217+HA2317	2 15/16	1 1/2	1 9/64	4 7/8	2 7/8	1 57/64	6 3/16	1 3/16	6 13/16	7 51/64	10 15/64	2 7/8	2 1/8	6 3/8	-	3,228			UK217+HA2317		
UKT217+HE2317	3																		UK217+HE2317		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

ISB®

UKTX Serie media - *Medium duty*





Tipo *Type*	d	o	g	p	q	s	b	k	e	a	w	l	j	h	B1	Dinamico C *Dynamic C*	Statico C0 *Static C0*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight* kg
	mm/inch															Coefficienti di carico (N) *Load ratings (N)*				
UKTX05+H2305	**20**	16	12	56	37	22	57	12	89	102	113	28	37	70	35	18525	10735	**UKX05+H2305**	**TX05**	1,3
UCTX05+HE2305	3/4	5/8	15/32	2 7/32	1 29/64	55/64	2 1/4	0,472	3 1/2	4 1/64	4 29/64	1 3/32	1 29/64	2 3/4	1,378			UKX05+HE2305		
UKTX06+H2306	**25**	16	15	64	37	22	64	12	89	102	129	30	37	78	38	24415	14630	**UKX06+H2306**	**TX06**	1,7
UKTX06+HS2306	7/8	5/8	19/32	2 33/64	1 29/64	55/64	2 33/64	0,472	3 1/2	4 1/64	5 5/64	1 3/16	1 29/64	3 5/64	1,496			UKX06+HS2306		
UKTX06+HE2306	1																	UKX06+HE2306		
UKTX07+H2307	**30**	19	17	83	49	29	83	16	102	114	144	36	49	88	43	27645	16910	**UKX07+H2307**	**TX07**	2,6
UKTX07+HS2307	1 1/8	3/4	21/32	3 17/64	1 15/16	1 9/64	3 17/64	0,630	4 1/64	4 31/64	5 43/64	1 13/32	1 15/16	3 15/32	1,811			UKX07+HS2307		
UKTX08+H2308	**35**	19	17	83	49	29	83	16	102	117	144	36	49	87	46	32395	20235	**UKX08+H2308**	**TX08**	2,6
UKTX08+HE2308	1 1/4	3/4	21/32	3 17/64	1 15/16	1 9/64	3 17/64	0,630	4 1/64	4 39/64	5 43/64	1 13/32	1 15/16	3 27/64	1,811			UKX08+HE2308		
UKTX08+HS2308	1 3/8																	UKX08+HS2308		
UKTX09+H2309	**40**	19	18	83	49	29	86	16	102	117	151	38	49	92	50	33345	22135	**UKX09+H2309**	**TX09**	2,9
UKTX09+HA2309	1 7/16																	UKX09+HA2309		
UKTX09+HE2309	1 1/2	3/4	23/32	3 17/64	1 15/16	1 9/64	3 25/64	0,630	4 1/64	4 39/64	5 15/16	1 1/2	1 15/16	3 5/8	1,969			UKX09+HE2309		
UKTX09+HS2309	1 5/8																	UKX09+HS2309		
UKTX10+H2310	**45**	25	21	102	64	35	95	22	130	146	171	42	64	106	55	41230	27930	**UKX10+H2310**	**TX10**	4,4
UKTX10+HS2310	1 5/8																	UKX10+HS2310		
UKTX10+HA2310	1 11/16	63/64	13/16	4 1/64	2 1/32	1 3/8	3 3/4	0,866	5 1/8	5 3/4	6 47/64	1 21/32	2 33/64	4 11/64	2,165			UKX10+HA2310		
UKTX10+HE2310	1 3/4																	UKX10+HE2310		
UKTX11+H2311	**50**	32	21	102	64	35	102	22	130	146	194	44	64	119	59	49780	34390	**UKX11+H2311**	**TX11**	5,1
UKTX11+HS2311	1 7/8																	UKX11+HS2311		
UKTX11+HA2311	1 15/16	1 17/64	13/16	4 1/64	2 1/32	1 3/8	4 1/64	0,866	5 1/8	5 3/4	7 41/64	1 23/32	2 33/64	4 11/16	2,323			UKX11+HA2311		
UKTX11+HE2311	2																	UKX11+HE2311		
UKTX12+H2312	**55**	32	23	111	70	41	121	26	151	167	224	48	70	137	62	54340	38095	**UKX12+H2312**	**TX12**	7,3
UKTX12+HS2312	2 1/8	1 17/64	29/32	4 3/8	2 3/4	1 39/64	4 49/64	1,024	5 15/16	6 37/64	8 13/16	1 57/64	2 3/4	5 25/64	2,441			UKX12+HS2312		
UKTX13+H2313	**60**	32	23	111	70	41	121	26	151	167	224	48	70	137	65	59090	41895	**UKX13+H2313**	**TX13**	7,2
UKTX13+HA2313	2 3/16																	UKX13+HA2313		
UKTX13+HE2313	2 1/4	1 17/64	29/32	4 3/8	2 3/4	1 39/64	4 49/64	1,024	5 15/16	6 37/64	8 13/16	1 57/64	2 3/4	5 25/64	2,559			UKX13+HE2313		
UKTX13+HS2313	2 3/8																	UKX13+HS2313		
UKTX15+H2315	**65**	32	23	111	70	41	121	26	151	167	232	48	70	140	73	69065	50350	**UKX15+H2315**	**TX15**	8,4
UKTX15+HA2315	2 7/16	1 17/64	29/32	4 3/8	2 3/4	1 39/64	4 49/64	1,024	5 15/16	6 37/64	9 9/64	1 57/64	2 3/4	5 33/64	3,559			UKX15+HA2315		
UKTX15+HE2315	2 3/8																	UKX15+HS2315		
UKTX16+H2316	**70**	38	30	124	73	48	157	28	173	198	260	54	73	162	78	79800	58805	**UKX16+H2316**	**TX16**	11,8
UKTX16+HA2316	2 11/16	1 1/2	1 3/16	4 7/8	2 7/8	1 57/64	6 3/16	1,102	6 13/16	7 51/64	10 15/64	2 1/8	2 7/8	6 3/8	3,071			UKX16+HA2316		
UKTX16+HE2316	2 3/4																	UKX16+HS2316		
UKTX17+H2317	**75**	38	30	124	73	48	157	28	173	198	260	54	73	162	82	91295	67925	**UKX17+H2317**	**TX17**	11,4
UKTX17+HA2317	2 15/16	1 1/2	1 3/16	4 7/8	2 7/8	1 57/64	6 3/16	1,102	6 13/16	7 51/64	10 15/64	2 1/8	2 7/8	6 3/8	3,228			UKX17+HA2317		
UKTX17+HS2317	3																	UKX17+HE2317		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

PIASTRA CON TENDITORE PER UCT - *STRETCH SKID FOR UCT*

UCT2 Serie normale - *Standard duty*





Tipo *Type*	Dimensioni - *Dimensions*															Peso *Weight*
	d	A	B	C	D	E	F	G	H	J	K	N	O	P	S	T	
	mm/inch																kg
UCT204	**20**	380	80	60	20	120	11	194	320	18,3	28	45	12,7	5	154	160	4,4
UCT205	**25**	380	80	60	20	120	11	194	320	19,7	28	45	14,3	5	154	160	4,4
UCT206	**30**	480	95	64	20	158	11	206	400	22,2	32	45	15,9	5	166	210	6,2
UCT207	**35**	480	95	64	20	158	11	206	400	25,4	32	45	17,5	5	166	210	6,5
UCT208	**40**	600	105	58	22	220	13	234	520	30,2	32	50	19	5	190	310	10,9
UCT209	**45**	600	105	58	22	220	13	234	520	30,2	32	50	19	5	190	310	10,8
UCT210	**50**	600	105	58	22	220	13	234	520	32,6	32	50	19	5	190	310	11
UCT211	**55**	680	125	55	25	250	15	284	580	33,4	45	70	22,2	6	240	330	20,4
UCT212	**60**	680	125	55	25	250	15	284	580	39,7	45	70	25,4	6	240	330	21,3
UCT213	**65**	790	155	66	22	306	18	303	700	39,7	51	75	25,4	6	258	390	28,3
UCT214	**70**	790	155	66	22	306	18	303	700	44,4	51	75	30,2	6	258	390	28,1
UCT215	**75**	790	155	66	22	306	18	303	700	44,5	51	75	33,3	6	258	390	28,7
UCT216	**80**	890	165	75	25	230*	18	336	790	49,3	62	90	33,3	10	286	460	38,2
UCT217	**85**	920	180	75	25	240*	18	361	820	51,6	62	100	34,1	10	311	460	44

* Piastre con quattro fori di fissaggio
Stretch skid with four fixing hole

PIASTRA CON TENDITORE PER UCT - *STRETCH SKID FOR UCT*

UCTX2 Serie media - *Medium duty*

Tipo *Type*	Dimensioni - *Dimensions*															Peso *Weight*
	d	A	B	C	D	E	F	G	H	J	K	N	O	P	S	T	
	mm/inch																kg
UCTX-05	**25**	480	95	64	20	158	11	206	400	22,2	32	45	15,9	5	166	210	6,8
UCTX-06	**30**	480	95	64	20	158	11	206	400	25,4	32	45	17,5	5	166	210	7,0
UCTX-07	**35**	600	105	58	22	220	13	234	520	30,2	32	50	19,0	5	190	310	11,1
UCTX-08	**40**	600	105	58	22	220	13	234	520	30,2	32	50	19,0	5	190	310	11,1
UCTX-09	**45**	600	105	58	22	220	13	234	520	32,6	32	50	19,0	5	190	310	11,3
UCTX-10	**50**	680	125	55	25	250	15	284	580	33,4	45	70	22,2	6	240	330	20,1
UCTX-11	**55**	680	125	55	25	250	15	284	580	39,7	45	70	25,4	6	240	330	20,9
UCTX-12	**60**	790	155	66	22	306	18	303	700	39,7	51	75	25,4	6	258	390	28,1
UCTX-13	**65**	790	155	66	22	306	18	303	700	44,4	51	75	30,2	6	258	390	28,3
UCTX-14	**70**	790	155	66	22	306	18	303	700	44,5	51	75	33,3	6	258	390	28,6
UCTX-15	**75**	890	165	75	25	230*	18	336	790	49,3	62	90	33,3	10	286	460	38,1
UCTX-16	**80**	920	180	75	25	240*	18	365	820	51,6	62	100	34,1	10	315	460	49,5
UCTX-17	**85**	920	180	75	25	240*	18	365	820	56,3	62	100	39,7	10	315	460	49,4

* Piastre con quattr'o fori di fissaggio
Stretch skid with four fixing hole

UCC2 Serie normale - *Standard duty*





Tipo *Type*	**Dimensioni** - *Dimensions* d	a	g	r	B	n	**Coefficienti di carico (N)** *Load ratings (N)* **Dinamico C** *Dynamic C*	**Statico C_0** *Static C_0*	**Cuscinetto** *Bearing*	**Supporto** *Housing*	**Peso** *Weight*
	mm/inch										kg
UCC201	**12**	72	20	2	31	12,7	12160	6318	**UC201**	**C204**	0,52
UCC201-8	3/7	2,8346	25/32	0,079	1,2205	0,500			UC201-8		0,51
UCC202	**15**	72	20	2	31	12,7			**UC202**		0,51
UCC202-9	9/16	2,8346	25/32	0,079	1,2205	0,500	12160	6318	UC202-9	**C204**	0,51
UCC202-10	5/8								UC202-10		0,51
UCC203	**17**	72	20	2	31	12,7	12160	6318	**UC203**	**C204**	0,50
UCC203-11	11/16	2,8346	25/32	0,079	1,2205	0,500			UC203-11		0,49
UCC204	**20**	72	20	2	31	12,7	12160	6318	**UC204**	**C204**	0,48
UCC204-12	3/4	2,8346	25/32	0,079	1,2205	0,500			UC204-12		0,48
UCC205	**25**	80	22	2	34,1	14,3			**UC205**		0,63
UCC205-13	13/16								UC205-13		0,67
UCC205-14	7/8	3,1496	55/64	0,079	1,3425	0,563	13300	7457	UC205-14	**C205**	0,66
UCC205-15	15/16								UC205-15		0,64
UCC205-16	1								UC205-16		0,63
UCC206	**30**	85	27	2	38,1	15,9			**UC206**		0,80
UCC206-17	1 1/16								UC206-17		0,83
UCC206-18	1 1/8	3,3465	1 1/16	0,079	1,5000	0,626	18525	10735	UC206-18	**C206**	0,82
UCC206-19	1 3/16								UC206-19		0,80
UCC206-20	1 1/4								UC206-20		0,79
UCC207	**35**	90	28	2	42,9	17,5			**UC207**		0,93
UCC207-20	1 1/4								UC207-20		0,99
UCC207-21	1 5/16	3,5433	1 7/64	0,079	1,6890	0,689	24415	14630	UC207-21	**C207**	0,96
UCC207-22	1 3/8								UC207-22		0,93
UCC207-23	1 7/16								UC207-23		0,90
UCC208	**40**	100	30	2,5	49,2	19			**UC208**		1,22
UCC208-24	1 1/2	3,9370	1 3/16	0,098	1,9370	0,748	27645	16910	UC208-24	**C208**	1,26
UCC208-25	1 9/16								UC208-25		1,23
UCC209	**45**	110	31	2,5	49,2	19			**UC209**		1,49
UCC209-26	1 5/8						32395	20235	UC209-26	**C209**	1,59
UCC209-27	1 11/16	4,3307	1 7/32	0,098	1,9370	0,748			UC209-27		1,55
UCC209-28	1 3/4								UC209-28		1,51
UCC210	**50**	120	33	2,5	51,6	19			**UC210**		1,90
UCC210-29	1 13/16								UC210-29		2,02
UCC210-30	1 7/8	4,7244	1 19/64	0,098	2,0315	0,748	33345	22135	UC210-30	**C210**	1,97
UCC210-31	1 15/16								UC210-31		1,92
UCC210-32	2								UC210-32		1,88
UCC211	**55**	125	35	2,5	55,6	22,2			**UC211**		2,18
UCC211-32	2								UC211-32		2,33
UCC211-33	2 1/16	4,9213	1 3/8	0,098	2,1890	0,874	41230	27930	UC211-33	**C211**	2,27
UCC211-34	2 1/8								UC211-34		2,22
UCC211-35	2 3/16								UC211-35		2,16
UCC212	**60**	130	38	2,5	65,1	25,4			**UC212**		2,52
UCC212-36	2 1/4								UC212-36		2,65
UCC212-37	2 5/16	5,1181	1 1/2	0,098	2,5630	1,000	49780	34390	UC212-37	**C212**	2,57
UCC212-38	2 3/8								UC212-38		2,50
UCC212-39	2 7/16								UC212-39		2,43
UCC213	**65**	140	40	3	65,1	25,4			**UC213**		2,98
UCC213-40	2 1/2	5,5118	1 37/64	0,118	2,5630	1,000	54340	38095	UC213-40	**C213**	3,07
UCC213-41	2 9/16								UC213-41		2,98

Disponibile in acciaio inox Supporto: AISI 304 - Cuscinetto: AISI 440C - ***Available stainless steel Housing: AISI 304 - Bearing: AISI 440C***
Disponibile su richiesta con cuscinetto SA (SACC) - *Available under request with SA bearing (SACC)*

HCC2 Serie normale - *Normal duty*





Tipo *Type*	**Dimensioni** - *Dimensions* d	a	g	r	B_1	n	**Coefficienti di carico (N)** *Load ratings (N)* **Dinamico C** *Dynamic C*	**Statico C_o** *Static C_o*	**Cuscinetto** *Bearing*	**Supporto** *Housing*	**Peso** *Weight* kg
	mm/inch										
HCC204	**20**	72	20	2	43,7	17,1	12160	6318	**HC204**	**C204**	0,55
HCC204-12	¾	2,8346	25/32	0,079	1,720	0,673			HC204-12		0,55
HCC205	**25**	80	22	2	44,4	17,5			**HC205**		0,70
HCC205-13	13/16								HC205-13		0,75
HCC205-14	7/8	3,1496	55/64	0,079	1,748	0,689	13300	7457	HC205-14	**C205**	0,74
HCC205-15	15/16								HC205-15		0,72
HCC205-16	1								HC205-16		0,70
HCC206	**30**	85	27	2	48,4	18,3			**HC206**		0,93
HCC206-17	1 1/16								HC206-17		0,98
HCC206-18	1 1/8	3,3465	1 1/16	0,079	1,906	0,720	18525	10735	HC206-18	**C206**	0,95
HCC206-19	1 3/16								HC206-19		0,93
HCC206-20	1 1/4								HC206-20		0,90
HCC207	**35**	90	28	2	51,1	18,8			**HC207**		1,05
HCC207-20	1 1/4								HC207-20		1,12
HCC207-21	1 5/16	3,5433	1 7/64	0,079	2,012	0,740	24415	14630	HC207-21	**C207**	1,08
HCC207-22	1 3/8								HC207-22		1,05
HCC207-23	1 7/16								HC207-23		1,02
HCC208	**40**	100	30	2,5	56,3	21,4			**HC208**		1,37
HCC208-24	1 1/2	3,9370	1 3/16	0,098	2,217	0,843	27645	16910	HC208-24	**C208**	1,42
HCC208-25	1 9/16								HC208-25		1,38
HCC209	**45**	110	31	2,5	56,3	21,4			**HCF209**		1,66
HCC209-26	1 5/8						32395	20235	HC209-26	**C209**	1,77
HCC209-27	1 11/16	4,3307	1 7/32	0,098	2,217	0,843			HC209-27		1,72
HCC209-28	1 3/4								HC209-28		1,68
HCC210	**50**	120	33	2,5	62,7	24,6			**HCF210**		2,09
HCC210-29	1 13/16								HC210-29		2,24
HCC210-30	1 7/8	4,7244	1 19/64	0,098	2,469	0,969	33345	22135	HC210-30	**C210**	2,18
HCC210-31	1 15/16								HC210-31		2,12
HCC210-32	2								HC210-32		2,06
HCC211	**55**	125	35	2,5	71,4	27,8			**HCF211**		2,39
HCC211-32	2								HC211-32		2,59
HCC211-33	2 1/16	4,9213	1 3/8	0,098	2,811	1,094	41230	27930	HC211-33	**C211**	2,51
HCC211-34	2 1/8								HC211-34		2,44
HCC211-35	2 3/16								HC211-35		2,36
HCC212	**60**	130	38	2,5	77,8	31			**HC212**		2,86
HCC212-36	2 1/4								HC212-36		3,02
HCC212-37	2 5/16	5,1181	1 1/2	0,098	3,063	1,220	49780	34390	HC212-37	**C212**	2,93
HCC212-38	2 3/8								HC212-38		2,88
HCC212-39	2 7/16								HC212-39		2,75

UCC3 Serie media - *Medium duty*





Tipo *Type*	**Dimensioni** - *Dimensions* d	a	g	r	B	n	**Coefficienti di carico (N)** *Load ratings (N)* **Dinamico C** *Dynamic C*	**Statico C_o** *Static C_o*	**Cuscinetto** *Bearing*	**Supporto** *Housing*	**Peso** *Weight* kg
	mm/inch										
UCC305	**25**	90	26	2,5	38	15			**UC305**		1,10
UCC305-13	13/16								UC305-13		1,15
UCC305-14	7/8	3,5433	1 1/32	0,098	1,4961	0,591	20140	10355	UC305-14	**C305**	1,13
UCC305-15	15/16								UC305-15		1,11
UCC305-16	1								UC305-16		1,10
UCC306	**30**	100	28	2,5	43	17			**UC306**		1,40
UCC306-17	1 1/16						25365	14250	UC306-17	**C306**	1,45
UCC306-18	1 1/8	3,9370	1 7/64	0,098	1,6929	0,669			UC306-18		1,42
UCC306-19	1 3/16								UC306-19		1,40
UCC307	**35**	110	32	3	48	19			**UC307**		1,80
UCC307-20	1 1/4								UC307-20		1,86
UCC307-21	1 5/16	4,3307	1 1/64	0,118	1,8897	0,748	31730	18335	UC307-21	**C307**	1,83
UCC307-22	1 3/8								UC307-22		1,80
UCC307-23	1 7/16								UC307-23		1,78
UCC308	**40**	120	34	3	52	19			**UC308**		2,20
UCC308-24	1 1/2	4,7244	1 11/32	0,118	2,0472	0,748	38665	22800	UC308-24	**C308**	2,25
UCC308-25	1 9/16								UC308-25		2,21
UCC309	**45**	130	38	3,5	57	22			**UC309**		2,70
UCC309-26	1 5/8						46455	28025	UC309-26	**C309**	2,81
UCC309-27	1 11/16	2,1181	1 1/2	0,138	2,441	0,866			UC309-27		2,77
UCC309-28	1 3/4								UC309-28		2,72
UCC310	**50**	140	40	3,5	61	22			**UC310**		3,30
UCC310-29	1 13/16						58900	36385	UC310-29	**C310**	3,62
UCC310-30	1 7/8	5,118	1 37/64	0,138	2,4015	0,866			UC310-30		3,39
UCC310-31	1 15/16								UC310-31		3,33
UCC311	**55**	150	44	3,5	66	25			**UC311**		3,90
UCC311-32	2								UC311-32		1,08
UCC311-33	2 1/16	5,9055	1 47/64	0,138	2,5984	0,984	68020	42750	UC311-33	**C311**	4,01
UCC311-34	2 1/8								UC311-34		3,95
UCC311-35	2 3/16								UC311-35		3,87
UCC312	**60**	160	46	3,5	71	26			**UC312**		4,80
UCC312-36	2 1/4								UC312-36		4,95
UCC312-37	2 5/16	6,2992	1 13/16	0,138	2,7953	1,024	77805	49590	UC312-37	**C312**	4,87
UCC312-38	2 3/8								UC312-38		4,78
UCC312-39	2 7/16								UC312-39		4,70
UCC313	**65**	170	50	3,5	75	30			**UC313**		5,80
UCC313-40	2 1/2	6,6929	1 31/32	0,138	2,9528	1,181	88065	56905	UC313-40	**C313**	5,89
UCC313-41	2 9/16								UC313-41		5,89
UCC314	**70**	180	52	4	78	33			**UC314**		6,60
UCC314-42	2 5/8						98800	64790	UC314-42	**C314**	6,82
UCC314-43	2 11/16	7,0866	2 3/64	0,157	3,0709	1,299			UC314-43		6,71
UCC314-44	2 3/4								UC314-44		6,61
UCC315	**75**	190	55	4	82	32			**UC315**		7,80
UCC315-45	2 13/16								UC315-45		8,07
UCC315-46	2 7/8	7,4803	2 11/64	0,157	3,2288	1,260	107350	73340	UC315-46	**C315**	7,93
UCC315-47	2 15/16								UC315-47		7,84
UCC315-48	3								UC315-48		7,71
UCC316	**80**	200	60	4	86	34			**UC316**		9,05
UCC316-49	3 1/16						116850	82365	UC316-49	**C316**	9,22
UCC316-50	3 1/8	7,8740	2 23/64	0,157	3,3858	1,339			UC316-50		9,08
UCC316-51	3 3/16								UC316-51		8,99
UCC317	**85**	215	64	4	96	40			**UC317**		10,97
UCC317-52	3 1/4						126350	91960	UC317-52	**C317**	11,19
UCC317-53	3 5/16	8,4646	2 34/64	0,157	3,7795	1,575			UC317-53		11,06
UCC317-54	3 7/16								UC317-55		10,74
UCC318	**90**	225	66	4	96	40			**UC318**		11,96
UCC318-55	3 7/16	8,8583	2 16/32	0,157	3,7795	1,575	135850	101650	UC318-55	**C318**	12,25
UCC318-56	3 1/2								UC318-56		12,07
UCC319	**95**	240	66	4	103	41			**UC319**		15,00
UCC319-58	3 5/8						145350	113050	UC319-58	**C319**	15,33
UCC319-59	3 11/16	9,4488	2 53/64	0,157	4,0551	1,614			UC319-59		15,15
UCC319-60	3 3/4								UC319-60		14,96
UCC320	**100**	260	75	4	108	42	164350	133950	**UC320**	**C320**	19,6
UCC320-64	4	10,2362	2 61/64	0,157	4,2519	1,645			UC320-64		19,4
UCC322	**110**	320 11,8110	90 3 2/32	5 0,197	126 4,6063	46 1,811	194750	171000	**UC322**	**C322**	29,2
UCC324	**120**	370 12,5984	290 3 35/64	5 0,197	40 4,9606	51 2,008	196650	175750	**UC324**	**C324**	35,9
UCC326	**130**	340 13,3858	100 3 15/16	5 0,197	135 5,3150	54 2,126	217550	203300	**UC326**	**C326**	43,0
UCC328	**140**	360 14,1732	100 3 15/16	5 0,197	145 5,7086	59 3,323	240350	233700	**UC328**	**C328**	52,9

UCCX Serie media - *Medium duty*





Tipo *Type*	**Dimensioni** - *Dimensions* d	a	g	r	B	n	**Coefficienti di carico (N)** *Load ratings (N)* **Dinamico C** *Dynamic C*	**Statico C_o** *Static C_o*	**Cuscinetto** *Bearing*	**Supporto** *Housing*	**Peso** *Weight* kg
	mm/inch										
UCCX05	**25**	90	27	2	38,1	15,9			**UCX05**		
UCCX05-13	13/16								UCX05-13		
UCCX05-14	7/8	3,5433	1 1/16	0,079	1,5000	0,626	18525	10735	UCX05-14	**CX05**	1,1
UCCX05-15	15/16								UCX05-15		
UCCX05-16	1								UCX05-16		
UCCX06	**30**	100	30	2,5	42,9	17,5			**UCX06**		
UCCX06-17	1 1/16								UCX06-17		
UCCX06-18	1 1/8	3,9370	1 3/16	0,098	1,6890	0,689	24415	14630	UCX06-18	**CX06**	1,6
UCCX06-19	1 3/16								UCX06-19		
UCCX06-20	1 1/4								UCX06-20		
UCCX07	**35**	110	34	2,5	49,2	19			**UCX07**		
UCCX07-21	1 5/16						27645	16910	UCX07-21	**CX07**	2,0
UCCX07-22	1 3/8	4,3307	1 11/32	0,098	1,9370	0,748			UCX07-22		
UCCX07-23	1 7/16								UCX07-23		
UCCX08	**40**	120	38	2,5	49,2	19			**UCX08**		
UCCX08-24	1 1/2	4,7244	1 1/2	0,098	1,9370	0,748	32395	20235	UCX08-24	**CX08**	2,5
UCCX08-25	1 9/16								UCX08-25		
UCCX09	**45**	120	38	2,5	51,6	19			**UCX09**		
UCCX09-26	1 5/8								UCX09-26		
UCCX09-27	1 11/16	4,7244	1 1/2	0,098	2,0315	0,748	33345	22135	UCX09-27	**CX09**	2,4
UCCX09-28	1 3/4								UCX09-28		
UCCX09-29	1 13/16								UCX09-29		
UCCX10	**50**	130	40	2,5	55,6	22,2			**UCX10**		
UCCX10-30	1 7/8						41230	27930	UCX10-30	**CX10**	3,0
UCCX10-31	1 15/16	5,1181	1 37/64	0,098	2,1890	0,874			UCX10-31		
UCCX10-32	2								UCX10-32		
UCCX11	**55**	150	42	3	65,1	25,4			**UCX11**		
UCCX11-33	2 1/16								UCX11-33		
UCCX11-34	2 1/8						49780	34390	UCX11-34	**CX11**	4,4
UCCX11-35	2 3/16	5,9055	1 21/32	0,118	2,5630	1,000			UCX11-35		
UCCX11-36	2 1/4								UCX11-36		
UCCX11-37	2 5/16								UCX11-37		
UCCX12	**60**	160	44	3	65,1	25,4			**UCX12**		
UCCX12-38	2 3/8	6,2992	1 47/64	0,118	2,5630	1,000	54340	38095	UCX12-38	**CX12**	5,0
UCCX12-39	2 7/16								UCX12-39		

UKC2 Serie normale - *Standard duty*



Tipo *Type*	**Dimensioni** - *Dimensions* d	a	g	r	B_1	**Coefficienti di carico (N)** *Load ratings (N)* **Dinamico C** *Dynamic C*	**Statico C_0** *Static C_0*	**Cuscinetto** *Bearing*	**Supporto** *Housing*	**Peso** *Weight*
	mm/inch									kg
UKC205+H2305	**20**	80	22	2	35	13300	7457	**UK205+H2305**	**C205**	0,68
UKC205+HE2305	¾	3,1496	55/64	0,079	1,378			UK205+HE2305		
UKC206+H2306	**25**	85	27	2	38	18525	10735	**UK206+H2306**	**C206**	0,84
UKC206+HS2306	⅞	3,3465	1 1/16	0,079	1,496			UK206+HS2306		
UKC206+HE2306	1							UK206+HE2306		
UKC207+H2307	**30**	90	28	2	43	24415	14630	**UK207+H2307**	**C207**	1,02
UKC207+HS2307	1⅛	3,5433	1 7/64	0,079	1,693			UK207+HS2307		
UKC208+H2308	**35**	100	30	2,5	46	27645	16910	**UK208+H2308**	**C208**	1,32
UKC208+HE2308	1¼	3,9370	1 3/16	0,098	1,811			UK208+HE2308		
UKC208+HS2308	1⅜							UK208+HS2308		
UKC209+H2309	**40**	110	31	2,5	50	32395	20235	**UK209+H2309**	**C209**	1,64
UKC209+HA2309	1 7/16							UK209+HA2309		
UKC209+HE2309	1½	4,3307	1 7/32	0,098	1,969			UK209+HE2309		
UKC209+HS2309	1⅝							UK209+HS2309		
UKC210+H2310	**45**	120	33	2,5	55	33345	22135	**UK210+H2310**	**C210**	2,07
UKC210+HS2310	1⅝							UK210+HS2310		
UKC210+HA2310	1 11/16	4,7244	1 19/64	0,098	2,165			UK210+HA2310		
UKC210+HE2310	1¾							UK210+HE2310		
UKC211+H2311	**50**	125	35	2,5	59	41230	27930	**UK211+H2311**	**C211**	2,33
UKC211+HS2311	1⅞							UK211+HS2311		
UKC211+HA2311	1 15/16	4,9213	1⅜	0,098	2,323			UK211+HA2311		
UKC211+HE2311	2							UK211+HE2311		
UKC212+H2312	**55**	130	38	2,5	62	49780	34390	**UK212+H2312**	**C212**	2,57
UKC212+HS2312	2⅛	5,1181	1½	0,098	2,441			UK212+HS2312		
UKC213+H2313	**60**	140	40	3	65	54340	38095	**UK213+H2313**	**C213**	2,89
UKC213+HA2313	2 3/16							UK213+HA2313		
UKC213+HE2313	2¼	5,5118	1 37/64	0,118	2,559			UK213+HE2313		
UKC213+HS2313	2⅜							UK213+HS2313		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

UKCX Serie media - *Medium duty*





Tipo *Type*	Dimensioni - *Dimensions*					Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	d	a	g	r	B_1	Dinamico C *Dynamic C*	Statico C_0 *Static C_0*			
	mm/inch									kg
UKCX05+H2305	**20**	90	27	2	35	18525	10735	**UKX05+H2305**	**CX05**	0,99
UKCX05+HE2305	$\frac{3}{4}$	3,5433	$1\frac{1}{16}$	0,079	1,378			UKX05+HE2305		
UKCX06+H2306	**25**	100	30	2,5	38			**UKX06+H2306**		
UKCX06+HS2306	$\frac{7}{8}$	3,9370	$1\frac{3}{16}$	0,098	1,496	24415	14630	UKX06+HS2306	**CX06**	1,3
UKCX06+HE2306	1							UKX06+HE2306		
UKCX07+H2307	**30**	110	34	2,5	43	27645	16910	**UKX07+H2307**	**CX07**	1,7
UKCX07+HS2307	$1\frac{1}{8}$	4,3307	$1\frac{11}{32}$	0,098	1,693			UKX07+HS2307		
UKCX08+H2308	35	120	38	2,5	46			**UKX08+H2308**		
UKCX08+HE2308	$1\frac{1}{4}$	4,7244	$1\frac{1}{2}$	0,098	1,811	32395	20235	UKX08+HE2308	**CX08**	2,3
UKCX08+HS2308	$1\frac{3}{8}$							UKX08+HS2308		
UKCX09+H2309	**40**	120	38	2,5	50			**UKX09+H2309**		
UKCX09+HA2309	$1\frac{7}{16}$					33345	22135	UKX09+HA2309	**CX09**	2,3
UKCX09+HE2309	$1\frac{1}{2}$	4,7244	$1\frac{1}{2}$	0,098	1,969			UKX09+HE2309		
UKCX09+HS2309	$1\frac{5}{8}$							UKX09+HS2309		
UKCX10+H2310	**45**	130	40	2,5	55			**UKX10+H2310**		
UKCX10+HS2310	$1\frac{5}{8}$					41230	27930	UKX10+HS2310	**CX10**	2,8
UKCX10+HA2310	$1\frac{11}{16}$	5,1181	$1\frac{37}{64}$	0,098	2,165			UKX10+HA2310		
UKCX10+HE2310	$1\frac{3}{4}$							UKX10+HE2310		
UKCX11+H2311	**50**	150	42	3	59			**UKX11+H2311**		
UKCX11+HS2311	$1\frac{7}{8}$					49780	34390	UKX11+HS2311	**CX11**	3,8
UKCX11+HA2311	$1\frac{15}{16}$	5,9055	$1\frac{21}{32}$	0,118	2,323			UKX11+HA2311		
UKCX11+HE2311	2							UKX11+HE2311		
UKCX12+H2312	**55**	130	38	2,5	62	54340	38095	**UKX12+H2312**	**CX12**	4,4
UKCX12+HS2312	$2\frac{1}{8}$	6,2992	$1\frac{23}{32}$	0,118	2,441			UKX12+HS2312		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

UCPH2 Serie normale - *Standard duty*





Tipo *Type*	Dimensioni - *Dimensions*											Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	d	h	a	e	b	S_1	S_2	g	w	B	n		Dinamico C *Dynamic C*	Statico C_0 *Static C_0*			
	mm/inch											mm/inch					kg
UCPH201	**12**	70	127	95	40	13	19	15	101	31	12,7	M10	12160	6318	**UC201**	**PH203**	0,81
UCPH201-8	3/4	2 3/4	5	3 3/4	1 9/16	1/2	3/4	19/32	3 63/64	1,2205	0,500	3/8			UC201-8		0,80
UCPH202	**15**	70	127	95	40	13	19	15	101	31	12,7	M10			**UC202**		0,80
UCPH202-9	9/16	2 3/4	5	3 3/4	1 9/16	1/2	3/4	19/32	3 63/64	1,2205	0,500	3/8	12160	6318	UC202-9	**PH203**	0,80
UCPH202-10	5/8														UC202-10		0,80
UCPH203	**17**	70	127	95	40	13	19	15	101	31	12,7	M10	12160	6318	**UC203**	**PH203**	0,79
UCPH203-11	11/16	2 3/4	5	3 3/4	1 9/16	1/2	3/4	19/32	3 63/64	1,2205	0,500	3/8			UC203-11		0,78
UCPH204	**20**	70	127	95	40	13	19	15	101	31	12,7	M10	12160	6318	**UC204**	**PH204**	0,77
UCPH204-12	3/4	2 3/4	5	3 3/4	1 9/16	1/2	3/4	19/32	3 63/64	1,2205	0,500	3/8			UC204-12		0,77
UCPH205	**25**	80	140	105	50	13	19	16	114	34,1	14,3	M10			**UC205**		1,01
UCPH205-13	13/16														UC205-13		1,05
UCPH205-14	7/8	3 5/32	5 1/2	4 1/8	1 31/32	1/2	3/4	5/8	4 31/64	1,3425	0,563	3/8	13300	7457	UC205-14	**PH205**	1,04
UCPH205-15	15/16														UC205-15		1,02
UCPH205-16	1														UC205-16		1,01
UCPH206	**30**	90	161	121	50	17	21	17	130	38,1	15,9	M14			**UC206**		1,47
UCPH206-17	1 1/16														UC206-17		1,50
UCPH206-18	1 1/8	3 35/64	6 11/32	4 3/4	1 31/32	43/64	53/64	43/64	5 1/8	1,5000	0,626	1/2	18525	10735	UC206-18	**PH206**	1,49
UCPH206-19	1 3/16														UC206-19		1,47
UCPH206-20	1 1/4														UC206-20		1,46
UCPH207	**35**	95	166	127	60	17	21	18	140	42,9	17,5	M14			**UC207**		1,91
UCPH207-20	1 1/4														UC207-20		1,97
UCPH207-21	1 5/16	3 47/64	6 17/32	5	2 23/64	43/64	53/64	45/64	5 33/64	1,6890	0,689	1/2	24415	14630	UC207-21	**PH207**	1,94
UCPH207-22	1 3/8														UC207-22		1,91
UCPH207-23	1 7/16														UC207-23		1,88
UCPH208	**40**	100	178	137	70	17	21	19	150	49,2	19	M14			**UC208**		2,52
UCPH208-24	1 1/2	3 15/16	7 1/64	5 13/32	2 3/4	43/64	53/64	3/4	5 29/32	1,9370	0,748	1/2	27645	16910	UC208-24	**PH208**	2,56
UCPH208-25	1 9/16														UC208-25		2,53
UCPH209	**45**	105	189	146	70	17	21	20	158	49,2	19	M14			**UC209**		2,72
UCPH209-26	1 5/8												32395	20235	UC209-26	**PH209**	2,82
UCPH209-27	1 11/16	4 9/64	7 7/16	5 3/4	2 3/4	43/64	53/64	25/32	6 7/32	1,9370	0,748	1/2			UC209-27		2,78
UCPH209-28	1 3/4														UC209-28		2,74
UCPH210	**50**	110	205	159	70	20	23	21	165	51,6	19	M16			**UC210**		3,10
UCPH210-29	1 13/16														UC210-29		3,22
UCPH210-30	1 7/8	4 21/64	8 5/64	6 1/4	2 3/4	25/32	29/32	53/64	6 1/2	2,0315	0,748	5/8	33345	22135	UC210-30	**PH210**	3,17
UCPH210-31	1 15/16														UC210-31		3,12
UCPH210-32	2														UC210-32		3,08
UCPH211	**55**	120	219	171	75	20	23	22	181	55,6	22,2	M16			**UC211**		-
UCPH211-32	2														UC211-32		-
UCPH211-33	2 1/16	4 23/32	8 5/8	6 47/64	2 61/64	25/32	29/32	55/64	7 1/8	2,1890	0,874	5/8	41230	27930	UC211-33	**PH211**	-
UCPH211-34	2 1/8														UC211-34		-
UCPH211-35	2 3/16														UC211-35		-
UCPH212	**60**	130	241	184	85	20	23	25	197	65,1	25,4	M16			**UC212**		-
UCPH212-36	2 1/4														UC212-36		-
UCPH212-37	2 5/16	5 1/8	9 1/2	7 1/4	3 11/32	25/32	29/32	63/64	7 3/4	2,5630	1,000	5/8	49780	34390	UC212-37	**PH212**	-
UCPH212-38	2 3/8														UC212-38		-
UCPH212-39	2 7/16														UC212-39		-
UCPH213	**65**	140	265	203	95	25	28	27	212	65,1	25,4	M20			**UC213**		-
UCPH213-40	2 1/2	5 33/64	10 7/16	8	3 3/4	63/64	1 3/32	1 1/16	8 11/32	2,5630	1,000	3/4	54340	38095	UC213-40	**PH213**	-
UCPH213-41	2 9/16														UC213-41		-
UCPH214	**70**	150	266	210	105	25	28	28	225	74,6	30,2	M20			**UC214**		-
UCPH214-42	2 5/8														UC214-42		-
UCPH214-43	2 11/16	5 29/32	10 15/32	8 17/64	5 9/64	63/64	1 3/32	1 7/64	8 55/64	2,9370	1,189	3/4	59090	41895	UC214-43	**PH214**	-
UCPH214-44	2 3/4														UC214-44		-
UCPH215	**75**	160	275	217	115	25	28	29	238	77,8	33,3	M20			**UC215**		-
UCPH215-45	2 13/16														UC215-45		-
UCPH215-46	2 7/8	5 19/64	10 53/64	8 35/64	4 17/32	63/64	1 3/32	1 9/64	9 3/8	3,0630	1,311	3/4	64030	45885	UC215-46	**PH215**	-
UCPH215-47	2 15/16														UC215-47		-
UCPH215-48	3														UC215-48		-
UCPH216	**80**	170	292	232	125	25	28	30	253	82,6	33,3	M20			**UC216**		-
UCPH216-49	3 1/16														UC216-49		-
UCPH216-50	3 1/8	6 11/16	11 1/2	9 1/8	4 59/64	63/64	1 3/32	1 3/16	9 61/64	3,2520	1,311	3/4	69065	50350	UC216-50	**PH216**	-
UCPH216-51	3 3/16														UC216-51		-

Disponibile in acciaio inox Supporto: AISI 304 - Cuscinetto: AISI 440C - *Available stainless steel Housing: AISI 304 - Bearing: AISI 440C*
Disponibile su richiesta con cuscinetto SA (SAPH) - *Available under request with SA bearing (SAPH)*

UKPH2 Serie normale - *Standard duty*





Tipo *Type*	Dimensioni - *Dimensions* d	h	a	e	b	S_1	S_2	g	w	B_1	Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)* Dinamico C *Dynamic C*	Statico C_0 *Static C_0*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch										mm/inch					kg
UKPH205+H2305	20	80	140	105	50	13	19	16	114	34,1	M10	13300	7457	**UK205+H2305**	**PH205**	1,24
UKPH205+HE2305	3/4	3 5/32	5 1/2	4 1/8	1 31/32	1/2	3/4	5/8	4 31/64	1,3425	3/8			UK205+HE2305		
UKPH206+H2306	25	90	161	121	50	17	21	17	130	38,1	M14	18525	10735	**UK206+H2306**	**PH206**	1,64
UKPH206+HS2306	7/8	3 35/64	6 11/32	4 3/4	1 31/32	43/64	53/64	43/64	5 1/8	1,5000	1/2			UK206+HS2306		
UKPH206+HE2306	1													UK206+HE2306		
UKPH207+H2307	30	95	166	127	60	17	21	18	140	42,9	M14	24415	14630	**UK207+H2307**	**PH207**	2,03
UKPH207+HS2307	1 1/8	3 47/64	6 17/32	5	2 23/64	43/64	53/64	45/64	5 33/64	1,6890	1/2			UK207+HS2307		
UKPH208+H2308	35	100	178	137	70	17	21	19	150	49,2	M14	27645	16910	**UK208+H2308**	**PH208**	2,72
UKPH208+HE2308	1 1/4	3 15/16	7 1/64	5 12/32	2 3/4	43/64	53/64	3/4	5 29/32	1,9370	1/2			UK208+HE2308		
UKPH208+HS2308	1 3/8													UK208+HS2308		
UKPH209+H2309	40	105	189	146	70	17	21	20	158	49,2	M14	32395	20235	**UK209+H2309**	**PH209**	3,09
UKPH209+HA2309	1 7/16													UK209+HA2309		
UKPH209+HE2309	1 1/2	4 9/64	7 7/16	5 3/4	2 3/4	43/64	53/64	25/32	6 7/32	1,9370	1/2			UK209+HE2309		
UKPH209+HS2309	1 5/8													UK209+HS2309		
UKPH210+H2310	45	110	205	159	70	20	23	21	165	51,6	M16	33345	22135	**UK210+H2310**	**PH210**	3,59
UKPH210+HS2310	1 5/8													UK210+HS2310		
UKPH210+HA2310	1 11/16	4 21/64	8 5/64	6 1/4	2 3/4	25/32	29/32	53/64	6 1/2	2,0315	5/8			UK210+HA2310		
UKPH210+HE2310	1 3/4													UK210+HE2310		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

UCPA2 Serie normale - *Standard duty*



Tipo *Type*	Dimensioni - *Dimensions*										Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	d	h	a	e	b	g	l	w	B	n		Dinamico C *Dynamic C*	Statico C_o *Static C_o*			
	mm/inch										mm/inch					kg
UCPA201	**12**	30,2	76	52	40	15	11	62	31	12,7	M10	12160	6318	**UC201**	**PA204**	0,60
UCPA201-8	3/4	1 3/16	3	2 3/64	1 9/16	19/32	7/16	2 7/16	1,2205	0,500	3/8			UC201-8		0,59
UCPA202	**15**	30,2	76	52	40	15	11	62	31	12,7	M10	12160	6318	**UC202**	**PA204**	0,59
UCPA202-9	9/16	1 3/16	3	2 3/64	1 9/16	19/32	7/16	2 7/16	1,2205	0,500	3/8			UC202-9		0,59
UCPA202-10	5/8													UC202-10		0,59
UCPA203	**17**	30,2	76	52	40	15	11	62	31	12,7	M10	12160	6318	**UC203**	**PA204**	0,58
UCPA203-11	11/16	1 3/16	3	2 3/64	1 9/16	19/32	7/16	2 7/16	1,2205	0,500	3/8			UC203-11		0,57
UCPA204	**20**	30,2	76	52	40	15	11	62	31	12,7	M10	12160	6318	**UC204**	**PA204**	0,56
UCPA204-12	3/4	1 3/16	3	2 3/64	1 9/16	19/32	7/16	2 7/16	1,2205	0,500	3/8			UC204-12		0,56
UCPA205	**25**	36,5	84	56	38	15	12	72	34,1	14,3	M10	13300	7457	**UC205**	**PA205**	0,83
UCPA205-13	13/16													UC205-13		0,87
UCPA205-14	7/8	1 7/16	3 5/16	2 13/64	1 1/2	19/32	15/32	2 53/64	1,3425	0,563	3/8			UC205-14		0,86
UCPA205-15	15/16													UC205-15		0,84
UCPA205-16	1													UC205-16		0,83
UCPA206	**30**	42,9	94	66	50	18	12	84	38,1	15,9	M14	18525	10735	**UC206**	**PA206**	1,12
UCPA206-17	1 1/16													UC206-17		1,15
UCPA206-18	1 1/8	1 11/16	3 45/64	2 19/32	1 31/32	45/64	15/32	3 5/16	1,5000	0,626	1/2			UC206-18		1,14
UCPA206-19	1 3/16													UC206-19		1,12
UCPA206-20	1 1/4													UC206-20		1,11
UCPA207	**35**	47,6	110	80	55	20	13	95	42,9	17,5	M14	24415	14630	**UC207**	**PA207**	1,48
UCPA207-20	1 1/4													UC207-20		1,54
UCPA207-21	1 5/16	1 7/8	4 21/64	3 5/32	2 11/64	25/32	33/64	3 47/64	1,6890	0,689	1/2			UC207-21		1,51
UCPA207-22	1 3/8													UC207-22		1,48
UCPA207-23	1 7/16													UC207-23		1,45
UCPA208	**40**	49,2	116	84	58	20	13	100	49,2	19	M14	27645	16910	**UC208**	**PA208**	1,89
UCPA208-24	1 1/2	1 15/16	4 9/16	3 5/16	2 9/32	25/32	33/64	3 15/16	1,9370	0,748	1/2			UC208-24		1,93
UCPA208-25	1 9/16													UC208-25		1,90
UCPA209	**45**	54,2	120	90	60	25	13	108	49,2	19	M14	32395	20235	**UC209**	**PA209**	1,98
UCPA209-26	1 5/8													UC209-26		2,08
UCPA209-27	1 11/16	2 9/64	4 23/32	3 35/64	2 23/64	63/64	33/64	4 1/4	1,9370	0,748	1/2			UC209-27		2,04
UCPA209-28	1 3/4													UC209-28		2,00
UCPA210	**50**	57,2	130	94	64	25	14	116	51,6	19	M16	33345	22135	**UC210**	**PA210**	2,16
UCPA210-29	1 13/16													UC210-29		2,28
UCPA210-30	1 7/8	2 1/4	5 1/8	3 45/64	2 33/64	63/64	35/64	4 9/16	2,0315	0,748	5/8			UC210-30		2,23
UCPA210-31	1 15/16													UC210-31		2,18
UCPA210-32	2													UC210-32		2,14
UCPA211	**55**	63,5	140	104	66	25	14	125	55,6	22,2	M16	41230	27930	**UC211**	**PA211**	3,26
UCPA211-32	2													UC211-32		3,41
UCPA211-33	2 1/16	2 1/2	5 33/64	4 3/32	2 19/32	63/64	35/64	4 59/64	2,1890	0,874	5/8			UC211-33		3,35
UCPA211-34	2 1/8													UC211-34		3,30
UCPA211-35	2 3/16													UC211-35		3,24
UCPA212	**60**	69,9	150	114	68	25	15	138	65,1	25,4	M16	49780	34390	**UC212**	**PA212**	4,19
UCPA212-36	2 1/4													UC212-36		4,32
UCPA212-37	2 5/16	2 3/4	5 29/32	4 31/64	2 43/64	63/64	19/32	5 7/16	2,5630	1,000	5/8			UC212-37		4,24
UCPA212-38	2 3/8													UC212-38		4,17
UCPA212-39	2 7/16													UC212-39		4,10
UCPA213	**65**	76,2	160	124	70	25	15	150	65,1	25,4	M16	54340	38095	**UC213**	**PA213**	-
UCPA213-40	2 1/2	3	6 19/64	4 7/8	2 3/4	63/64	19/32	5 29/32	2,5630	1,000	5/8			UC213-40		-
UCPA213-41	2 9/16													UC213-41		-

Disponibile in acciaio inox Supporto: AISI 304 - Cuscinetto: AISI 440C - *Available stainless steel Housing: AISI 304 - Bearing: AISI 440C*
Disponibile su richiesta con cuscinetto SA (SAPA) - *Available under request with SA bearing (SAPA)*

UKPA2 Serie normale - *Standard duty*



Tipo *Type*	Dimensioni - *Dimensions* d	h	a	e	b	g	W	B	Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)* Dinamico C *Dynamic C*	Statico C_o *Static C_o*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch								mm/inch					kg
UKPA205+H2305	**20**	36,5	84	56	38	15	72	34,1	M10	13300	7457	**UK205+H2305**	**PA205**	0,87
UKPA205+HE2305	3/4	1 7/16	3 5/16	2 13/64	1 1/2	19/32	2 53/64	1,3425	3/8			UK205+HE2305		
UKPA206+H2306	**25**	42,9	94	66	50	18	84	38,1	M14	18525	10735	**UK206+H2306**	**PA206**	1,24
UKPA206+HS2306	7/8	1 11/16	3 45/64	2 19/32	1 31/32	45/64	3 5/16	1,5000	1/2			UK206+HS2306		
UKPA206+HE2306	1											UK206+HE2306		
UKPA207+H2307	**30**	47,6	110	80	55	20	95	42,9	M14	24415	14630	**UK207+H2307**	**PA207**	1,73
UKPA207+HS2307	1 1/8	1 7/8	4 21/64	3 5/32	2 11/64	25/32	3 47/64	1,6890	1/2			UK207+HS2307		
UKPA208+H2308	**35**	49,2	116	84	58	20	100	49,2	M14	27645	16910	**UK208+H2308**	**PA208**	2,02
UKPA208+HE2308	1 1/4	1 15/16	4 9/16	3 5/16	2 9/32	25/32	3 15/16	1,9370	1/2			UK208+HE2308		
UKPA208+HS2308	1 3/8											UK208+HS2308		
UKPA209+H2309	**40**	54,2	120	90	60	25	108	49,2	M14	32395	20235	**UK209+H2309**	**PA209**	2,29
UKPA209+HA2309	1 7/16											UK209+HA2309		
UKPA209+HE2309	1 1/2	2 9/64	4 23/32	3 35/64	2 23/64	63/64	4 1/4	1,9370	1/2			UK209+HE2309		
UKPA209+HS2309	1 5/8											UK209+HS2309		
UKPA210+H2310	**45**	57,2	130	94	64	25	116	51,6	M16	33345	22135	**UK210+H2310**	**PA210**	2,89
UKPA210+HS2310	1 5/8											UK210+HS2310		
UKPA210+HA2310	1 11/16	2 1/2	5 1/8	3 45/64	2 33/64	63/64	4 9/16	2,0315	5/8			UK210+HA2310		
UKPA210+HE2310	1 3/4											UK210+HE2310		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

UCFA2 Serie normale - *Standard duty*



Tipo *Type*	d	a	e	i	g	l	s	b	z	f	c	B	n	Bull. fiss. *Bolt Size*	Dinamico C *Dynamic C*	Statico C₀ *Static C₀*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch													mm/inch					kg
UCFA201	**12**	98	78	15	12	25,5	10	60	33,3	40	50	31	12,7	M8	12160	6318	**UC201**	**FA204**	0,50
UCFA201-8	3/4	3 55/64	3 5/64	19/32	15/32	1	25/64	2 3/8	1 5/16	1 37/64	1 31/32	1,2205	0,500	5/16			UC201-8		0,49
UCFA202	**15**	98	78	15	12	25,5	10	60	33,3	40	50	31	12,7	M8	12160	6318	**UC202**	**FA204**	0,49
UCFA202-9	9/16	3 55/64	3 5/64	19/32	15/32	1	25/64	2 3/8	1 5/16	1 37/64	1 31/32	1,2205	0,500	5/16			UC202-9		0,49
UCFA202-10	5/8																UC202-10		0,49
UCFA203	**17**	98	78	15	12	25,5	10	60	33,3	40	50	31	12,7	M8	12160	6318	**UC203**	**FA204**	0,48
UCFA203-11	11/16	3 55/64	3 5/64	19/32	15/32	1	25/64	2 3/8	1 5/16	1 37/64	1 31/32	1,2205	0,500	5/16			UC203-11		0,47
UCFA204	**20**	98	78	15	12	25,5	10	60	33,3	40	50	31	12,7	M8	12160	6318	**UC204**	**FA204**	0,46
UCFA204-12	3/4	3 55/64	3 5/64	19/32	15/32	1	25/64	2 3/8	1 5/16	1 37/64	1 31/32	1,2205	0,500	5/16			UC204-12		0,46
UCFA205	**25**	124	98	16	14	27	13	70	35,8	51	65	34,1	14,3	M10	13300	7457	**UC205**	**FA205**	0,66
UCFA205-13	13/16	4 7/8	3 55/64	5/8	35/64	1 1/6	33/64	2 3/4	1 13/32	2 1/64	2 9/16	1,3425	0,563	3/8			UC205-13		0,70
UCFA205-14	7/8																UC205-14		0,69
UCFA205-15	15/16																UC205-15		0,67
UCFA205-16	1																UC205-16		0,66
UCFA206	**30**	141	115	18	14	31	13	83	40,2	58	72	38,1	15,9	M10	18525	10735	**UC206**	**FA206**	0,93
UCFA206-17	1 1/16	5 35/64	4 17/32	45/64	35/64	1 7/32	33/64	3 17/64	1 19/32	2 9/32	2 27/32	1,5000	0,626	3/8			UC206-17		0,96
UCFA206-18	1 1/8																UC206-18		0,95
UCFA206-19	1 3/16																UC206-19		0,93
UCFA206-20	1 1/4																UC206-20		0,92
UCFA207	**35**	155	128	19	16	34	15	96	44,4	66	82	42,9	17,5	M12	24415	14630	**UC207**	**FA207**	1,46
UCFA207-20	1 1/4	6 7/64	5 3/64	3/4	5/8	1 11/32	19/32	3 25/32	1 3/4	2 19/32	3 15/64	1,6890	0,689	7/16			UC207-20		1,52
UCFA207-21	1 5/16																UC207-21		1,49
UCFA207-22	1 3/8																UC207-22		1,46
UCFA207-23	1 7/16																UC207-23		1,43
UCFA208	**40**	171	142	21	16	38	15	105	51,2	71	87	49,2	19	M12	27645	16910	**UC208**	**FA208**	1,78
UCFA208-24	1 1/2	47/64	5 19/32	53/64	5/8	1 1/2	19/32	4 9/64	2 1/64	2 51/64	3 27/64	1,9370	0,748	7/16			UC208-24		1,82
UCFA208-25	1 9/16																UC208-25		1,79
UCFA209	**45**	179	146	22	18	40	17	111	52,2	72	90	49,2	19	M14	32395	20235	**UC209**	**FA209**	2,03
UCFA209-26	1 5/8	7 3/64	5 3/4	55/64	45/64	1 37/64	43/64	4 3/8	2 1/16	2 53/64	3 35/64	1,9370	0,748	1/2			UC209-26		2,13
UCFA209-27	1 11/16																UC209-27		2,09
UCFA209-28	1 3/4																UC209-28		2,05
UCFA210	**50**	189	155	22	18	40	17	116	54,6	76	94	51,6	19	M14	33345	22135	**UC210**	**FA210**	2,23
UCFA210-29	1 13/16	7 7/16	6 7/64	55/64	45/64	1 37/64	43/64	4 9/16	2 5/32	3	3 45/64	2,0315	0,748	1/2			UC210-29		2,35
UCFA210-30	1 7/8																UC210-30		2,30
UCFA210-31	1 15/16																UC210-31		2,25
UCFA210-32	2																UC210-32		2,21
UCFA211	**55**	216	182	25	20	44	17	133	58,4	86	104	55,6	22,2	M14	41230	27930	**UC211**	**FA211**	3,2
UCFA211-32	2	8 1/2	7 11/64	63/64	25/32	1 47/64	43/64	5 51/64	2 5/16	3 25/64	4 3/32	2,1890	0,874	1/2			UC211-32		4,5
UCFA211-33	2 1/16																UC211-33		4,20
UCFA211-34	2 1/8																UC211-34		4,10
UCFA211-35	2 3/16																UC211-35		4,00
UCFA212	**60**	240	202	29	20	48	19	140	68,7	100	118	65,1	25,4	M16	49780	34390	**UC212**	**FA212**	-
UCFA212-36	2 1/4	9 29/64	7 61/64	1 9/64	25/32	1 7/8	3/4	5 1/2	2 23/32	3 15/16	4 41/64	2,5630	1,000	5/8			UC212-36		-
UCFA212-37	2 5/16																UC212-37		-
UCFA212-38	2 3/8																UC212-38		-
UCFA212-39	2 7/16																UC212-39		-
UCFA213	**65**	250	210	30	20	50	19	155	69,7	102	122	65,1	25,4	M16	54340	38095	**UC213**	**FA213**	-
UCFA213-40	2 1/2	9 27/32	8 17/64	1 3/16	25/32	1 31/32	3/4	6 3/32	2 3/4	4 1/64	4 51/64	2,5630	1,000	5/8			UC213-40		-
UCFA213-41	2 9/16																UC213-41		-

Disponibile in acciaio inox Supporto: AISI 304 - Cuscinetto: AISI 440C - ***Available stainless steel Housing: AISI 304 - Bearing: AISI 440C***
Disponibile su richiesta con cuscinetto SA (SAFA) - *Available under request with SA bearing (SAFA)*

UKFA2 Serie normale - *Standard duty*



Tipo *Type*	Dimensioni - *Dimensions*												Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	d	a	e	i	g	l	s	b	z	f	c	B		Dinamico C *Dynamic C*	Statico C_0 *Static C_0*			
	mm/inch												mm/inch					kg
UKFA205+H2305	**20**	124	98	16	14	27	13	70	35,8	51	65	34,1	M10	13300	7457	**UK205+H2305**	**FA205**	0,71
UKPA205+HE2305	3/4	4 7/8	3 55/64	5/8	35/64	1 1/16	33/64	2 3/4	1 13/32	2 1/64	2 9/16	1,3425	3/8			UK205+HE2305		
UKFA206+H2306	**25**	141	115	18	14	31	13	83	40,2	58	72	38,1	M10			**UK206+H2306**		
UKPA206+HS2306	7/8	5 35/64	4 17/32	45/64	35/64	1 7/32	33/64	3 17/64	1 19/32	2 9/32	2 27/32	1,5000	3/8	18525	10735	UK206+HS2306	**FA206**	1,04
UKPA206+HE2306	1															UK206+HE2306		
UKFA207+H2307	**30**	155	128	19	16	34	15	96	44,4	66	82	42,9	M12	24415	14630	**UK207+H2307**	**FA207**	1,5
UKPA207+HS2307	1 1/8	6 7/64	5 3/64	3/4	5/8	1 11/32	19/32	3 25/32	1 3/4	2 19/32	3 15/64	1,6890	7/16			UK207+HS2307		
UKFA208+H2308	**35**	171	142	21	16	38	15	105	51,2	71	87	49,2	M12			**UK208+H2308**		
UKPA208+HE2308	1 1/4	47/64	5 19/32	53/64	5/8	1 1/2	19/32	4 9/64	2 1/64	2 51/64	3 27/64	1,9370	7/16	27645	16910	UK208+HE2308	**FA208**	1,9
UKPA208+HS2308	1 3/8															UK208+HS2308		
UKFA209+H2309	**40**	179	146	22	18	40	17	111	52,2	72	90	49,2	M14			**UK209+H2309**		
UKPA209+HA2309	1 7/16													32395	20235	UK209+HA2309	**FA209**	1,8
UKPA209+HE2309	1 1/2	7 3/64	5 3/4	55/64	45/64	1 37/64	43/64	4 3/8	2 1/16	2 53/64	3 35/64	1,9370	1/2			UK209+HE2309		
UKPA209+HS2309	1 5/8															UK209+HS2309		
UKFA210+H2310	**45**	189	155	22	18	40	17	116	54,6	76	94	51,6	M14			**UK210+H2310**		
UKPA210+HS2310	1 5/8													33345	22135	UK210+HS2310	**FA210**	2,1
UKPA210+HA2310	1 11/16	7 1/16	6 7/64	55/64	45/64	1 37/64	43/64	4 9/16	2 5/32	3	3 45/64	2,0315	1/2			UK210+HA2310		
UKPA210+HE2310	1 3/4															UK210+HE2310		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

UCFB2 Serie normale - *Standard duty*



Tipo *Type*	Dimensioni - *Dimensions* d	w	b	k	a	l	s	g	h	j	e	i	z	B	n	Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)* Dinamico C *Dynamic C*	Statico C_o *Static C_o*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch															mm/inch					kg
UCFB201	**12**	110	62	52	52	25,5	10	13	42	27	32	15	33,3	31	12,7	M8	12160	6318	**UC201**	**FB204**	0,58
UCFB201-8	3/4	4 11/32	2 7/16	2 1/16	2 1/16	1	25/64	1/2	1 21/32	1 1/16	1 17/64	19/32	1 5/16	1,2205	0,500	5/16			UC201-8		0,57
UCFB202	**15**	110	62	52	52	25,5	10	13	42	27	32	15	33,3	31	12,7	M8	12160	6318	**UC202**	**FB204**	0,57
UCFB202-9	9/16	4 11/32	2 7/16	2 1/16	2 1/16	1	25/64	1/2	1 21/32	1 1/16	1 17/64	19/32	1 5/16	1,2205	0,500	5/16			UC202-9		0,57
UCFB202-10	5/8																		UC202-10		0,57
UCFB203	**17**	110	62	52	52	25,5	10	13	42	27	32	15	33,3	31	12,7	M8	12160	6318	**UC203**	**FB204**	0,56
UCFB203-11	11/16	4 11/32	2 7/16	2 1/16	2 1/16	1	25/64	1/2	1 21/32	1 1/16	1 17/64	19/32	1 5/16	1,2205	0,500	5/16			UC203-11		0,55
UCFB204	**20**	110	62	52	52	25,5	10	13	42	27	32	15	33,3	31	12,7	M8	12160	6318	**UC204**	**FB204**	0,54
UCFB204-12	3/4	4 11/32	2 7/16	2 1/16	2 1/16	1	25/64	1/2	1 21/32	1 1/16	1 17/64	19/32	1 5/16	1,2205	0,500	5/16			UC204-12		0,54
UCFB205	**25**	116	68	52	56	27	10	13	45	27	34	16	35,8	34,1	14,3	M8	13300	7457	**UC205**	**FB205**	0,79
UCFB205-13	13/16	4 9/16	2 11/16	2 1/16	2 7/32	1 1/16	25/64	1/2	1 49/64	1 1/16	1 11/32	5/8	1 13/32	1,3425	0,563	5/16			UC205-13		0,83
UCFB205-14	7/8																		UC205-14		0,82
UCFB205-15	15/16																		UC205-15		0,80
UCFB205-16	1																		UC205-16		0,79
UCFB206	**30**	130	78	55	65	31	10	13	50	29	40	18	40,2	38,1	15,9	M8	18525	10735	**UC206**	**FB206**	0,95
UCFB206-17	1 1/16	5 1/8	3 1/16	2 5/32	2 9/16	1 7/32	25/64	1/2	1 31/32	1 9/64	1 37/64	45/64	1 19/32	1,5000	0,626	5/16			UC206-17		0,98
UCFB206-18	1 1/8																		UC206-18		0,97
UCFB206-19	1 3/16																		UC206-19		0,95
UCFB206-20	1 1/4																		UC206-20		0,94
UCFB207	**35**	144	90	62	70	34	10	15	55	32	46	19	44,4	42,9	17,5	M8	24415	14630	**UC207**	**FB207**	1,29
UCFB207-20	1 1/4	5 21/32	3 35/64	2 7/16	2 3/4	1 11/32	25/64	19/32	2 11/64	1 17/64	1 13/16	3/4	1 3/4	1,6890	0,689	5/16			UC207-20		1,35
UCFB207-21	1 5/16																		UC207-21		1,32
UCFB207-22	1 3/8																		UC207-22		1,29
UCFB207-23	1 7/16																		UC207-23		1,26
UCFB208	**40**	164	100	72	78	36	12	16	60	41	50	21	51,2	49,2	19	M10	27645	16910	**UC208**	**FB208**	1,78
UCFB208-24	1 1/2	6 15/32	3 15/16	2 27/32	3 1/16	1 13/32	15/32	5/8	2 23/64	1 39/64	1 31/32	53/64	2 1/64	1,9370	0,748	3/8			UC208-24		1,82
UCFB208-25	1 9/16																		UC208-25		1,79
UCFB209	**45**	174	106	76	80	38	12	18	65	43	54	22	52,2	49,2	19	M10	32395	20235	**UC209**	**FB209**	1,91
UCFB209-26	1 5/8	6 27/32	4 3/16	3	3 5/32	1 1/2	15/32	23/32	2 9/16	1 11/16	2 1/8	55/64	2 1/16	1,9370	0,748	3/8			UC209-26		2,01
UCFB209-27	1 11/16																		UC209-27		1,97
UCFB209-28	1 3/4																		UC209-28		1,93
UCFB210	**50**	184	112	82	86	40	12	18	68	46	58	22	54,6	51,6	19	M10	33345	22135	**UC210**	**FB210**	2,36
UCFB210-29	1 13/16	7 1/14	4 13/32	3 7/32	3 3/8	1 37/64	15/32	23/32	2 43/64	1 13/16	2 9/32	55/64	2 5/32	2,0315	0,748	3/8			UC210-29		2,48
UCFB210-30	1 7/8																		UC210-30		2,43
UCFB210-31	1 15/16																		UC210-31		2,38
UCFA210-32	2																		UC210-32		2,34
UCFB211	**55**	207	130	86	90	43	14	18	78	50	62	25	58,4	55,6	22,2	M12	41230	27930	**UC211**	**FB211**	3,15
UCFB211-32	2	8 5/32	5 1/8	3 25/64	3 35/64	1 11/16	35/64	45/64	3 5/64	1 31/32	2 7/16	63/64	2 5/16	2,1890	0,874	7/16			UC211-32		3,31
UCFB211-33	2 1/16																		UC211-33		3,25
UCFB211-34	2 1/8																		UC211-34		3,20
UCFB211-35	2 3/16																		UC211-35		3,14
UCFB212	**60**	223	140	90	94	48	14	18	84	55	66	29	68,7	65,1	25,4	M12	49780	34390	**UC212**	**FB212**	3,99
UCFB212-36	2 1/4	8 25/32	5 1/2	3 35/64	3 45/64	1 7/8	35/64	45/64	3 5/16	2 11/64	2 19/32	1 9/64	2 23/32	2,5630	1,000	7/16			UC212-36		4,12
UCFB212-37	2 5/16																		UC212-37		4,04
UCFB212-38	2 3/8																		UC212-38		3,97
UCFB212-39	2 7/16																		UC212-39		3,90
UCFB213	**65**	244	155	94	100	50	14	20	92	60	70	30	69,7	65,1	25,4	M12	54340	38095	**UC213**	**FB213**	-
UCFB213-40	2 1/2	9 39/64	6 7/64	3 45/64	3 15/16	1 31/32	35/64	25/32	3 5/8	2 23/64	2 3/4	1 3/16	2 3/4	2,5630	1,000	7/16			UC213-40		-
UCFB213-41	2 9/16																		UC213-41		-

Disponibile in acciaio inox Supporto: AISI 304 - Cuscinetto: AISI 440C - ***Available stainless steel Housing: AISI 304 - Bearing: AISI 440C***
Disponibile su richiesta con cuscinetto SA (SAFB) - *Available under request with SA bearing (SAFB)*

SUPPORTI A FLANGIA CON BUSSOLA - *FLANGE BRACKET UNITS WITH ADAPTER SLEEVE*

UKFB2 Serie normale - *Standard duty*



Tipo *Type*	Dimensioni - *Dimensions*														Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	d	w	b	k	a	l	s	g	h	j	e	i	z	B		Dinamico C *Dynamic C*	Statico C_o *Static C_o*			
	mm/inch														mm/inch					kg
UKFB205+H2305	**20**	116	68	52	56	27	10	13	45	27	34	16	35,8	34,1	M8	13300	7457	**UK205+H2305**	**FB205**	0,72
UKPA205+HE2305	3/4	4 9/16	2 11/16	2 1/16	2 7/32	1 1/16	25/64	1/2	1 49/64	1 1/16	1 11/32	5/8	1 13/32	1,3425	5/16			UK205+HE2305		
UKFB206+H2306	**25**	130	78	55	65	31	10	13	50	29	40	18	40,2	38,1	M8	18525	10735	**UK206+H2306**	**FB206**	0,96
UKPA206+HS2306	7/8	5 1/8	3 1/16	2 5/32	2 9/16	1 7/32	25/64	1/2	1 31/32	1 9/64	1 37/64	45/64	1 19/32	1,5000	5/16			UK206+HS2306		
UKPA206+HE2306	1																	UK206+HE2306		
UKFB207+H2307	**30**	144	90	62	70	34	10	15	55	32	46	19	44,4	42,9	M8	24415	14630	**UK207+H2307**	**FB207**	1,33
UKPA207+HS2307	1 1/8	5 21/32	3 35/64	2 7/16	2 3/4	1 11/32	25/64	19/32	2 11/64	1 17/64	1 13/16	3/4	1 3/4	1,6890	5/16			UK207+HS2307		
UKFB208+H2308	**35**	164	100	72	78	36	12	16	60	41	50	21	51,2	49,2	M10	27645	16910	**UK208+H2308**	**FB208**	1,82
UKPA208+HE2308	1 1/4	6 15/32	3 15/16	2 27/32	3 1/16	1 13/32	15/32	5/8	2 23/32	1 39/64	1 31/32	53/64	2 1/64	1,9370	3/8			UK208+HE2308		
UKPA208+HS2308	1 3/8																	UK208+HS2308		
UKFB209+H2309	**40**	174	106	76	80	38	12	18	65	43	54	22	52,2	49,2	M10	32395	20235	**UK209+H2309**	**FB209**	2,09
UKPA209+HA2309	1 7/16																	UK209+HA2309		
UKPA209+HE2309	1 1/2	6 27/32	4 3/16	3	3 5/32	1 1/2	15/32	23/32	2 9/16	1 11/16	2 1/8	55/64	2 1/16	1,9370	3/8			UK209+HE2309		
UKPA209+HS2309	1 5/8																	UK209+HS2309		
UKFB210+H2310	**45**	184	112	82	86	40	12	18	68	46	58	22	54,6	51,6	M10	33345	22135	**UK210+H2310**	**FB210**	2,39
UKPA210+HS2310	1 5/8																	UK210+HS2310		
UKPA210+HA2310	1 11/16	7 1/4	4 13/32	3 7/32	3 3/8	1 37/64	15/32	23/32	2 43/64	1 13/16	2 9/32	55/64	2 5/32	2,0315	3/8			UK210+HA2310		
UKPA210+HE2310	1 3/4																	UK210+HE2310		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

UCECH2 Serie normale - *Standard duty*





Tipo *Type*	d	h	w	b	c	a	l	B	n	S	Dinamico C *Dynamic C*	Statico C_o *Static C_o*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight* (kg)
	mm/inch														
UCECH201	**12**	64	96	64	0	40	19	31	12,7	G3/4	12160	6318	**UC201**	**ECH204**	0,73
UCECH201-8	3/4	2 33/64	3 25/32	2 33/64	0	1 37/64	3/4	1,2205	0,500				UC201-8		0,72
UCECH202	**15**	64	96	64	0	40	19	31	12,7	G3/4	12160	6318	**UC202**	**ECH204**	0,72
UCECH202-9	9/16	2 33/64	3 25/32	2 33/64	0	1 37/64	3/4	1,2205	0,500				UC202-9		0,72
UCECH202-10	5/8												UC202-10		0,72
UCECH203	**17**	64	96	64	0	40	19	31	12,7	G3/4	12160	6318	**UC203**	**ECH204**	0,71
UCECH203-11	11/16	2 33/64	3 25/32	2 33/64	0	1 37/64	3/4	1,2205	0,500				UC203-11		0,70
UCECH204	**20**	64	96	64	0	40	19	31	12,7	G3/4	12160	6318	**UC204**	**ECH204**	0,69
UCECH204-12	3/4	2 33/64	3 25/32	2 33/64	0	1 37/64	3/4	1,2205	0,500				UC204-12		0,69
UCECH205	**25**	64	103	78	0	40	19	34,1	14,3	G3/4	13300	7457	**UC205**	**ECH205**	0,83
UCECH205-13	13/16	2 33/64	4 1/16	3 5/64	0	1 37/64	3/4	1,3425	0,563				UC205-13		0,87
UCECH205-14	7/8												UC205-14		0,86
UCECH205-15	15/16												UC205-15		0,84
UCECH205-16	1												UC205-16		0,83
UCECH206	**30**	64	103	78	0	40	19	38,1	15,9	G3/4	18525	10735	**UC206**	**ECH206**	0,83
UCECH206-17	1 1/16	2 33/64	4 1/16	3 5/64	0	1 37/64	3/4	1,5000	0,626				UC206-17		0,86
UCECH206-18	1 1/8												UC206-18		0,85
UCECH206-19	1 3/16												UC206-19		0,83
UCECH206-20	1 1/4												UC206-20		0,82
UCECH207	**35**	70	116	92	0	40	19	42,9	17,5	G3/4	24415	14630	**UC207**	**ECH207**	1,16
UCECH207-20	1 1/4	2 3/4	4 9/16	3 5/8	0	1 37/64	3/4	1,6890	0,689				UC207-20		1,22
UCECH207-21	1 5/16												UC207-21		1,19
UCECH207-22	1 3/8												UC207-22		1,16
UCECH207-23	1 7/16												UC207-23		1,13
UCECH208	**40**	73	121	96	2	40	19	49,2	19	G3/4	27645	16910	**UC208**	**ECH208**	1,32
UCECH208-24	1 1/2	2 7/8	4 49/64	3 25/32	5/64	1 37/64	3/4	1,9370	0,748				UC208-24		1,36
UCECH208-25	1 9/16												UC208-25		1,33
UCECH209	**45**	82	136	108	5	48	21	49,2	19	G1	32395	20235	**UC209**	**ECH209**	1,92
UCECH209-26	1 5/8	3 15/64	5 23/64	4 1/4	13/64	1 57/64	53/64	1,9370	0,748				UC209-26		2,02
UCECH209-27	1 11/16												UC209-27		1,98
UCECH209-28	1 3/4												UC209-28		1,94
UCECH210	**50**	83	142	118	5	48	21	51,6	19	G1	33345	22135	**UC210**	**ECH210**	1,90
UCECH210-29	1 13/16	3 17/64	5 19/32	4 41/64	13/64	1 57/64	7 7/8 53/64	2,0315	0,748				UC210-29		2,02
UCECH210-30	1 7/8												UC210-30		1,97
UCECH210-31	1 15/16												UC210-31		1,92
UCECH210-32	2												UC210-32		1,88
UCECH211	**55**	87	150	126	7	60	25	55,6	22,2	G1 1/4	41230	27930	**UC211**	**ECH211**	2,61
UCECH211-32	2	3 27/64	5 29/32	4 61/64	9/32	2 23/64	63/64	2,1890	0,874				UC211-32		2,76
UCECH211-33	2 1/16												UC211-33		2,70
UCECH211-34	2 1/8												UC211-34		2,65
UCECH211-35	2 3/16												UC211-35		2,59
UCECH212	**60**	102	173	142	9	60	28	65,1	25,4	G1 1/4	49780	34390	**UC212**	**ECH212**	3,54
UCECH212-36	2 1/4	4 1/64	6 13/16	5 19/32	23/64	2 23/64	1 7/64	2,5630	1,000				UC212-36		3,67
UCECH212-37	2 5/16												UC212-37		3,59
UCECH212-38	2 3/8												UC212-38		3,52
UCECH212-39	2 7/16												UC212-39		3,45
UCECH213	**65**	117	200	166	9,5	70	32	65,1	25,4	G1 1/2	54340	38095	**UC213**	**ECH213**	5,80
UCECH213-40	2 1/2	4 39/64	7 7/8	6 17/32	3/8	2 3/4	1 17/64	2,5630	1,000				UC213-40		5,89
UCECH213-41	2 9/16												UC213-41		5,80
UCECH214	**70**	117	200	166	9,5	70	32	74,6	30,2	G1 1/2	59090	41895	**UC214**	**ECH214**	5,67
UCECH214-42	2 5/8	4 39/64	7 7/8	6 17/32	3/8	2 3/4	1 17/64	2,9370	1,189				UC214-42		
UCECH214-43	2 11/16												UC214-43		
UCECH214-44	2 3/4												UC214-44		
UCECH215	**75**	117	200	166	9,5	70	32	77,8	33,3	G1 1/2	64030	45885	**UC215**	**ECH215**	5,58
UCECH215-45	2 13/16	4 39/64	7 31/32	6 17/32	3/8	2 3/4	1 17/64	3,0630	1,311				UC215-45		
UCECH215-46	2 7/8												UC215-46		
UCECH215-47	2 15/16												UC215-47		
UCECH215-48	3												UC215-48		

Disponibile in acciaio inox Supporto: AISI 304 - Cuscinetto: AISI 440C - ***Available stainless steel Housing: AISI 304 - Bearing: AISI 440C***
Disponibile su richiesta con cuscinetto SA (SAECH) - *Available under request with SA bearing (SAECH)*

S - Su richiesta disponibili con filetto metrico, in pollici e gas
S - Under request available with metric, inches and gas thread

UKECH2 Serie normale - *Standard duty*



Tipo *Type*	Dimensioni - *Dimensions* d	h	w	b	c	a	l	B	S	Coefficienti di carico (N) *Load ratings (N)* Dinamico C *Dynamic C*	Statico C_o *Static C_o*	Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	mm/inch													kg
UKECH205+H2305	**20**	64	103	78	0	40	19	34,1	G¾	13300	7457	**UK205+H2305**	**ECH205**	0,9
UKECH205+HE2305	¾	2 33/64	4 1/16	3 5/64	0	1 37/64	¾	1,3425				UK205+HE2305		
UKECH206+H2306	**25**	64	103	78	0	40	19	38,1				**UK206+H2306**		
UKECH206+HS2306	⅞	2 33/64	4 1/16	3 5/64	0	1 37/64	¾	1,5000	G¾	18525	10735	UK206+HS2306	**ECH206**	0,9
UKECH206+HE2306	1											UK206+HE2306		
UKECH207+H2307	**30**	70	116	92	0	40	19	42,9	G¾	24415	14630	**UK207+H2307**	**ECH207**	1,23
UKECH207+HS2307	1⅛	2¾	4 9/16	3⅝	0	1 37/64	¾	1,6890				UK207+HS2307		
UKECH208+H2308	**35**	73	121	96	2	40	19	49,2				**UK208+H2308**		
UKECH208+HE2308	1¼	2⅞	4 49/64	3 25/32	5/64	1 37/64	¾	1,9370	G¾	27645	16910	UK208+HE2308	**ECH208**	1,32
UKECH208+HS2308	1⅜											UK208+HS2308		
UKECH209+H2309	**40**	82	136	108	5	48	21	49,2				**UK209+H2309**		
UKECH209+HA2309	1 7/16											UK209+HA2309		
UKECH209+HE2309	1½	3 15/64	5 23/64	4¼	13/64	1 57/64	53/64	1,9370	G1	32395	20235	UK209+HE2309	**ECH209**	1,79
UKECH209+HS2309	1⅝											UK209+HS2309		
UKECH210+H2310	**45**	83	142	118	5	48	21	51,6				**UK210+H2310**		
UKECH210+HS2310	1⅝											UK210+HS2310		
UKECH210+HA2310	1 11/16	3 17/64	5 19/32	4 41/64	13/64	1 57/64	53/64	2,0315	G1	33345	22135	UK210+HA2310	**ECH210**	2,19
UKECH210+HE2310	1¾											UK210+HE2310		
UKECH211+H2311	**50**	87	150	126	7	60	25	55,6				**UK211+H2311**		
UKECH211+HS2311	1⅞											UK211+HS2311		
UKECH211+HA2311	1 15/16	3 27/64	5 29/32	4 61/64	9/32	2 23/64	63/64	2,1890	G1¼	41230	27930	UK211+HA2311	**ECH211**	2,84
UKECH211+HE2311	2											UK211+HE2311		
UKECH212+H2312	**55**	102	173	142	9	60	28	65,1	G1¼	49780	34390	**UK212+H2312**	**ECH212**	3,81
UKECH212+HS2312	2⅛	4 1/64	6 13/16	5 19/32	23/64	2 23/64	1 7/64	2,5630				UK212+HS2312		

Bussole HA; HE; HS con filettatura in pollici
Inch dimension adapter sleeves HA; HE; HS

S - Su richiesta disponibili con filetto metrico, in pollici e gas
S - Under request available with metric, inches and gas thread

UP Serie leggera - *Light duty*





Tipo *Type*	Dimensioni - *Dimensions*											Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	d	h	a	e	b	s	g	w	L	n	G		Dinamico C *Dynamic C*	Statico C_o *Static C_o*			
	mm/inch											mm/inch					kg
UP000	**10**	18	67	53	16	7	6	35	17,5	4	4	M6	4322	1852	**U000**	**LP000**	0,077
UP001	**12**	19	71	56	16	7	6	38	14,5	4	4	M6	4845	2280	**U001**	**LP001**	0,091
UP002	**15**	22	80	63	16	6	7	43	16,5	4,5	4	M6	5320	2707	**U002**	**LP002**	0,125
UP003	**17**	24	85	67	18	6	7	47	17,5	5	4	M6	5700	3087	**U003**	**LP003**	0,156
UP004	**20**	28	100	80	20	10	9	55	21	6	4,5	M8	8930	4797	**U004**	**LP004**	0,230
UP005	**25**	32	112	90	20	10	10	62	22,5	6	5	M8	9595	5557	**U005**	**LP005**	0,294
UP006	**30**	36	132	106	26	13	11	70	24,5	6,5	5	M10	12540	7837	**U006**	**LP006**	0,454
UP007	**35**	40	150	118	26	13	13	80	25,5	7	6	M10	14750	9750	**U007**	**LP007**	0,593

Disponibile su richiesta in acciaio inox supporto: AISI 304 - Cuscinetto: AISI 440C - *Available under request stainless steel housing: AISI 304 - Bearing: AISI 440C*
Su richiesta fornibili anche con anello di serraggio eccentrico - *Under request available with eccentric collar locking*

SUPPORTI A FLANGIA OVALE IN ALLUMINIO - *ALUMINIUM OVAL BEARING UNITS*

UFL Serie leggera - *Light duty*





Tipo *Type*	Dimensioni - *Dimensions*											Bull. fiss. *Bolt Size*	Coefficienti di carico (N) *Load ratings (N)*		Cuscinetto *Bearing*	Supporto *Housing*	Peso *Weight*
	d	a	e	i	g	l	s	b	Z	L	n	G		Dinamico C *Dynamic C*	Statico C_o *Static C_o*		
	mm/inch											mm/inch					kg
UFL000	**10**	60	45	5,5	5,5	11,5	7	36	15,5	14	4	4	M6	4322	1852	**U000**	**FL000**	0,063
UFL001	**12**	63	48	5,5	5,5	11,5	7	38	19	14,5	4	4	M6	4845	2280	**U001**	**FL001**	0,076
UFL002	**15**	67	53	6,5	6,5	13	7	42	20,5	16,5	4,5	4	M6	5320	2707	**U002**	**FL002**	0,100
UFL003	**17**	71	56	7	7	14	7	46	22,5	17,5	5	4	M6	5700	3087	**U003**	**FL003**	0,129
UFL004	**20**	90	71	8	8	16	10	55	26,5	21	6	4,5	M8	8930	4797	**U004**	**FL004**	0,205
UFL005	**25**	95	75	8	8	16	10	60	27,5	22,5	6	5	M8	9595	5557	**U005**	**FL005**	0,244
UFL006	**30**	112	85	9	9	18	13	70	29,5	24,5	6,5	5	M10	12540	7837	**U006**	**FL006**	0,354
UFL007	**35**	122	95	10	10	20	13	80	32,5	27,5	7	6	M10	14750	9750	**U007**	**FL007**	0,498

Disponibile su richiesta in acciaio inox supporto: AISI 304 - *Cuscinetto: AISI 440C - Available under request stainless steel housing: AISI 304 - Bearing: AISI 440C*
Su richiesta fornibili anche con anello di serraggio eccentrico - *Under request available with eccentric collar locking*

Supporti in serie leggera in lega d'alluminio, fissaggio con grani. Un nuovo concetto di supporto; offre una significativa riduzione di peso ed ingombro rispetto alle normali serie, con risparmio economico nella progettazione di macchine.
Extra light duty bearing units available with set screws, a totally new concept in bearing units, offer a significant reduction in size and weight when compared with the same size of existing series. This unique design promotes both space and material saving in machine tool and general equipment application.

SAFD2 - SBFD2



Tipo *Type*	Dimensioni - *Dimensions* d	a	e	b	i	s	l	Bull. fiss. *Bolt Size*	SAFD z	SAFD B_1	SAFD n	Cuscinetto *Bearing*	Peso *Weight*	SBFD z	SBFD B_1	SBFD n	Cuscinetto *Bearing*	Peso *Weight*	Supporto *Housing*	Coefficienti di carico (N) *Load ratings (N)* Dinamico C *Dynamic C*	Statico C_o *Static C_o*
	mm/inch							mm/inch	mm/inch				kg	mm/inch				kg			
SAFD-SBFD																					
201	**12**	81	63	59	8,5	7	15	M6	30,6	28,6	6,5	**SA201**	0,3	24	22	6	**SB201**	0,3	**FD203**	9200	4480
201-8	3/4	3 3/16	2 31/64	2 21/64	21/64	9/32	19/32	1/4	1 13/64	1,1260	0,2559	SA201-8		61/64	0,8661	0,2362	SB201-8				
SAFD-SBFD																					
202	**15**	81	63	59	8,5	7	15	M6	30,6	28,6	6,5	**SA202**	0,3	24	22	6	**SB202**	0,3	**FD203**	9200	4480
202-9	9/16	3 3/16	2 31/64	2 21/64	21/64	9/32	19/32	1/4	1 13/64	1,1260	0,2559	SA202-9		61/64	0,8661	0,2362	SB202-9				
202-10	5/8											SA202-10					SB202-10				
SAFD-SBFD																					
203	**17**	81	63	59	8,5	7	15	M6	30,6	28,6	6,5	**SA203**	0,3	24	22	6	**SB203**	0,3	**FD203**	9200	4480
203-11	11/16	3 3/16	2 31/64	2 21/64	21/64	9/32	19/32	1/4	1 13/64	1,1260	0,2559	SA203-11		61/64	0,8661	0,2362	SB203-11				
SAFD-SBFD																					
204	**20**	90	71	67	9,5	10	17	M8	33	31	7,5	**SA204**	0,5	27,5	25	7	**SB204**	0,4	**FD204**	12200	6300
204-12	3/4	3 35/64	2 51/64	2 41/64	3/8	25/64	43/64	5/16	1 19/64	1,2204	0,2953	SA204-12		1 5/64	0,9843	0,2756	SB204-12				
SAFD-SBFD																					
205	**25**	95	76	71	9,5	10	17	M8	33	31	7,5	**SA205**	0,5	29	27	7,5	**SB205**	0,5	**FD205**	13300	7460
205-13	13/16											SA205-13					SB205-13				
205-14	7/8	3 3/4	2 63/64	2 51/64	3/8	25/64	43/64	5/16	1 19/64	1,2204	0,2953	SA205-14		1 9/64	1,0630	0,2953	SB205-14				
205-15	15/16											SA205-15					SB205-15				
205-16	1											SA205-16					SB205-16				
SAFD-SBFD																					
206	**30**	113	90	84	12	12	21	M10	38,7	35,7	9	**SA206**	0,8	34	30	8	**SB206**	0,8	**FD206**	18500	10800
206-17	1 1/16											SA206-17					SB206-17				
206-18	1 1/8	4 7/16	3 35/64	3 5/16	15/32	15/32	53/64	3/8	1 17/32	1,4055	0,3543	SA206-18		1 11/32	1,1811	0,3150	SB206-18				
206-19	1 3/16											SA206-19					SB206-19				
205-20	1 1/4											SA205-20					SB205-20				
SAFD-SBFD																					
207	**35**	125	100	94	12,5	12	22	M10	41,9	38,9	9,5	**SA207**	1,0	36	32	8,5	**SB207**	0,9	**FD207**	24500	14600
207-20	1 1/4											SA207-20					SB207-20				
207-21	1 5/16	4 59/64	3 15/16	3 45/64	1/2	15/32	7/8	3/8	1 21/32	1,5315	0,3740	SA207-21		1 27/64	1,2598	0,3346	SB207-21				
207-22	1 3/8											SA207-22					SB207-22				
205-23	1 7/16											SA205-23					SB205-23				
SAFD-SBFD																					
208	**40**	149	120	104	15	14	25	M12	45,7	-	11	**SA208**	1,4	38	-	9	**SA208**	1,2	**FD208**	27700	17000

SALF2 - SBLF2

SALF2

SBLF2





SALF

SBLF

Tipo *Type*	**Dimensioni** - *Dimensions*								**Bull. fiss.** *Bolt Size*	**SALF**			**Cuscinetto** *Bearing*	**Peso** *Weight*	**SBLF**			**Cuscinetto** *Bearing*	**Peso** *Weight*	**Supporto** *Housing*	**Coefficienti di carico (N)** *Load ratings (N)*	
	d	**a**	**e**	**b**	**i**	**s**	**g**	**l**		**z**	**B1**	**n**			**z**	**B1**	**n**				**Dinamico C** *Dynamic C*	**Statico C₀** *Static C₀*
	mm/inch								mm/inch	mm/inch				kg	mm/inch				kg			
SALF-SBLF																						
201	**12**	81	63,5	56	9,5	8	9,5	18	M6	31,6	28,6	6,5	**SA201**	0,3	25,5	22	6	**SB201**	0,3	**LF203**	9200	4480
201-8	3/4	3 3/16	2 1/2	2 13/64	3/8	5/16	3/8	45/64	1/4	1 1/4	1,1260	0,2559	SA201-8		1	0,8661	0,2362	SB201-8				
SALF-SBLF																						
202	**15**	81	63,5	56	9,5	8	9,5	18	M6	31,6	28,6	6,5	**SA202**		25,5	22	6	**SB202**				
202-9	9/16	3 3/16	2 1/2	2 13/64	3/8	5/16	3/8	45/64	1/4	1 1/4	1,1260	0,2559	SA202-9	0,3	1	0,8661	0,2362	SB202-9	0,3	**LF203**	9200	4480
202-10	5/8												SA202-10					SB202-10				
SALF-SBLF																						
203	**17**	81	63,5	56	9,5	8	9,5	18	M6	31,6	28,6	6,5	**SA203**	0,3	25,5	22	6	**SB203**	0,3	**LF203**	9200	4480
203-11	11/16	3 3/16	2 1/2	2 13/64	3/8	5/16	3/8	45/64	1/4	1 1/4	1,1260	0,2559	SA203-11		1	0,8661	0,2362	SB203-11				
SALF-SBLF																						
204	**20**	90	71,5	61	11	10	11	20	M8	34,5	31	7,5	**SA204**	0,4	29	25	7	**SB204**	0,3	**LF204**	12200	6300
204-12	3/4	3 35/64	2 13/16	2 13/22	7/16	25/64	7/16	25/32	5/16	1 23/64	1,2204	0,2953	SA204-12		1 9/64	0,9843	0,2756	SB204-12				
SALF-SBLF																						
205	**25**	95	76	64	11	10	11	20	M8	34,5	31	7,5	**SA205**		30,5	27	7,5	**SB205**				
205-13	13/16												SA205-13	0,5				SB205-13	0,4	**LF205**	13300	7460
205-14	7/8	3 3/4	2 63/64	2 33/64	7/16	25/64	7/16	25/32	5/16	1 23/64	1,2204	0,2953	SA205-14		1 13/64	1,0630	0,2953	SB205-14				
205-15	15/16												SA205-15					SB205-15				
205-16	1												SA205-16					SB205-16				
SALF-SBLF																						
206	**30**	113	90,5	76	12	12	12	22,5	M10	38,7	35,7	9	**SA206**		34	30	8	**SB206**				
206-17	1 1/16												SA206-17	0,7				SB206-17	0,6	**LF206**	18500	10800
206-18	1 1/8	4 7/16	3 9/16	3	15/32	15/32	15/32	57/64	3/8	1 33/64	1,4055	0,3543	SA206-18		1 11/32	1,1811	0,3150	SB206-18				
206-19	1 3/16												SA206-19					SB206-19				
205-20	1 1/4												SA206-20					SB206-20				
SALF-SBLF																						
207	**35**	122	100	89	13	12	13	24	M10	42,4	38,9	9,5	**SA207**		36,5	32	8,5	**SB207**				
207-20	1 1/4												SA207-20	0,9				SB207-20	0,8	**LF207**	24500	14600
207-21	1 5/16	4 13/16	3 15/16	3 1/2	33/64	15/32	33/64	61/64	3/8	1 43/64	1,5315	0,3740	SA207-21		1 7/16	1,2598	0,3346	SB207-21				
207-22	1 3/8												SA207-22					SB207-22				
205-23	1 7/16												SA207-23					SB207-23				